



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us



Recently viewed ▾

- Export Originals and Variants
- File Naming
- Tethered Capture
- Adjustment Controls
- Adjustments Clipboard

Capture One



User Guide for Capture One 10 and Capture Pilot

Welcome to the User Guide for Capture One and Capture Pilot.

Use the left menu to find categorized articles or use the search field above to find a specific topic.



PHASEONE

what the world's best photography is made of



Introduction

About Capture One

Helping you to get started

Setting up Capture One

Quick Start Guide

User Interface

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Capture One > Introduction



Introduction to Capture One User Guide

Welcome to Capture One!

About Capture One

Capture One overview, Capture One versions and credits and legal information.

Helping you to get started

About this Help Site.

Setting up Capture One

System requirements, installation, activation, deactivation, registration and opening.

Quick Start Guide

Basic workflow overview.

Recently viewed ▾

Capture One

Export Originals and Variants

File Naming

Tethered Capture

Adjustment Controls

PHASEONE

what the world's best photography is made of



Introduction

About Capture One

Helping you to get started

Setting up Capture One

Quick Start Guide

User Interface

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

Export Originals and Variants

Contact us

About Phase One

Capture One Glossary

Tools Appendix

PHASEONE

what the world's best photography is made of

Capture One > Introduction > About Capture One



About Capture One

Capture One overview, Capture One versions and credits and legal information.

- [Capture One overview](#)
- [Capture One versions](#)
- [Credits and legal information](#)

Capture One overview

Built on the world's best raw processing engine, Capture One Pro is the professional choice in imaging software. It enables photographers to reduce the time and effort required to create stunning, out of the box, images from leading high-end cameras. With a fast and intuitive workflow, it can be customized to fit your unique needs.

It is the world's best raw converter, rendering precise colors and incredible detail, with support for leading high-end cameras. It contains flexible digital asset management, all the essential adjustment tools and professional performance in one integrated solution.




Capture One versions

Capture One Pro, DB and Express

There are four different Capture One versions:

- **Capture One Pro** delivers the same functionality as DB although it also includes support for digital camera jpeg images and numerous other Raw files. It also includes tethered support for some DSLRs. This ensures that DSLR owners have the ability to get the highest level of quality from their files. (See release notes for supported file types).
- **Capture One Pro (for Sony)** delivers the same functionality as Capture One Pro, but only for Sony cameras.
- **Capture One Express (for Sony)** is a simplified version of Capture One Pro (for Sony) and omits some features such as tethered shooting, but is free to use.
- **Capture One DB** (Digital Back) version provides owners of Phase One, Leaf & Mamiya Digital Backs with a set of highly advanced image editing tools to help streamline and make any photographer's daily workflow more efficient, whether shooting tethered or not.

You will need online access for the initial activation of **Capture One Express** and **Capture One Pro**. **Capture One DB** does not need an Internet connection for activation. This guide describes Capture One for Apple® Macintosh® and it is also applicable to Capture One for Microsoft® Windows®, though some specifics are not listed. All features tagged with the slightly raised Pro-feature text are only accessible in Capture One Pro versions.



Credits and legal information

On Rights

©2017 Phase One A/S. All rights reserved. Made in Denmark.

Ver.10.1 last edit May 2017.

Colorspace images created in CROMiX ColorThink.

Photos by:

Phase One

Michael Roscoe, www.roscoephotography.com

Peter Eastway, www.petereastway.com

Paul Fawley, www.photolink.co.uk

Francis Hills, www.francishills.com

On Liability:

The information in this user guide is provided "as is". Under no circumstances, including negligence, shall Phase One be liable for any incidental, special, direct, indirect or consequential damages arising out of or relating to use of the information provided in this guide with or without the software described in the guide.

Trademarks and Acknowledgements

Capture One and Phase One are either registered trademarks or trademarks of Phase One A/S in the European Union and/or other countries. All other trademarks are the property of their respective owners. This product includes DNG technology under license by Adobe Systems Incorporated.

Did you find this article useful?



Introduction

About Capture One

Helping you to get started

Setting up Capture One

Quick Start Guide

User Interface

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

[Capture One](#) > [Introduction](#) > Helping you to get started



Helping you to get started

About this Help Site.

The Capture One help site has been designed as a workflow guide, starting with installation and configuration - working through to processing of files to their final output.

The Capture One application has a number of small "?" icons in every tool which will point to the tools appendix in this website. In the tools appendix you will find basic descriptions of the tools purpose and links back into the workflow.

For additional help you can contact our technical support team via the support portal [here](#)

Did you find this article useful?

Recently viewed ▾

- [About Capture One](#)
- [Export Originals and Variants](#)
- [Contact us](#)
- [About Phase One](#)
- [Capture One Glossary](#)

PHASEONE

what the world's best photography is made of



Introduction

About Capture One

Helping you to get started

Setting up Capture One

Quick Start Guide

User Interface

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

Helping you to get started

About Capture One

Export Originals and Variants

Contact us

About Phase One

PHASEONE

what the world's best photography is made of



Setting up Capture One

PHASE ONE / ACTIVATION / DEACTIVATION

System requirements, installation, activation, deactivation, registration and opening.

- System requirements
- Installation
- Activating Capture One Pro
- Offline activation
- Deactivation
- Registration

System requirements

Capture One may run on other and older equipment than that listed below, but to ensure the best possible results we recommend that your computer, at the minimum, conforms to the following specifications:

Microsoft® Windows® minimum requirements

- CPU with 2 Cores
- 8 GB of RAM
- 10 GB of free hard disk space
- Color calibrated monitor with 1280x800, 24-bit resolution at 96dpi screen ruling
- Windows 7® SP1 64-bit, Windows 8® 64-bit, Windows 10® 64-bit (Version 1607)
- Microsoft® .NET Framework version 4.6.2 (will be installed if not present)
- A PDF reader is needed to read the Release Notes

Apple® Macintosh® minimum requirements

- CPU with 2 Cores
- 8 GB of RAM
- 10 GB of free hard disk space
- Color calibrated monitor with 1280x800, 24-bit resolution at 96dpi screen ruling
- Mac OS X 10.11.6 or macOS 10.12.x


Recommended system requirements

The above hardware specifications are to be considered as minimum requirements. If you work with high-resolution camera systems or simply want to optimize the performance, please follow the recommendations below:

- CPU with 4 Cores or more
- 16 GB of RAM or more
- Solid State Disk (SSD)
- A fast graphics card from NVIDIA or AMD with a minimum 2 GB RAM (4 GB minimum for 4K or multiple monitors)

Installation

Capture One 10.x is compatible with the earlier 6.x, 7.x, 8.x and 9.x versions. It is recommended to migrate images from 4.x and 5.x to version 8.x first, before



opening in 10.x. It is generally recommended that you only install one version of Capture One on any single computer. A single-user license allows up to three activations on computers that you own or of which you are the principal user. The license can be used with both Windows and Mac platforms. Multi-user licenses are also available from the Phase One Online Store or from your retailer. Please read the release notes carefully before you install Capture One.

Install on Windows

To install the software please follow the procedure below:

1. Download the application from the Phase One website at www.phaseone.com.
2. Run the executable software install file (.exe).
3. Read and accept the license agreement presented.
4. Follow the on-screen instructions to complete the installation. Capture One will initiate installation of Microsoft® .NET Framework 3.5 if you do not already have it.

Install on Mac OS X

To install the software please follow the procedure below:

1. Download the application from the Phase One website at www.phaseone.com.
2. Open the Capture One disk icon (.dmg).
3. Read and accept the license agreement presented.
4. Drag the Capture One icon to the Applications folder.
5. Open Capture One from your Applications folder.

Manual update to latest version

It is important to keep Capture One software updated. After activation and registration, you will usually receive a newsletter reminder that an update is ready for download, although it can be more convenient to choose Capture One>Check for Updates. If your Capture One application is downloaded from www.phaseone.com it will always be the latest version. Installation from a CD version may need to be updated. You can also schedule an automated update if desired. Check Capture One > Preferences.

Activating Capture One Pro

Capture One is available in four versions. Capture One Pro is the main application and offers compatibility with the widest range of cameras. Capture One Pro for Sony includes all the features of the main application with compatibility for Sony cameras only. Express for Sony has a smaller feature set and is free of charge for Sony camera owners. Capture One Pro DB is provided free of charge for Phase One or Mamiya Leaf users only.

A license code is required to activate Capture One Pro or Capture One Pro for Sony, however a free 30-day trial is available. An Internet connection is necessary to complete the activation. Registration is also required for new customers.

1. Open Capture One from your applications folder. A product dialog opens.
2. Select the product from the choice of four options. When licensing Capture One, select either Pro or Pro for Sony, as appropriate. (After expiry of the 30-day trial go to Capture One>License... to open the license activation dialog as illustrated.)
3. Type in the license code in the field provided. (You will have been provided with a license code from the Phase One Online Store if you purchased it there, or received the 16-character license code by email when purchased from a retailer.)
4. Type in the email address you used, or would like to use, to set-up your Phase One Account and select **Get Profile**.



- If you have registered previously, you will be asked for your account password. After verification, the rest of the form will be filled in for you. If you are a new customer, please fill in the rest of the form.
- Complete this process by selecting **Activate**.
- Your software is now ready for use.

Troubleshooting

Try one of the following resources if you are experiencing any problems with the software:

- Watch www.youtube.com/PhaseOneDK for the latest video tutorials.
- Visit www.phaseone.com/support for inspiration and troubleshooting.

Offline activation

Capture One Pro users with computers that are permanently offline (e.g., in corporate or secure IT environments), or those who are temporarily offline for any reason, can complete the activation offline. Note that the process still requires an internet-enabled device (e.g., a smartphone) to generate an activation key.


- Open Capture One on the offline computer that you want to activate. If the Activation dialog doesn't automatically open, from the main menu go Capture One>License>Manual Activation (Mac), or Help>License Information>Manual Activation (Windows).
- From the **Activation** dialog, type in your license code. This will generate a **Registration Key**.
- Using an internet-enabled device, log in to the [My Pages section of the Phase One website](#).
- Enter the key in the **Registration Key** field and select the **Generate Activation Key** button.
- Copy the generated **Activation Key** to the offline Activation dialog on the offline computer, and press **Activate**.
- Your software is now ready for use.



Deactivation

To deactivate Capture One from a computer, an internet connection is required. The application will return to Trial Mode once deactivated. When the trial period has expired all current and pending processing will be cancelled. You will need to reactivate Capture One to continue working with it.

- Open the License dialog box via the menu Capture One>License.
- Press the Deactivate button.
- Confirm that you want to perform the deactivation.
- After deactivation, you can reactivate Capture One on another computer.



Registration

Register your license to authenticate your installed software. Registration will allow full usage of your Capture One version.

The Online registration automatically registers your license key. When this is validated, it will be kept alongside with information on your computer platform, ID and IP numbers. Phase One keeps all information confidential, according to EU law and international standards. For more information on the license, please read the License Agreement.

The registration of the software will create a personal profile on www.phaseone.com. This profile will provide the opportunity to register your hardware/software and to contact Phase One for any support or sales related questions.

How do I register my hardware product?

- Attach a camera and a dialog box will automatically open and ask if you would like to register your product.
- Click 'Yes' in the Registration dialog box and follow the procedure; this will help in future support cases as well as track ownership of the product.



Can I change my registration?

It is possible to change the priority and even remove the registration completely.

1. Select the Digital Back that you wish to change updating priorities on.
2. Rearrange by using the arrows icons.

If a digital back is removed completely you will have the option of re-registering it the next time you connect the back to Capture One.

Did you find this article useful?



Introduction

About Capture One

Helping you to get started

Setting up Capture One

Quick Start Guide

User Interface

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

[Setting up Capture One](#)

[Helping you to get started](#)

[About Capture One](#)

[Export Originals and Variants](#)

[Contact us](#)

PHASEONE

what the world's best photography is made of

[Capture One](#) > [Introduction](#) > [Quick Start Guide](#)



Quick Start Guide

Basic workflow overview.

First [activate](#) Capture One, then follow this guide to get quickly up and running with the software. (Click on the links for more information about each tool and feature).

- [Video: Capture One Pro Overview](#)
- [Getting started](#)
- [Create a catalog](#)
- [Importing images](#)
- [Capture](#)
- [Color](#)
- [Exposure](#)
- [Editing images](#)
- [Lens Correction](#)
- [Crop](#)
- [Focus and sharpening](#)
- [Local Adjustments](#)
- [Export Originals](#)
- [Export Variants](#)
- [Batch](#)

Video: Capture One Pro Overview

Get an overview of Capture One Pro in this video tutorial. (Click on the image to the right). Capture One Pro is the professional choice in imaging software. It gives photographers the highly responsive, precision tools they need to create stunning out-of-the-box images from leading high-end cameras.



Getting started

The user interface consists of four key sections:

1. The **Browser** displays different views of image thumbnails, as well as useful functions to aid workflow including rating, naming sorting and more.
2. The **Viewer** delivers a high quality rendition of your chosen selected image. All changes made to the image will be shown instantly.
3. The **Tool Tabs** give access to all of the core tools needed to edit images, such as color balance, exposure and sharpness.
4. The Menu and **Tool Bar** provide structured access to software functions and features found throughout the application.



Create a catalog

A catalog is the primary method of file organization and viewing in Capture One Pro. A catalog contains all the information needed for Capture One Pro to find and display any image added to the Catalog. The location of the actual image files can be anywhere on your computer or an external disk but they can

also be placed inside the catalog file. Image files are located and accessed in the Library tool. Image files need to be imported into a catalog. It is also possible to shoot directly into a catalog from a supported tethered camera.

1. Create a new catalog by selecting File>New Catalog...
2. A dialog box will appear. Fill in the Name field and select a Location for the catalog.

Importing images

Before you import images, first create a new catalog or session. Go to File>New Catalog or New Session. Fill in the Name field, select a location and press OK.

There are three primary ways to import image files:

1. Connect a card reader to your computer and insert a memory card. Capture One will open the import window automatically.
2. Import files from your computer or an external hard drive by choosing File>Import images... Browse and select a folder containing raw images from the Location drop down menu.
The Import Images dialog box has a number of automated options that can be selected according to your workflow preference. These include an image backup tool, file naming functionality and add caption and copyright information fields.
3. Shoot [tethered](#) from a supported DSLR or Digital Back. Images will go to the active Catalog/Session by default.



Capture

The [Capture tool tab](#) is your gateway to tethered shooting with a Phase One digital back or supported DSLR.

Connect a camera to your computer via a FireWire or a USB cable. This tool tab has a host of features to aid workflow:

- Adjust your camera exposure settings remotely, apply adjustments and multiple styles during capture. Use the Camera tool to alter ISO and White Balance settings and fire the shutter of a connected camera or activate its Live View functionality.
- Use the Capture Pilot tool/app to connect Capture One Pro to an iPad, iPod Touch and iPhone. The Capture Pilot app lets you present, rate and capture image files on an iOS device.
- The Capture Pilot tool also has a web function that lets you view, rate and color tag captured images from a web browser on a computer, Android (mobile device) or Windows Phone operating system.



Color

Capture One provides a number of tools to adjust colors. The tools are designed to support your workflow when handling specific issues like [white balance](#) and [skin tone](#).

The [Color tool tab](#) and its functionality should always be the cornerstone of your image editing workflow. The Color Editor enables users to select and adjust a narrow color spectrum without affecting other colors in an image.

Tip: Attain neutral colors by capturing a test shot with a grey card during a photo shoot.



Exposure

Use the Capture One Exposure tool to adjust [exposure](#), [contrast](#), [brightness](#) and [saturation](#).

Try the [High Dynamic Range](#) tool to remedy images with extreme highlights and deep shadows. Use the powerful Levels and Curve tools to fine-tune exposures or add more punch to an image with the Clarity sliders.



Editing images

Try out the [Variants function](#) while editing images to get a preview of the selected image with adjustments applied. Use Variants to experiment with different image adjustments.

Press F3/F8 (Mac/Windows) to get a Clone Variant of a selected image. (Alternatively, Go to Image>Clone Variant). Press F2/F7 (Mac/Windows) to get a New Variant. Variants are not duplicates of your original RAW files, merely rendered versions of them and so occupy very little hard disk space.



Lens Correction

Use the [Lens Correction](#) tool to minimize chromatic aberration, purple fringing, distortion, lightness and sharpness falloff. Make creative effects using the Vignetting tool.



Crop

The [Crop](#) tool enables freehand and fixed ratio crop options. It is even possible to crop outside the image area. Drag the crop mask in the Viewer to make composition adjustments at anytime during the editing process.



Focus and sharpening

Use the tools located within the [Details Tool](#) tab to verify or modify the sharpness of the image. Always check sharpness at a 100% zoom view. First adjust the [Radius and Amount sliders](#), and then alter Threshold value as required.



Local Adjustments

The tools available within the [Local Adjustments](#) tool tab allow you to create layers and adjust targeted areas of an image. Exposure, Sharpening, Clarity, Moiré, HDR, Noise Reduction, White balance and the Color Editor can also be applied to a Local Adjustment. The selected area is defined using a brush; you can adjust the hardness and size according to your editing needs.



Export Originals

There are two export image options; Go to File>Export and choose either Originals or the Variant option.

Export Originals lets you export original RAW images with or without adjustments to a folder location on your computer or external hard drive etc. (Check mark the Include Adjustments option according to you preference). Press Export Original to complete the process.



Export Variants

Export Variants is a quick way to export a processed image. Go to the Store Files drop down menu and choose a location. Name your file, select a format and adjust the Quality slider as desired and press Export Variants to complete the process.



Batch

Go to the Batch tool tab to view images that are in the line and about to be processed. You can even reprocess images directly from the history tab as long as the original files are still available.



Did you find this article useful?



Introduction

User Interface

User Interface Overview

Viewing Photos

Toolbar

Tool Tabs

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Capture One > User Interface



User Interface

The section covers the user interface make up, customization of the interface and tool descriptions

User Interface Overview

The main Capture One User Interface elements are a Tool Tab bar, a set of Cursor tools, a Viewer and an Image Browser.

Viewing Photos

Capture One provides a wide range of possible ways to view and inspect images. Users can customize the Image Viewer and the Image Browser to fit the needs of your particular workflow.

Toolbar

The interface is divided into a number of elements, all providing a set of tools. The Toolbar provides graphical shortcuts to some of the most useful functions of Capture One.

Tool Tabs

Each Tool Tab contains a number of utilities that include a set of tools to adjust image files.

Recently viewed ▾

[Quick Start Guide](#)

[Setting up Capture One](#)

[Helping you to get started](#)

[About Capture One](#)

[Export Originals and Variants](#)

PHASEONE

what the world's best photography is made of



Introduction

User Interface

User Interface Overview

Viewing Photos

Toolbar

Tool Tabs

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

Introduction

User Interface

Quick Start Guide

Setting up Capture One

Helping you to get started

PHASE ONE

what the world's best photography is made of

Capture One > User Interface > User Interface Overview




User Interface Overview

The main Capture One User Interface elements are a Tool Tab bar, a set of Cursor tools, a Viewer and an Image Browser.


- Basic overview
- Overview in detail

Basic overview



- The **Viewer** displays a large preview of one image or a number of selected images.
- The Image **Browser** displays thumbnails of selected images from a folder, Album, Smart Album, Project, Group as well as a Catalog.
- The **Cursor tools** provide easy access to a number of closely related sub-features, referred to as Tools.
- The **Tool Tabs** give access to all of the core tools needed to edit images, such as color balance, exposure and sharpness.

Overview in detail



- The **Toolbar** provides graphical shortcuts to some of the most useful functions of Capture One.
- **Tools:** Each **tool tab** has a number of related tools to help adjust an image file.
- **Viewer Modes:** Access the Multi view, Primary view and Toggle Proof Margin Viewer modes.
- **Browser Modes:** Access and select the Filmstrip, Grid View and List View browser thumbnail viewing options.
- **Search the Browser:** Insert text into the search field at the top of the Browser to filter
- **Sort the Browser:** Choose the order of thumbnails in the Browser from a number of criteria including: name, star rating, ISO etc.

Did you find this article useful?



Introduction

User Interface

User Interface Overview

Viewing Photos

The Viewer

The Browser

Focus Checking

Full Screen Mode

Slideshow

Toolbar

Tool Tabs

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

User Interface Overview

Introduction

User Interface

Quick Start Guide

Setting up Capture One

Capture One > User Interface > Viewing Photos



Viewing Photos

Capture One provides a wide range of possible ways to view and inspect images. Users can customize the Image Viewer and the Image Browser to fit the needs of your particular workflow.

The Viewer

The Viewer displays a large preview of one image or a number of selected images.

The Browser

The Image Browser displays thumbnails of selected images from a folder, Album, Smart Album, Project, Group and a Catalog.

Focus Checking

Capture One offers a number of tools to closely examine images for focus accuracy, dust specks, optical flaws or any other issues.

Viewing images in Full Screen Mode

The Full Screen mode displays an uncluttered view of your image and you retain access to the browser and all the tools you need.

Slideshow

The Slideshow feature allows you to present photos or videos with transitions in a full screen view.

Did you find this article useful?



Introduction

User Interface

User Interface Overview

Viewing Photos

The Viewer

The Browser

Focus Checking

Full Screen Mode

Slideshow

Toolbar

Tool Tabs

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

Contact us

Sitemap

Privacy

Legal notice

About Phase One

PHASEONE

what the world's best photography is made of

Capture One > User Interface > Viewing Photos > The Viewer



The Viewer

VIEWING IMAGES / VIEWING PHOTOS / THUMBNAILS / IMAGE BROWSER / VIEWING VIDEOS / LOUPE / FULL SCREEN / SLIDESHOW / CAPTURE PILOT

The Viewer displays a large preview of one image or a number of selected images.

- Introduction to the Viewer
- The Viewer Modes
- Primary View
- Multi view
- Toggle Proof Margin
- Select and view multiple images
- RGB, Lightness, Exposure and rating information
- Quick tip: Zoom Viewer
- Viewing videos


Introduction to the Viewer

The Viewer gives you the option to view a single image or multiple images at once. The Viewer is a fundamental element of the Capture One user interface. The Viewer window enables users to view image files and check the effect of any adjustments that have been made. It also is easy to make image comparisons. Up to 12 different images can be selected and seen in the Viewer at one time making it effortless to compare images side-by-side.



The Viewer Modes

The Viewer has three primary modes: **Multi view**, **Primary view** and **Toggle Proof Margin**. These modes are accessed by pressing the icons located in the top-left corner of the Viewer. (See icons circled in blue). The active icon will turn orange once it is selected.



Primary View

The **Primary view** mode enables a single image to be displayed in the Viewer. The displayed image is selected from the thumbnail selection in the Browser. The active thumbnail will have a thick white border around it.



Multi view

The **Multi view** mode enables you to see up to 12 images in the Viewer. The displayed images are selected from the thumbnails in the Browser.



Toggle Proof Margin

The **Toggle Proof Margin** enables users to switch between two different Viewer margin settings (which is the distance between the edge of your image file and the frame of the Viewer). These settings can be adjusted by going to Capture One>Preferences... Go to the Appearance menu where you can adjust Margin distance from 3px (default) up to 40px. The Proof Margin can also be adjusted using the slider from 0 to 100 pixels. (The default is 25px).



Select and view multiple images

Up to 12 images can be displayed in the Viewer. There are a number of ways to select multiple thumbnails as follows:

- Click on a single thumbnail, press shift (on your keyboard), then click on another thumbnail. All the thumbnails in between will also be selected
- Click on a single thumbnail, press Cmd (on your Mac keyboard), and click on another thumbnail. Only the selected thumbnails will be displayed in the Viewer
- Go to Edit>Select All to select all the thumbnails in the Browser. Alternatively, press cmd and A on your (Mac) keyboard



Tip: To deselect the active thumbnails simply click on a non-active thumbnail. Alternatively, go to Edit>Deselect All (Keyboard shortcut: shift Cmd A).

RGB, Lightness, Exposure and rating information

The Viewer has a number of features to aid photographers in postproduction. These include the RGB and Lightness, or CMYK, readout values that are displayed in the center of the Viewer toolbar. (See circled).

The bottom left corner of the Viewer displays camera data that includes the exposure settings (ISO, shutter and f-stop) as well as the focal length of the camera lens used to capture the image. The bottom right corner displays the color tag and star rating applied to the image. Click on the box or dot/star to alter the rating or tag. Find out more about star rating and color tags [here](#).



Quick tip: Zoom Viewer

Tip: If you have more than one image in the Viewer you can zoom all images simultaneously by holding down SHIFT and dragging the zoom slider (in the top right corner of the Viewer) or by scrolling the mouse wheel.



Viewing videos

Video files are displayed with a movie camera icon (center of the thumbnail) in the Browser. Once the thumbnail has been

selected, it is possible to play the video in the Viewer. By moving your mouse cursor over the movie file (in the Viewer) a control panel will appear.

You can view videos in [full screen](#) or add movies to a [slideshow](#). Please note that it is only possible to play videos in this software as Capture One provides no video editing capabilities. If you don't want to see videos appearing in the Browser, select View>Global filters>Always Hide Movie Files.

Did you find this article useful?



Recently viewed

The Viewer

Contact us

Sitemap

Privacy

Legal notice

PHASE ONE

what the world's best photography is made of



The Browser

IMAGE BROWSER / THUMBNAILS / VARIANTS / LOUPE

The Image Browser displays thumbnails of selected images from a folder, Album, Smart Album, Project, Group and a Catalog.

- Browsing thumbnails
- Filmstrip View
- Grid View
- List View
- Browser view modes
- Zoom slider: Thumbnail size
- Learn more
- Thumbnail icon: Adjusted
- Thumbnail icons: Offline and View Only
- Thumbnail icon: Processed
- Thumbnail icons: Appearance Warning and Read Only
- Thumbnail icon: Variants
- Thumbnail icon: Video

Browsing thumbnails


When browsing images you have three different thumbnail view options: Filmstrip, Grid View and List View to suit your personal preference. Choose your preferred thumbnail view option from the Image Browser toolbar. (See thumbnail options circled in blue in the top left corner).

The Image Browser will show thumbnails as they are edited, and the entire view and mask if the image is cropped. Use the Image Browser to navigate an image collection and to select files. A number of actions can be performed in the Image Browser, which include [adding a star rating and color tag](#) and the use of the Loupe function to examine thumbnails in close-up detail.

Tip: It is easy to maximize the Image Browser by hiding [The Viewer](#). Simply go to View>Hide Viewer.



Filmstrip View



Filmstrip View leaves more space for the Image Viewer and supports a fast workflow for sessions with fewer images. Adjust the size of the thumbnails by dragging the browser window up or down. (This will make the size of the thumbnails adapt automatically to fit the selected browser size).




Grid View



Grid View is ideal to browse numerous images quickly especially when using the arrow keys to scroll UP/DOWN or LEFT/RIGHT.



List View



The List View displays more file information (such as aperture and shutter speed settings) and provides a sequential view of the images in a folder or album.



Browser view modes

There are several Image Browser viewing options to help you get the best user experience as follows:

- Go to View>**Show Browser** to see the Image Browser at the same time as The Viewer. Once selected, this option will change to **Hide Browser**.
- Select View>**Browser Auto Mode** to hide the Browser from view until you move your cursor to the *bottom of the page where it will automatically pop up. When you move the cursor away the Browser will disappear from view. Once selected, this option will change to **Browser Manual Mode**.
- Select View>**Place Browser Right** to change to position of the browser thumbnails to the right side of the user interface. Once selected, this option will change to **Place Browser Below**.
- Go to View>**Browser Zoom** to select a different thumbnail size.
- Go to View>**Browser Labels** for three options. **Off** will hide the star rating and color tag. **Edit mode** enabling users to alter the star rating and color tag directly in the browser. **Status Mode** displays the star rating and color tag but disables any editing capability.
- Select View>Hide **Browser Toolbar** to remove the thumbnail view and thumbnail sorting options as well as the search facility and thumbnail zoom slider from the toolbar.



*Move your cursor to the right to reveal thumbnails if you have selected the **Place Browser Right** option.

Zoom slider: Thumbnail size

Adjust and set the thumbnail size by dragging the zoom slider (located in the top right corner of the Browser window) or by selecting View>Browser Zoom. Please note that the zoom slider is not present when using the Film Strip mode.

Learn more

- The Browser has an easy to use **search** function. Find out how to perform a text, color tag or star rating search [here](#).
- Discover how to use the [Loupe Tool](#) in the Image Browser.

Thumbnail icon: Adjusted

Adjusted: An icon will appear as soon as any image adjustments have been applied. All the adjustments are listed within the [Adjustments Clipboard](#).



Thumbnail icons: Offline and View Only

Offline: A question mark icon will appear when an image is offline. Image files that are located inside a catalog and files that are referenced in their current location can be browsed offline. Find out more about [Offline Browsing](#).

View Only: An eye icon means the file has a View Only permission status. This means users have the right to view the image but are unable to make any modification to it.



Thumbnail icon: Processed

Processed: An orange cog icon will appear in a thumbnail while the file is being processed. The icon will turn white once processing is complete.

This icon also signifies that the file has a 'Variant Process History' that the user can access by selecting Adjustments>Process History.




Thumbnail icons: Appearance Warning and Read Only

Appearance Warning: An exclamation mark signifies that there may be a problem with the appearance of an image. This can be caused when an image is rendered using settings from a later version of Capture One.

Read Only: A crossed over pencil will appear in the bottom right corner of an image if a file is unsupported or if you don't have the access rights to edit a file. You might see this read-only icon if you try to edit images files located on a camera or a un-connected external disk.

Note: JPEG files will have a read-only icon if the Enable JPEG Editing option is unchecked.




Thumbnail icon: Variants

Variants: Collapse or expand a Variant group if you have a number of variants for a certain image. Click on the small icon in the top left corner of a thumbnail. Find out more about [Variant Groups](#).



Thumbnail icon: Video

Video: Video files are displayed with a movie camera icon in the center of the thumbnail. Once the thumbnail has been selected, it is possible to play the video in the Viewer. Find out more about viewing [videos](#).



Did you find this article useful?



Introduction

User Interface

User Interface Overview

Viewing Photos

The Viewer

The Browser

Focus Checking

Full Screen Mode

Slideshow

Toolbar

Tool Tabs

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

[The Browser](#)

[The Viewer](#)

[Contact us](#)

[Sitemap](#)

[Privacy](#)

PHASEONE

what the world's best photography is made of

[Capture One](#) > [User Interface](#) > [Viewing Photos](#) > [Focus Checking](#)

Focus Checking

LOUPE / VIEWING IMAGES / FULL SCREEN

Capture One offers a number of tools to closely examine images for focus accuracy, dust specks, optical flaws or any other issues.

- Viewing images with the Loupe
- Changing the Loupe settings
- Viewing a magnified image
- Navigating a magnified image
- Viewing images with the Focus tool
- Checking focus in multiple areas simultaneously
- Confirming focus and sharpness with the Focus Mask

Viewing images with the Loupe

The Loupe tool can be used to check focus or inspect close-up details of an image. When selected, you position the Loupe cursor over the area of the image you want to inspect. It can be used at anytime in the Viewer or Image Browser of the document window.

Chosen from the Cursor Tool Bar, or by using the short-cut P, the Loupe is located directly above the main Viewer. It is the initial cursor of the Zoom Cursor group. Note, as the last used cursor is displayed at the head of the group, it may be necessary to open the group (long-press on the visible cursor) and select the Loupe from the list.

1. From the cursor toolbar, either click the Loupe tool icon directly if displayed, or if it's not, click-and-hold the cursor displayed and select the Loupe from the list. Alternatively, press the P key at any time.
2. Click and hold the pointing-device (e.g., mouse) in the areas of an image where you wish to inspect details.
3. Drag the mouse to move the Loupe. The Loupe can be used within the main Viewer as well as the Image Browser on a thumbnail.
4. To hide the Loupe, click on one of the other cursor tools (e.g., the Pan cursor, or press H).

Changing the Loupe settings

How the Loupe interacts with the image can be customized. You can alter the size and magnification, and choose if you want to the Loupe to open directly under the cursor or to the side, for a clearer view.

1. Navigate to the cursor toolbar and click-and-hold the Loupe tool icon to open the zoom cursor group. Select a highlighted menu item and release the mouse button.
2. Select **Use Centered Loupe** when you want to operate the Loupe directly under the cursor. If this option is not selected, the Loupe will open next to the cursor so the selected area is visible in the Viewer as well as enlarged in the Loupe.
3. To change the size of the Loupe, select the Loupe Size and then select from one of three settings (Small, Medium or Large), or hold the Option/Alt+Space keys (Mac/Windows) while scrolling to change the size of the Loupe.
4. To alter magnification of the Loupe between 25% to 200%, select the option from the same cursor tool menu, or use the mouse scroll wheel to



- zoom in or out while the Loupe is in use.
- To reset the zoom to 100%, go to the Loupe menu option and select it from the list.

Viewing a magnified image


Capture One provides a number of options to display an image in the main Viewer at various magnifications. Viewing images at actual size (100% magnification) will display them at pixel level (full resolution) but it may result in the image not fitting fully within the Viewer, even when displayed on a large monitor. The Navigator tool is designed specifically to help with panning full-resolution images, and is especially useful with small displays, such as those on laptops. For more information on panning an image using the Navigator, see below.



- Select the Zoom-In cursor (magnifying glass icon) from the Zoom Cursor group in the Tool Bar, or press the Z key and click on the image in the Viewer to zoom through the following steps: 25%, 33%, 50%, 67% and 100%. (200%, 300% and 400% views are also available.) Select the Zoom-Out cursor to reduce the magnification respectively.
- Select the Pan (or hand icon) cursor from the Cursor tool bar, or press H, and double-click on the area to view at 100% magnification. To pan, click on the image and drag. Double clicking a second time will return the image to fit the Viewer. You can quickly switch to the Pan cursor from another cursor tool by holding the space bar down on the keyboard. Continue to hold the space down while you work with the Pan cursor, otherwise it will return to the previously selected cursor tool.
- Scrolling the mouse wheel will zoom the image in the following steps: 25%, 33%, 50%, 67% and 100%. (200%, 300% and 400% views are also available.) This action works regardless of the selected cursor tool.
- Click on the right-hand side head and shoulders icon of the zoom slider, located top right in the Viewer toolbar. Alternatively, drag the slider to 100%. Click on the right hand side icon to return the image to fit the Viewer.
- From the main menu, select View > Viewer Zoom > 100%, or press Option/Alt+Cmd+0 (Mac/Windows). Select View>Viewer Zoom>To fit, or press Cmd/Ctrl+0 (Mac/Windows).
- Pressing Cmd/Ctrl++ repeatedly will zoom the image in the following steps: 25%, 33%, 50%, 67% and 100%. (200%, 300% and 400% views are also available.) Press Cmd/Ctrl+- will reduce the magnification respectively.

Navigating a magnified image

Located in Details Tool Tab, the Navigator tool displays a thumbnail of the selected image along with a white rectangular frame that depicts the current zoom level in the main Viewer. You can use this frame as an aid to navigation when using high magnification in the Viewer. Like the Focus tool, the Navigator can be undocked and repositioned in the main Viewer, if necessary. To reposition, click close to the top of the tool and drag into place. To replace in the dock, drag back into the preferred position.



1. Go to the Navigator tool, in the Details tool tab.
2. Magnify or zoom the image in the main Viewer using one of the methods described in this section, or click on the Navigator tool's contextual menu (...), and select Zoom Viewer 100%. (Other magnification options are available.)
3. The main Viewer will be magnified and the corresponding area will be displayed in the Navigator, as indicated by the white frame.
4. To move around the image after zooming, click and drag the white frame inside the Navigator's thumbnail to inspect a chosen area. The main Viewer will be updated with the area of interest.

Viewing images with the Focus tool

In addition to the more general purpose nature of the Loupe, Capture One has a Focus tool with a separate viewer and dedicated cursor called the Pick Focus Point (sometimes known as the Focus Pick) specifically for checking focus accuracy. This cursor can also be accessed from the zoom cursor group. The Focus viewer is located directly beneath the Navigator tool in the Details Tool Tab by default. Note it can be detached from the toolbar (along with the Sharpening tool when needed) and left to float freely, or re-located anywhere in the toolbar.



The Focus viewer can also be used to assess the effects of sharpening when applying various settings. At 100 % magnification, the image in Focus viewer is rendered in final output quality, along with any sharpening applied.

1. Navigate to the Focus tool, located in the Details Tool Tab.
2. Click on the Pick Focus Point cursor tool (magnifying glass) icon beneath the Focus tool's viewer, or from the cursor tool bar, or press the F key. The previously selected cursor tool will be replaced by the Pick Focus Point cursor tool.
3. Click on the area of interest in the image displayed in the main Viewer. The Focus tool's viewer displays the image at 100% initially.
4. Drag the slider beneath the Focus viewer to alter the magnification, if necessary. Once altered the new value will be remembered and used thereafter.
5. To reset the tool's viewer to 100%, click on the head and shoulders icon to the right of the magnification slider or drag the slider to the center.
6. To fine-tune the position, click and drag the image in the Focus tool's viewer.
7. To move to another area in the image, right-click to display a secondary Navigator window in the Focus tool, and drag the white rectangular frame.
8. To display a larger Focus viewer in the dock, from the contextual menu (...) select Auto Size.
9. The Focus viewer can be pulled from the toolbar to float anywhere in the workspace. Resize the Focus viewer by dragging a corner in or out.

Checking focus in multiple areas simultaneously

When you want to simultaneously check multiple areas of an image, you can make Capture One display more than one Focus tool viewer and direct each to a different area of interest. Although the Focus tool is located in the Details Tool Tab, you are not restricted to adding duplicates of the tool to that Tool Tab. You can add them to any.



1. Ctrl-click/Right-click (Mac/Windows) anywhere in the tool bar or selected tool tab, and from the menu select Add Tool > Focus.
2. Repeat to add more Focus tools.
3. To re-position the Focus Tool in the tool bar, click-and-drag from the top of the Tool to the desired location. When re-docking, the tool above displays a light-graphic to indicate successful coupling.
4. Click-and-drag to pan the image in the Focus viewer to the next area of interest, or click-on the Pick Focus Point (magnifying glass cursor) and select the area directly from the main Viewer. Using the Select (V) cursor instead will direct each Focus tool's viewer to the same point.

Confirming focus and sharpness with the Focus Mask

The Focus Mask tool allows a quick visual confirmation of focus accuracy and, therefore, image sharpness. Areas that are sharply focused will be displayed by a mask. When there is no area of the image in focus, however, the mask will not be displayed. The mask's high-visibility is particularly convenient when working tethered, and especially so when photographing some distance way from the computer screen. It is also a useful tool for deciding which images you need to work with prior to adjustment.



Note the Focus Mask is only compatible with RAW-based variants, and although the Focus Mask remains unaffected by sharpening, it is influenced to a degree by both image resolution and noise levels. To counter this, the Focus

Mask has a threshold setting located under the application preferences. By taking a test shot with the camera and lens at the expected settings and then adjusting the Threshold slider to suit, you can make a visual assessment of the required threshold on-screen (and in real-time when working tethered).

1. From the main menu, select View > Show Focus Mask (or if the Focus Mask shortcut has been added to the main toolbar, click on cross-shaped AF target icon. When active, the icon is displayed in orange). The mask will be displayed only on RAW-based variants in the viewer and browser.
2. To remove the mask from images, from the main menu, select View > Hide Focus Mask (or click on the Focus mask icon a second time).
3. The color, opacity and the threshold of the mask can be altered from the application Preferences (Capture One/File > Preferences...).
4. When only a small area of sharpness is displayed and a larger area (i.e., a less discerning response to sharpness) is required, drag the Threshold slider to the left.
5. When the assessment of sharpness is more critical, increase the Threshold by dragging the slider to the right.
6. Sharpness should always be confirmed using the Focus tool at 100%, or by removing the mask and checking on-screen at 100% magnification.

Did you find this article useful?



Introduction

User Interface

User Interface Overview

Viewing Photos

The Viewer

The Browser

Focus Checking

Full Screen Mode

Slideshow

Toolbar

Tool Tabs

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

Focus Checking

The Browser

The Viewer

Contact us

Sitemap

PHASEONE

what the world's best photography is made of

Capture One > User Interface > Viewing Photos > Full Screen Mode



Viewing images in Full Screen Mode

FULL SCREEN / SLIDESHOW / VIEWING PHOTOS

The Full Screen mode displays an uncluttered view of your image and you retain access to the browser and all the tools you need.

- [Entering and exiting Full Screen mode](#)
- [Using the Browser in Full Screen mode](#)
- [Using Full Screen mode shortcuts](#)

Entering and exiting Full Screen mode

You can quickly switch between your usual workspace and the Full Screen mode. The Browser, Menu, Toolbar and tools are all hidden for an uncluttered interface and can be revealed when required.

1. From the main menu, select View > Full Screen.
2. Move the cursor to the edges of the screen to reveal the [Browser](#), [toolbar](#), [menu](#) and [editing tools](#).
3. To exit the Full Screen mode, move the cursor to the top of the screen where the menu and toolbar will be revealed. Click on the (double arrow) icon in the top left corner.



Using the Browser in Full Screen mode


The Full Screen mode is typically used to display an unrestricted view of your image in the Viewer, however you can use it to display your thumbnails in the Browser instead. You can use this option when you have a large number of images in a browser session to view, and is especially useful in conjunction with the Viewer on a second screen in a dual-monitor system.

1. Enter Full Screen mode, from the menu, select View > Screen.
2. From the menu, select View > Show Browser. The Browser opens alongside the Viewer in the same window.
3. From the menu, select View > Hide Viewer. The Viewer is closed revealing the Browser and its contents.
4. To display the Viewer and Browser on separate screens in a dual-monitor system, select Window > Viewer. The Viewer opens in a separate window. (If the Viewer opens over the Browser, click and drag the Viewer to the second monitor.)



Using Full Screen mode shortcuts

1. To quickly enter the Full Screen mode, click on the (double arrow) icon in the top left corner. (See highlighted example.)
2. To Exit the Full Screen mode, press the Esc key.
3. Toggle between Full Screen and the normal viewer by pressing Ctrl+Cmd+F (Mac) or F11 (Windows). Note, shortcuts can be customized using the [shortcut editor](#).





Did you find this article useful?





Introduction

User Interface

User Interface Overview

Viewing Photos

The Viewer

The Browser

Focus Checking

Full Screen Mode

Slideshow

Toolbar

Tool Tabs

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

Full Screen Mode

Focus Checking

The Browser

The Viewer

Contact us

PHASE ONE

what the world's best photography is made of

Capture One > User Interface > Viewing Photos > Slideshow



Slideshow

FULL SCREEN / LOUPE / SLIDESHOW / CAPTURE PILOT

The Slideshow feature allows you to present photos or videos with transitions in a full screen view.

You can customize a slideshow by specifying transition type and duration.

- Create a slide show
- Edit slide show settings
- Use the slide show controls
- Rendering time

Create a slide show

1. Go to the [Browser](#) and select the initial image for the slide show. If no image is selected the slide show will start from the first image in the browser session.
2. Select View>Slide Show.
3. The slide show will automatically start.



Edit slide show settings

1. Move the (mouse) cursor when the slide show has started.
2. Click the settings icon. (See example circled in blue).
3. Choose one of 10 transition options from the drop down menu.
4. Alter the duration time using the slider from 1 to 60 seconds.
5. Settings changes are applied instantly.



Use the slide show controls

1. Move the mouse (cursor) when the slide show has started.
2. Click on the arrow icons to see the next or previous image.
3. Press **Pause** to stop the slideshow.
The Pause function will also stop a movie file if it is the viewed slide.
4. Press Esc or the exit (cross) icon to terminate the slide show.



Rendering time

The performance and rendering time of displayed images depends on the specification of your computer and the size of an image file. The duration time between images may be longer than the specified time as the next slide will not appear until it is fully rendered.

Did you find this article useful?





Introduction

User Interface

User Interface Overview

Viewing Photos

Toolbar

Tool Tabs

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

Viewing Photos

User Interface Overview

Introduction

User Interface

Quick Start Guide

PHASEONE

what the world's best photography is made of

Capture One > User Interface > Toolbar



Toolbar

TOOLBAR / TOOL TABS / CUSTOMIZATION / PERSONAL TAB / WORKSPACES

The interface is divided into a number of elements, all providing a set of tools. The Toolbar provides graphical shortcuts to some of the most useful functions of Capture One.

- Cursor tools
- Tool Tabs
- Trash

Cursor tools



The Cursor tools are part of the Toolbar and provide easy access to a number of closely related sub-features. They are located at the top/middle of the user interface. (See the example right). The Cursor tools can also be activated by keyboard shortcuts. Read more on this in the [Shortcuts section](#).



Tool Tabs



Tool Tabs are sets of related tools that include some of Capture One's most common and frequently used features. They are located at the top/left corner of the user interface. (See the example right). [Find out more on each Tool Tab here.](#)



Each Tool Tab contains a number of tools. Each tool has its own set of controls to adjust a selected image file or multiple files. The Toolbar can be customized to display a set of controls to suit your needs. [See Customize the Toolbar.](#)

Select a predefined workspace by selecting Window>Workspace.

Trash



Press the Trash icon to delete images. The deleted image file will be placed in that session's trash folder. Files will not be permanently deleted unless you select File>Delete Permanently from the Capture One menu.

To delete the files directly in the OS trash, press Cmd+Delete.

To delete the files permanently, press Ctrl+Cmd+Delete.



Did you find this article useful?





Introduction

User Interface

User Interface Overview

Viewing Photos

Toolbar

Tool Tabs

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

Toolbar

Viewing Photos

User Interface Overview

Introduction

User Interface

PHASEONE

what the world's best photography is made of

Capture One > User Interface > Tool Tabs



Tool Tabs

TOOLBAR / TOOL TABS / CUSTOMIZATION / PERSONAL TAB / WORKSPACES

Each Tool Tab contains a number of utilities that include a set of tools to adjust image files.

- Introduction
- Library
- Capture
- Lens correction
- Color
- Exposure
- Details
- Local Adjustments
- Adjustments
- Metadata
- Output
- Batch process
- Quick
- Composition
- Black and White
- Add a customized tool tab

Introduction

The Tool Tab bar is located at the top/left corner of the user interface. (See the example right). Each Tool Tab contains a number of tools. Each tool has its own set of controls to adjust a selected image file or multiple files.



Library



The **Library Tool Tab** is a filtered file explorer that displays supported files. It allows access to images within Albums, Smart Albums and Favorites and to any image collections stored in folders on a computer or networked resource.

The Library Tool Tab is where all file navigation and organization takes place. Navigate via the hierarchical tree-view to a folder that contains the image files you wish to edit. Thumbnails of the images within your selected folder will be created and displayed in the **Image Browser**. You can also watch videos supported by your particular OS. [Find out more here.](#)

The Library tool also enables access to images within Catalogs, Folders, Session Folders, Session Albums and Session Favorites. Within a session, the Library tool features an Output Folder, a Selects Folder, a Capture Folder, a Trash Folder and enables users to browse between recently used sessions.

The Library tool will feature **fixed menus and albums** and a **Folders tool** when



a catalog is used.

Capture One applies non-destructive editing because any image adjustments will not affect the actual RAW file – only the Capture One settings file will change. Create a [catalog](#) or [session](#) to help organize your workflow.

Capture Pro



The [Capture Tool Tab](#) is the gateway to tethered shooting with a Phase One digital back or supported DSLR. This tool tab has a host of features to aid workflow. Adjust your camera exposure settings remotely, apply adjustments and multiple styles during capture. Use the Camera tool to alter ISO and White Balance settings and fire the shutter of a connected camera or activate its [Live View](#) functionality.

When capturing an image for a specific layout or design, the [Overlay tool](#) can be used to pre-visualize the effect.

Use the [Capture Pilot tool](#) app to connect Capture One Pro to an iPad, iPod Touch and iPhone. The Capture Pilot app lets you present, rate and capture image files on an iOS device.

The Capture Pilot tool also has a [web function](#) that lets you view, [rate and color tag](#) captured images from a web browser on a computer, Android (mobile device) or Windows Phone operating system.



Lens correction



The [Lens Tool Tab](#) is designed to address a number of unwanted issues that are commonly associated with lens distortion. Capture One incorporates a number of preset profiles that are available for medium format and DSLR lenses that will greatly improve image results when used appropriately. Adjustments can also be applied manually to correct individual issues.

In addition, there are tools to control the layout of a photo. [Crop](#), [rotate](#), [flip](#) and apply [keystone corrections](#). [Aspect ratios](#) can be applied to images to meet output format needs.



Color



The [Color Tool Tab](#) has a number of tools to help control the colors of an image file. It enables users to set White Balance conventionally or by using the Skin Tone tool.

The [Color Editor](#) enables adjustments to be applied to groups of colors, specific colors or on skin tones. Save a color setting (once it is achieved) and apply it to later work, even as an ICC profile or style directly in a tethered session.

The Color Tool Tab also features a [Black & White tool](#) allowing users to adjust individual tonal channels and save them as a Preset for future use.



Exposure



The [Exposure Tool Tab](#) provides controls to adjust exposure aspects of images. Basic controls (e.g. Exposure Compensation) affect the whole image, and more advanced controls (e.g., [High Dynamic Range](#)) enables users to

fine-tune adjustments.

[Levels](#) and [Curves](#) can adjust overall lightness values as well as the individual Red, Green and Blue color channels. The [Clarity tool](#) can help reduce haze or (a negative value) can create a softening effect that is particularly affective when applied to a portrait image to smooth out skin tones.

Details



Image sharpness and noise reduction are controlled from the [Details Tool Tab](#). This Tool Tab includes [Advanced Noise Reduction](#), [Moiré](#) and [Dust/Spot](#) removal tools.

The Details Tool Tab includes a combined [navigation and focus tool](#) that allow users to quickly inspect close-up detail anywhere on the image at any zoom level. The Focus window can be used to keep track of the sharpness at a 100% view.

Local Adjustments ^{Pro}



The [Local Adjustments Tool Tab](#) enables users to create layers and work on targeted areas of an image (e.g. specific areas that are overexposed). You can alter the brush settings (size and hardness) and apply a graduation mask.

Note: Capture One Pro can detect the pressure applied from a pen and graphics tablet from manufacturers such as Wacom.

Adjustments



The [Adjustments Tool Tab](#) provides a clipboard with image adjustments that can be copied from one image and applied to another or multiple images. The default copy function contains only the parameters where actual adjustments are made to the settings of a source image.

It is possible to deselect specific adjustments as well as to save a set of adjustments as a [Style](#) for later use.

Metadata



The [Metadata Tool Tab](#) allows users to insert [keywords](#) and specific information in addition to the basic metadata from a camera. It is also possible to create your own Metadata Presets (a collection of values).

Metadata can be very useful when organizing photos or used to simply brand photos with some indications of the image type or photo creator. It is possible to set up metadata stamps (e.g. copyright, client profiles) and apply these to multiple photos.



Output ^{Pro}



The **Output Tool Tab** features a number of parameters to help define how images are processed.

The Process Recipe tool includes parameters such as [file formats](#), quality, color space, and resolution. The size of a processed file can also be configured. Users can also decide what specific metadata will be included in the processed image file and systematically rename output files as desired. Users can also add [watermarks](#) and save process recipes as well as process to multiple formats at the same time.



Batch process ^{Pro}



The Batch queue will automatically start when the [Process](#) button is pressed. Control the queue for processing and check which images have been processed previously in the Batch Tool Tab. Press backspace to delete images from the queue or drag-and-drop the listed image files into a preferred arrangement to change the process order. It is also possible to [reprocess files](#) from the history tab.



Quick



The Quick Tool Tab features a selection of key tools to help achieve a faster workflow.

Base characteristics provide different ICC camera profiles and film curves. An ICC profile is automatically applied according to the make and model of the selected RAW file.

The Quick tool enables users to Set White Balance conventionally or by using the Skin Tone tool. It is also possible to control Exposure and High Dynamic Range and process directly from this Tool Tab.

The Quick Tool Tab is not a default Tool Tab. To enable this Tool Tab...

1. Right click on the Tool Tab bar and select Add Tool Tab>Quick.
(Alternatively, go to View>Add Tool Tab>Quick).
2. The Quick icon will appear along side the other Tool Tabs. Cmd-click on the icon and drag it to an alternative position if desired.



Composition



The Composition Tool Tab enables users to control the layout of a photo. [Crop](#), [rotate](#), [flip](#), [apply keystone corrections](#) and utilize the [Overlay tool](#) when capturing an image for a specific layout or design. [Aspect ratios](#) can be applied to images to meet output format needs.

The Composition Tool Tab is no longer a default Tool Tab. To enable this Tool Tab, please see Add a customizable tool tab below for more details. The Tool Tab is blank by default, and you will have to add tools manually. However, the original Composition Tool Tab (complete with tools, as displayed) can be accessed by reinstating the Capture One 9 workspace. From the main menu, go to Window>Workspace>Capture One 9.



Black and White



Capture One Pro features a dedicated Black and White Tool Tab that you can customize with a number of powerful tools to help perform monotone conversions. Note the Black and White Tool Tab is not a default Tool Tab. To enable this Tool Tab, please see the section [Add a customizable tool tab](#), below.

Find out more about the [Black & White tools](#).



Add a customized tool tab ^{Pro}



All of the Tool Tabs are customizable; you can add, move, duplicate and remove tools from any of the Tabs. In addition, there are three non-standard Tabs (Quick, B&W and Composition) you can enable, and you can add your own custom-named Tool Tab and add any combination of tools to them.

1. Right-click anywhere on a Tool Tab and select **Add New Tool Tab**>Quick, B&W, Composition, or Custom Tool Tab (as appropriate) from the drop down menu. (Alternatively, go to **View**>**Add Tool Tab**> and select the appropriate Tool Tab).
2. When the Custom Tool Tab option is selected, a dialog box will appear. Name the Tab, choose an icon and press **Add Tab**. The icon will appear in the Tool Tab bar.
3. Right click on the icon and select **Add Tool** from the drop-down menu and select a desired tool. Repeat this procedure to add more tools.
4. To rearrange the Tool Tab Bar, press **Cmd/Alt** (Mac/Windows) and drag icons in the Tab menu to the preferred position.
5. Right click on the Tool Tab Bar and select **Remove Tool Tab** to remove any unwanted Tool Tabs from view.



Did you find this article useful?



Introduction

User Interface

Optimizing Your Workflow

Workflow Basics

Preferences and Customization

Keyboard Shortcuts

Change the Default Settings

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Capture One > Optimizing Your Workflow



Optimizing Your Workflow

This section provides background information about customization and workflow tips to aid in a Capture One workflow that meets your needs

Workflow Basics

Learn how to copy adjustments from one image to another, view before and after images and how to reset and undo image adjustments.

Preferences and Customization

Customize Capture One to support your specific workflow, needs and preferences. You can customize the toolbar and setup your own workspaces.

Keyboard Shortcuts

Get an overview of all the keyboard shortcuts and create your own with this easy to follow guide.

Change the Default Settings

Capture One automatically selects a recommended default setting for all image files from recognized cameras. It is also possible to apply a user defined default setting.

Recently viewed ▾

Keyboard Shortcuts

Preferences and Customization

Selecting Images

Adjustment Controls

Colors in Capture One

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow

Workflow Basics

- RAW and Image File Formats
- Colors in Capture One
- Adjustment Controls
- Selecting Images
- Preferences and Customization
- Keyboard Shortcuts
- Change the Default Settings
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed ▾

- Tool Tabs
- Toolbar
- Viewing Photos
- User Interface Overview
- Introduction



Workflow Basics

[WORKFLOW](#) / [COPY AND APPLY](#) / [CUSTOMIZATION](#) / [PREFERENCES](#) / [WORKSPACES](#)

Learn how to copy adjustments from one image to another, view before and after images and how to reset and undo image adjustments.

RAW and Image File Formats

Find out how Capture One works with RAW files and previously processed formats including TIFF and JPEG.

Colors in Capture One

Discover how Capture One deals with image color, how to set a permanent color space, and calibrate an Eizo ColorEdge CG monitor.

Adjustment Controls

This section describes how the controls are used to make adjustments, how to copy those adjustments from one image to another and how to reset them.

Navigating and Selecting Images

To work with your images, you will need to review them by their Collections in the Library and then select them in the Browser. You can use a mouse, trackpad, or tablet directly, or navigate using the menu commands and shortcuts.

Did you find this article useful?



Workflow Basics

RAW and Image File Formats

Colors in Capture One

Adjustment Controls

Selecting Images

Preferences and Customization

Keyboard Shortcuts

Change the Default Settings

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

Workflow Basics

Tool Tabs

Toolbar

Viewing Photos

User Interface Overview



RAW and Image File Formats

RAW / OUTPUT / BATCH / EIP / IIQ / JPEG

Find out how Capture One works with RAW files and previously processed formats including TIFF and JPEG.

- [Capture One and RAW](#)
- [JPEG and TIFF](#)
- [More about variants](#)

Capture One and RAW

Raw data is generated when light is received by the photodiodes on a sensor. Depending on the intensity of the light a stronger or weaker signal is generated. This data is read off and stored as unprocessed data on the memory card.

A RAW file contains more than one set of data. A DSLR file contains calibrated raw data plus the file header. A digital back file contains the actual raw data, calibration data for the digital back files and the file header information.

The file header is kept separate from the image data in digital back RAW files. The file header contains what is described as metadata; data about data. Metadata is information recorded by the camera at the time of capture and consists of the following:

- **Image Thumbnail (usually a TIFF, but sometimes a JPEG)**
- **Time/Date**
- **ISO**
- **Exposure information**
- **White Balance (that the image was shot at)**
- **Contrast curve**
- **Recorded pixel size**
- **Camera data (shutter speed/aperture/focal length etc)**

More than 100 pieces of data are stored together.

The White Balance determines how the file will look when Capture One creates the preview. The ISO, exposure data and camera model information are used to calculate the noise reduction used by Capture One.

Capture One de-mosaics the RAW-file information from the Bayer filter mounted onto the sensor to produce image files with three colors per pixel. This process uses an extremely sophisticated and patented algorithm.

The in-camera ISO and White Balance settings are applied to the image together with the formula developed for Capture One when the preview is created and displayed in the Viewer, in what is called a variant. Once the variant file has been produced, nearly all the variables can be changed such as Contrast Curves, Sharpening and Color Balance.

One of the really big advantages with RAW files is the ability to change the white balance after the image has been captured – this is often not possible with lossy formats like JPEG. The adjustments made to the image in Capture One are applied to the preview and added to a settings file. No changes are made to the raw data at any time.

Once the process button is pressed, raw data is processed using the settings



file. At this point the true pixel-based image is formed and output to specific dimensions.

JPEG and TIFF

Many DSLR and smaller digital cameras can create a JPEG at very high quality. These files can generally be further adjusted and improved in Capture One. Capture One supports viewing and editing of JPEG (RGB) and TIFF (RGB) files. Like RAW files, Capture One produces a preview and settings file, collectively called a variant, for each JPEG and TIFF file and works on those instead. However, it might not be possible to edit files in Capture One if you have JPEGs or TIFFs rendered in CMYK or Grayscale.



JPEG and TIFF are files that have already been processed to a certain level, either by a camera's internal software or in conversion software such as Capture One. When Capture One locates a file, the White Balance (WB) setting is determined by the camera that captured the image or by the conversion software that originally created the file. The White Balance setting can be adjusted, but only to a limited extent. Note, a JPEG and TIFF file usually has a significantly smaller dynamic range compared to RAW capture. This might result in burned out or darkened areas when the auto White Balance is applied or if the White Balance Picker tool is used to set White Balance.

More about variants

Variants are used by Capture One to display the original RAW, JPEG, TIFF, DNG, PNG, or PSD source files and to store the adjustments you have made. To understand the concept of variants you need to first see Capture One as a kind of non-destructive rendering engine. This non-destructive approach means edits are never saved to the original files. Capture One reads the original source files and then determines how they should look on-screen, based on some default factory parameters. A small preview file for each of your images is then made and this is what you see in the viewer.



When you adjust an image, the instructions are written to a small BLOB of data called settings. The application in real-time then re-reads the updated settings, and then updates the preview. We call this virtual representation a variant. In effect, what you are looking at on-screen is always a virtual representation of what the final file will look like once the image is finally processed or exported. This concept of a variant thus exists as a sort of in-between of the source file and the final file.

Each variant refers by name and format to the source images (wherever they're stored), so you can logically connect them to the previews on screen. There are many benefits to variants: they can be copied as many times as you like and can even exist in more than one place (in the form of albums). All of these virtual copies can exist as a representation of just one original source image. When it comes to exporting the final file, Capture One doesn't make any changes to your source images. Instead, it combines the original image data and adjustments you've made and makes a copy in the chosen format that a pixel editor can read.

Did you find this article useful?



Workflow Basics

[RAW and Image File Formats](#)

[Colors in Capture One](#)

[Adjustment Controls](#)

[Selecting Images](#)

Preferences and Customization

[Keyboard Shortcuts](#)

[Change the Default Settings](#)

[Organizing Photos](#)

[Tethered Capture](#)

[Capture Pilot \(™\)](#)

[Editing Photos](#)

[Exporting Photos](#)

[Printing Photos](#)

[Tools Appendix](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)

Recently viewed ▾

[RAW and Image File Formats](#)

[Workflow Basics](#)

[Tool Tabs](#)

[Toolbar](#)

[Viewing Photos](#)



Colors in Capture One

[COLORS](#) / [PROCESS IMAGES](#) / [PROCESS RECIPE](#)

Discover how Capture One deals with image color, how to set a permanent color space, and calibrate an Eizo ColorEdge CG monitor.

- [Introduction](#)
- [Purpose and color spaces](#)
- [Setting a permanent color space](#)
- [Monitor calibration](#)
- [Eizo monitor calibration](#)
- [Calibrate Eizo ColorEdge CG monitor](#)

Introduction

Essential information regarding colors in Capture One:

- Capture One deals with colors in two ways: internally and for output.
- Capture One works in a very large color space, similar to that captured by camera sensors. A large color space ensures that little clipping of the color data can occur. Clipping is the loss of image information in a region of an image. Clipping appears when one or more color values are larger than the histogram (color space of the output file).
- At the end of the workflow, the RAW data has to be processed to pixel based image files, in defined color spaces. These spaces are smaller than the internal color space used by Capture One. When processing, some color data will be discarded. This is why it is paramount to perform color corrections and optimizations to images before processing to a smaller color space.
- Capture One provides accurate color by reading the camera-generated RAW information, file header and settings file.
- A RAW file is assigned a color profile once Capture One has established which camera model has been used. The RAW data is then translated to the internal working color space of Capture One and it is here that edits can be applied.
- Image data is converted, by means of ICC profiles, to industry standard spaces such as Adobe RGB or sRGB during the processing stage.

Purpose and color spaces

Color Output Settings

Capture One Express for Sony can output to any RGB color space while Capture One Pro can also output CMYK. (It is necessary that the ICC profile is available on the local machine).

For Web

Images that are intended to be published on web sites should always be processed into the sRGB color space as few web-browsers are capable of color management and the subtleties of images will not only be lost but can also be incorrectly displayed. Images processed in larger color spaces like AdobeRGB will be displayed with less color (especially green), and are often slightly too dark when shown in browsers that only support sRGB.

For Print

Images for print should be output to suit the requirements of the client or lab. Adobe RGB is a large color space that is capable of expressing a wider gamut of colors than sRGB. Adobe RGB is, therefore, the preferred choice for images that are likely to receive extensive processing or retouching.

Camera Profiling

Embedding the ICC color profile into the processed file (ICC Profile > Embed Camera profile) ensures that no color changes

are made to the image data, which is particularly important for creating camera profiles.

Retouching/Manipulation

Image files that are intended to receive intensive retouching and manipulation can benefit by being processed and output in 16-bit to ProPhoto RGB, which is an even larger color space than Adobe RGB.

CMYK Color Spaces

Capture One Pro provides a selection of the most common CMYK color spaces. The photographer can convert to CMYK during processing to ensure image quality, instead of applying this color space conversion in postproduction. CMYK can be selected from the [Output Tool Tab](#).

Setting a permanent color space

Capture One Pro allows you to proof color space profiles, including CMYK for output, prior to processing from the menu (View > Proof Profile). Alternatively, as Capture One displays the image in the Viewer using the ICC profile that's selected in the highlighted Process Recipe, you can use a recipe to display the color space permanently. Note, a permanent color space profile seen in the Viewer may produce moderately different colors than the actual output image.

1. Select View > Proof Profile and select the desired profile from the list.
2. Perform final corrections before processing, using a recipe with the desired profile.
3. Alternatively, select the desired ICC profile in a Process Recipe for permanent display in the Viewer.



Monitor calibration

Adopting a hardware calibration device is the most reliable and objective method of calibrating a monitor. There are a number of inexpensive models to choose from and most are bundled with software offering advanced features that allow you to manually select target values and adjust the monitor for brightness, white point, gamma, and the black level. If you use an Eizo ColorEdge CG monitor, Capture One can even re-calibrate the display settings using the monitor's built-in calibration sensor.

Eizo monitor calibration

A number of Eizo ColorEdge CG monitors with a built-in calibration sensor can now be re-calibrated from within Capture One. Calibrating and profiling your monitor on a regular basis is essential if you want your monitor to display colors as accurately and consistently as possible. This feature leverages the hardware-calibrateable electronics of these monitors with the simple-to-use, built-in calibration sensor and Capture One's standardized target settings for predictable color reproduction.

The following Eizo monitor models are supported:

- 24-inch.
CG245W, CG246, CG247, CG247X, CG248 (UHD 4K)
- 27-inch.
CG275W, CG276, CG277
- 31-inch.
CG318 (DCI 4K).



Calibrate Eizo ColorEdge CG monitor

The following description assumes you have one of the supported monitors listed above connected to the computer using a suitable signal cable. A USB cable must also be attached for successful calibration. The cable should be connected to the monitor's default enabled upstream port, typically USB port 1. Please refer to the monitor's User's Manual for additional information. In a multiple monitor set-up, Capture One identifies all of the compatible monitors connected and re-calibrates them in-turn, regardless of where the application is displayed. If the calibration fails, first check the USB connection. If the connection is not faulty, try powering the monitor down, then powering back up. If calibration fails a second time, please exit all applications and restart the



computer.

1. From the main menu, go to Capture One > Preferences (Mac) or Edit > Preferences (Windows). The global Preferences dialog box opens.
2. Select the **Color** tab.
3. Under **Monitor**, click on the **Calibrate EIZO** button. A dialog opens asking whether you want to make a new default monitor ICC profile for it. The dialog box displays the target settings. Note these are standardized target settings and cannot be changed within Capture One.
4. Select **Yes** to continue with the calibration. The monitor's calibration sensor will appear from the bezel and the calibration will start.
5. When the calibration has ended a dialog opens and the sensor returns to the monitor's bezel. The display is adjusted and updated with the new profile. This profile is saved to the computer and the adjustment result is registered to the monitor's specified (e.g., CAL) display mode used for customized calibrations. The monitor's other display modes remain unaffected.
6. To return to an earlier calibration setting and profile, or to adopt another relevant to your workflow, it is recommended that you open the Eizo ColorNavigator software provided with the monitor and select it from there.

Did you find this article useful?



[Introduction](#)

[User Interface](#)

[Optimizing Your Workflow](#)

Workflow Basics

[RAW and Image File Formats](#)

[Colors in Capture One](#)

[Adjustment Controls](#)

[Selecting Images](#)

Preferences and Customization

[Keyboard Shortcuts](#)

[Change the Default Settings](#)

[Organizing Photos](#)

[Tethered Capture](#)

[Capture Pilot \(™\)](#)

[Editing Photos](#)

[Exporting Photos](#)

[Printing Photos](#)

[Tools Appendix](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)

Recently viewed ▾

[Colors in Capture One](#)

[RAW and Image File Formats](#)

[Workflow Basics](#)

[Tool Tabs](#)

[Toolbar](#)

PHASEONE

what the world's best photography is made of

[Capture One](#) > [Optimizing Your Workflow](#) > [Workflow Basics](#) > [Adjustment Controls](#)



Adjustment Controls

This section describes how the controls are used to make adjustments, how to copy those adjustments from one image to another and how to reset them.

- Using sliders
- Local copy and apply
- Quick local copy and apply
- Global copy and apply
- Local copy and apply using the clipboard
- Using the Undo/Redo commands
- Adjusting one image or multiple images
- Display Before and After adjustments
- Resetting all adjustments
- Temporarily resetting adjustments
- Resetting adjustments by individual tool
- Temporarily resetting adjustments by tool
- Mouse functionality

Using sliders

Most tools use sliders for changing values, and thereby for applying adjustments. Where sliders are employed, a value field is also displayed. This can also be used to alter adjustments.

Click and drag the slider to the left or right to set a value. Drag the slider to right to increase the value or the effect, drag the slider to the left to lower the value. Alternatively, you can place the mouse cursor over a slider and use the scroll wheel function to fine-tune the settings. As you can concentrate on the image itself, this is a good method to make adjustments without referring back to the tool.

Some sliders are centered. Dragging to the left usually applies a negative value. Note sliders have varied value ranges, depending on the parameter.

Click inside the value field and type the desired number.

Changing values in small increments


Click inside the value field and use the page up/down arrows on the keyboard to alter the number by a small increment, typically 1 or 0.1, depending on the parameter. For example, the increment is smaller when adjusting the Exposure tool. This allows very precise control.

Changing values in large increments

Click inside the value field, then click and hold the shift key and use the page up/down arrows on the keyboard to alter the number by a larger increment. This is typically 10, though it can be 1, depending on the parameter.

Local copy and apply

Copy and apply adjustments made with a tool to one or more images.



1. Press the [Edit Selected](#) variants icon.
2. Select the image that you want to copy the adjustment from in the browser. (The thumbnail will have a thick white border).
3. Now select the image thumbnails that you want to apply the adjustment to. (The thumbnail(s) will have a thin white border in the browser).
4. Press the small double-ended arrow icon on the tool. A dialog box will appear.
5. Press Apply at the bottom of the dialog box. The adjustment will be applied to the selected images.



Quick local copy and apply

Instantly copy adjustments made with a tool to one or more images.

1. Press the [Edit Selected](#) variants icon to enable multiple editing. The icon will turn orange when enabled. (See circled in the toolbar.)
2. Select the image that you want to copy the adjustment from. (The thumbnail will have a thick white border in the browser.)
3. Now select the image thumbnails that you want to apply the adjustment to. (The thumbnail(s) will have a thin white border in the browser.)
4. Hold down the shift on your keyboard and press the small double-ended arrow icon on the tool. (See example circled at the top of the Levels tool).
5. The adjustment will be instantly applied to the selected images.



Global copy and apply

Perform a Global Copy and Apply of adjustments made in all tools to other images.

1. Press the left arrow (located in the top right of the user interface) to copy all the adjustments made to an image.
2. Alternatively, go to the [Cursor Tools](#) and select the Copy Adjustments arrow.
3. Select all the images that you want to apply the settings to in the [Browser](#).
4. Apply the adjustments by pressing the right-arrow (Paste) in the top toolbar or in the [Cursor Tools](#).
5. All changes made to an image can also be saved as a Style. For more information, see the section on how [To create a Style](#).



Local copy and apply using the clipboard

Copy adjustments made with a tool to the Clipboard and apply to one or more images.

1. Select the image that you want to copy the adjustment from. (The thumbnail will have a [thick white border](#) in the browser).
2. Press the small double-ended arrow icon on the tool. A dialog box will appear.
3. Press Copy at the bottom of the dialog box.
4. Select the image thumbnails that you want to apply the adjustment to in the [Browser](#). Press the [Edit Selected](#) variants icon.
5. Select the [Adjustments Tool Tab](#). Notice that the copied adjustments will have a check mark next to them in the Adjustments Clipboard tool. Deselect any adjustments with a check mark if you do not want them applied to the selected images.
6. Press Apply at the bottom of the Adjustments Clipboard tool. The adjustment will be applied to the selected images.



Using the Undo/Redo commands

If you make a mistake or apply an action or an adjustment you don't like, in most cases it can be undone. This option is not available from the individual

tools themselves, however, but from the main menu or tool bar instead.

1. Select the image or images in the browser.
2. Choose Edit > Undo, or press Cmd+Z/Ctrl+Z (Mac/Windows), or press the Undo icon (left-facing curved arrow in the toolbar). Continue with the command to undo all previous adjustments or actions.
3. The Redo icon (right-facing curved arrow) will become active as soon as the Undo icon is pressed. Alternatively, choose Edit > Redo, or press Shift+Cmd+Z/Ctrl+Y (Mac/Windows).



Adjusting one image or multiple images

Press the Edit Selected variants icon (👉) to toggle between editing a single image (i.e. the Primary Variant - the thumbnail in the browser with the [thick white border](#)) and editing multiple images (i.e., Selected Variants - all [selected images](#) in the Browser). If this button is not enabled then edit actions are only performed on the Primary Variant. Learn how to [select and view multiple images](#). Note the type of adjustments that can be applied to all of the images simultaneously is limited.



It is important to ensure the Edit Selected variants feature is enabled when you want, for example, to copy adjustments from one image and apply them to other selected image files. See [Global Copy and Apply](#) and [Local Copy and Apply](#).

Display Before and After adjustments

When you want to compare an image while adjusting a variant of that image, you must create a copy and then select that to display alongside it in the viewer. To make a copy, you can use either the create New Variant or Clone Variant commands. Note copying variants does not duplicate your original source image file. When you want to display more than one image at a time in the viewer, ensure the Multi View option (👁️) is enabled in the viewer tool bar. For most workflows in Capture One, this can be left selected. Note, to prevent adjustments being applied to both images, ensure the Edit All Selected Variants is disabled (Edit > Edit All Selected Variants and deselect the checkmark), or select Edit > Set as Compare Variant.



If you have already made adjustments, and want to make incremental changes, use the Clone Variant command. This creates an exact copy including any adjustments you've made. When you want to compare an adjusted variant to the original, use the create New Variant option instead. This creates a copy of the original (i.e., without any adjustments). If you use the Clone Variant command, you'll need to perform a global reset to make comparisons with the original.

1. Select the image in the browser then choose Image > New Variant. Alternatively, press F2/F7 (Mac/Windows), or Ctrl-click/Right-click (Mac/Windows) and select New Variant.
2. To display both images in the Viewer, press Cmd-click/Ctrl-click (Mac/Windows) and select the image you copied in the browser. The new variant will become your primary variant (with the thicker border in the browser) and will be displayed on the right-hand side of the viewer.
3. Select the image you want to make adjustments to in the viewer. Note to prevent adjustments being applied to both images, ensure the Edit All Selected Variants is disabled in the tool bar (or from Edit > Edit All Selected Variants and deselect the checkmark), or select Edit > Set as Compare Variant.
4. If you made adjustments before using the create New Variant command and want to move the image to the left-hand side, from the menu select Image > Promote Variant, or select Edit > Set as Compare Variant (if not already selected).

Resetting all adjustments

When you want to remove all of the adjustments to a variant or multiple variants, perhaps to start-over, you can use Capture One's global reset option. Resetting returns the controls to their defaults and applies only to the selected variants. The variants revert back to Capture One's default settings.

When resetting accidentally, selecting the Undo command will restore applied adjustments. The Undo command is available from the menu and is also available from the tool bar, located immediately to the right of the Reset icon (on the default workspace).

1. Select the variant or variants in the browser that you to reset.
2. From the main menu, select Adjustments > Reset, or press Cmd/Ctrl+R (Mac/Windows). Alternatively, choose the (Global) Reset icon in the toolbar. Note when Edit Selected variants option is disabled and multiple variants are selected, choose shift and click-on the Reset icon instead.
3. When resetting multiple variants, a warning dialog will open asking you to confirm the action.



Temporarily resetting adjustments

When you want to compare a few quick adjustments you've made to an image with Capture One's default settings, instead of creating a copy (using the New Variant command), you can temporarily reset the adjustments. This temporary global reset feature works differently to the permanent reset, as it concentrates on more typical image adjustments and ignores the following geometric adjustments:

- Crop
- Rotation
- Flip
- Keystone
- Lens Profiles

1. Select the image in the browser and apply adjustments.
2. Press and hold the Option/Alt key (Mac/Windows) then press the Reset icon in the toolbar.
3. Any adjustments applied will be temporarily removed while clicking, allowing you to compare the effect.



Resetting adjustments by individual tool

Most tools have individual (i.e., local) reset buttons. Where a tool has a group of controls in a single panel, such as the Exposure tool, all of the applied adjustments will be removed. When tools have tabbed panels where controls can be adjusted on each, such as the Color Balance, Levels and Curve tools, Capture One allows resetting by tab.


1. Select the variant or variants in the browser and apply adjustments using the chosen tool.
2. Press the small reset icon in the tool's title bar to reset any adjustments made with it. Press Shift-click to reset the adjustments on all the selected variants (when the Edit Selected variants option is disabled).
3. To reset only the adjustments on the selected tab (where applicable), press and hold Cmd/Ctrl (Mac/Windows) while clicking on the local reset button.



Temporarily resetting adjustments by tool

When you want to compare before and after adjustments made to an image with a specific tool, the local reset button has a temporary option just like the global reset button in the toolbar. Where a tool has a group of controls over several panels, such as the Color Balance tool (displayed), Capture One allows temporary resetting by tab.

1. Select the variant or variants in the browser and apply adjustments using the chosen tool.
2. Press and hold the Option/Alt key, then press the tool's Reset icon. Any



adjustments applied will be temporarily removed while clicking.

Mouse functionality

The Viewer: Place the mouse cursor over an image in the Viewer; moving the scroll wheel up will zoom in and out of an image accordingly.

The Browser: Place the mouse cursor anywhere in the Image Browser. Use the mouse scroll wheel to scroll up and down in the image collection.

Sliders: Place the mouse cursor over a slider in any given tool and use the scroll wheel to fine-tune the slider settings.

Curve Points: The mouse scroll wheel control can help fine-tune a Curve. Pick Curve points and use the mouse scroll wheel to precisely adjust them as desired.



Did you find this article useful?



Introduction

User Interface

Optimizing Your Workflow

Workflow Basics

RAW and Image File Formats

Colors in Capture One

Adjustment Controls

Selecting Images

Preferences and Customization

Keyboard Shortcuts

Change the Default Settings

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

Adjustment Controls

Colors in Capture One

RAW and Image File Formats

Workflow Basics

Tool Tabs

Capture One > Optimizing Your Workflow > Workflow Basics > Selecting Images



Navigating and Selecting Images

To work with your images, you will need to review them by their Collections in the Library and then select them in the Browser. You can use a mouse, trackpad, or tablet directly, or navigate using the menu commands and shortcuts.

- What are Primary and Selected Variants?
- Selecting multiple images
- Selecting only the primary variant
- Selecting images by variant position
- Selecting the primary variant from multiple images
- Editing only the primary variant
- Deselecting the primary variant
- Navigating image selections by sets
- Selecting images by file name
- Creating an Album from a selection
- Navigating by User Collection

What are Primary and Selected Variants?

Primary Variant: This is the main image that you want to make adjustments to. When viewed in the browser, the primary variant always has a thicker border to differentiate it from other selected variants. The primary variant is used to make adjustments to before copying and applying those adjustments to the selected variants.

Selected Variant(s): When adjustments have already been made to the primary variant, select another image or group of images that you would like to apply those adjustments to. Note, however, some group commands such as rotate, reset and automatic corrections can be applied to be the primary and selected variants at the same time. A thin white border is present on all selected variants in the Browser. Press the Edit Selected variants icon (👉) to enable adjustments to these files.

Learn how to [select and view multiple images](#). Also see [Global Copy and Apply](#) and [Local Copy and Apply](#).



Selecting multiple images

Viewing multiple images from a collection or a variant group can be useful when you want to assess several images side-by-side for various reasons (e.g., color, focus accuracy, exposure density, etc.), or when you want to apply the same settings, rating or adjustments to images simultaneously. A maximum of 12 images are displayed in the viewer at any one time. (When more than 12 are selected, only 11 will be displayed.) For more information on variant groups, see the section here.

1. Choose from one of the following:
 - o From the main menu, select Edit > Select All (or press Cmd+A/Ctrl+A (Mac/Windows)).
 - o Click on the first variant in the series that you want to select, then press shift and click on the last image variant in the series.
 - o Click on the relevant variant in the series that you want to select and press Cmd/Ctrl (Mac/Windows). Repeat to add images.
2. A selection of image variants can be deselected at anytime from the main menu, select Edit > Deselect All (or press Shift+Cmd+A/Ctrl+Shift+A




(Mac/Windows)).

Selecting only the primary variant

When working with a variant group or any selection of images, you can easily isolate the primary variant from the rest. For example, you can use this option when you want to return to a particular image to edit in a selection. The following instructions are assuming multiple images are selected already.


1. From the main menu, select Edit > Select Primary Variant Only, or shift-click on the primary variant in the browser (note there is no shortcut assigned by default, but it can be added, see [Working with shortcuts](#) for more information).
2. The Primary Variant is displayed by itself in the Viewer.



Selecting images by variant position

You can select variants by their position in the variant group. You can use this to isolate images from batches of cloned variant groups for a specific task. When you have created multiple variant groups with identical adjustments applied to each of the variants in the group, you can use this option when, for example, you want to export all the variants at position three from within a collection. For more information on variant groups, see the section on Copying Images.

1. Open all the variant groups that you want included in the selection.
2. Select the relevant variant from an open group or stack.
3. Right-click and choose Select By Same > Variant Position.
4. All those variants occupying the same position will be selected and displayed in the viewer. (Variants in closed groups will not be selected or displayed.)



Selecting the primary variant from multiple images

When you want to assess images in a selection or variant group, Capture One allows you to navigate the selection by one image at a time. This image is called the primary variant. Being able to select one image at a time is useful when you want to work on it without adjusting any of the others selected while observing and comparing the effect. The following instructions assume multiple image variants are selected already.

1. To navigate the selection/group, choose from one of the following options:
 - o From the main menu, select Edit > Select First/Previous/Next/Last (or press cmd/Ctrl+ relevant direction arrow (Mac/Windows)).
 - o Using a mouse or pen, click directly on the required image.
2. When you want to edit the Primary Variant, verify that the **Edit All Selected Variants** option is deselected in the menu or Toolbar. See Edit primary variant below for more details.



Editing only the primary variant

You can edit the primary variant from a selection of multiple images while observing the adjustments against the others in the viewer. Note the size of the images displayed is dependant upon the screen size and the number of selected images (up to 11 images can be shown in the viewer at any one time). The following instructions assume multiple image variants are already selected.

1. Navigate to the image in the selection/group.
2. From the main menu, deselect Edit > Edit All Selected Variants, or click on the multiple thumbnail icon in the Toolbar if active (orange), returning the icon to gray. Failure to deselect the Edit All Selected Variants option or icon will, naturally, result in all of the selected images being adjusted simultaneously.
3. The Primary Variant is ready to be edited.



Deselecting the primary variant

Capture One offers an easy option to remove the primary variant from other selected variants of that image. This is useful when you want to exclude that image from any further adjustments. For example, when the primary variant is ready for export or is to be used as a reference image. The following instructions assume multiple image variants are already selected.


1. From the main menu, select Edit > Deselect Primary Variant.
2. The Primary Variant is removed from the selection.
3. To return the Primary Variant back to that selection/group, from the main menu, select Edit > Undo/Undo Change Selection (cmd+Z/Ctrl+Z (Mac/Windows)).



Navigating image selections by sets

Capture One allows you to navigate selected image variants by sets (e.g., a pair, or three or four images). For example, when you have two or more images selected for comparison in the viewer, you can move to the next set by the same number without having to manually select each image every time. Besides being a time saver, this is a convenient way to assess and navigate a large collection of images in the browser. It can also be used when applying ratings, keywords, presets or styles to images.


1. Select a number of images in the browser (e.g., a pair, or four images).
2. Apply adjustments, ratings, or keywords as necessary.
3. From the main menu, select Edit > Select Next Set (or press option+right arrow/alt+right arrow (Mac/Windows)).
4. To navigate back, select Edit > Select Previous Set (or press option+left arrow/alt+left arrow (Mac/Windows)).



Selecting images by file name

Occasionally it can be difficult to find an image, even when using keywords or other metadata. However, when you know the file name then Capture One can be used to search for a specific image. Capture One can also search for multiple images using a list of file names. If a client is monitoring a session, or a request is made to locate an image after making a submission from a Catalog, this option greatly simplifies the search. List separators can be chosen for the most common options.


1. When searching a catalog, from the Library, under Catalog Collections, select **All Images**. (When searching a session, from Session Albums, select **All Images**.)
2. From the main menu, select Edit > Select By Filename. A dialog box will open.
3. Type in (or copy and paste) the relevant file names that you're searching for in the text box.
4. When searching a list, select the appropriate method to distinguish between file names from the **Delimiter** fly-out menu.
5. Select **Ignore file extension** when you are searching for variants in multiple file formats (i.e., both RAW and JPEG).



Creating an Album from a selection

Any selection of image variants or variant group can be made into an album. When making an album from a variant group, only one of the variants from that group requires selection.

1. Select the image variants in the Browser.
2. Right click one of the selected images, and select Create Albums From > Selection... A new collection dialog opens.
3. Name the collection or album.
4. Check-mark **Select collection after creation**, when you want Capture One to automatically display the contents afterwards, either to confirm the successful creation and addition of images, or to work in that album. (When



- deselected, the album contents will not be automatically displayed, however, it can be manually selected to display the contents at any time.)
5. Check-mark **Add selected images after creation**, when you want Capture One to add the images. (When deselected, the album will be created but images have to be added manually afterwards. This option is intended to be used when setting up new albums from scratch, typically before images are selected.)
 6. Click on **OK** to create the new Album.

Navigating by User Collection

You can, of course, already navigate and select Catalog/Session Collections and User Collections (i.e., groups, projects, albums and smart albums) simply by clicking on them with a mouse or pen, or, by touch when you're using a suitably equipped screen. However, you can also navigate collections using the menu and by shortcuts, if you prefer. The following description assumes that User Collections have been previously created.

1. From the Library, navigate downwards using the menu and select **Edit > Select Collection > Next Collection** (or press **Ctrl+Shift+S** (Mac/Windows)). Repeat to move down collections, including sub-folders (e.g., albums and smart-albums) if expanded.
2. To navigate back up collections, from the menu, select **Edit > Select Collection > Previous Collection** (or press **Ctrl+Shift+W** (Mac/Windows)).
3. To reveal or expand the Collection (when there's a sub-folder hierarchy of albums, for example), from the menu select **Edit > Select Collection > Step in/Expand** (or press **Ctrl+Shift+D** (Mac/Windows)). The next sub-folder in the hierarchy will be revealed. Repeat to expand successive sub-folders, if not already expanded.
4. To select the next folder in the selected collection's hierarchy, select **Edit > Select Collection > Next Collection** (or press **Ctrl+Shift+S** (Mac/Windows)). When selecting this option and the collection has not been expanded already, the next collection in the Library will be selected instead (as in step 1).
5. To close or collapse a collection, from the menu, select **Edit > Select Collection > Step out/Collapse** (or press **Ctrl+Shift+A** (Mac/Windows)).



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow

Workflow Basics

Preferences and Customization

- Global Application Preferences
- Customize the Toolbar
- Customized Workspaces
- Tangent Grading Panels

Keyboard Shortcuts

Change the Default Settings

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

[Capture One](#) > [Optimizing Your Workflow](#) > [Preferences and Customization](#)



Preferences and Customization

Customize Capture One to support your specific workflow, needs and preferences. You can customize the toolbar and setup your own workspaces.

Global Application Preferences

Capture One Preferences enables customization of the application to help aid workflow.

Customize the Toolbar ^{Pro}

Add or remove tools to create a customized toolbar.

Customized Workspaces ^{Pro}

Capture One provides several different fully-customizable workspace layouts for working with your images.

Controlling Capture One Pro with a Tangent grading panel

Capture One's interface and the majority of the tool set can be controlled using a grading panel from Tangent.

Did you find this article useful?

Recently viewed ▾

- Selecting Images
- Adjustment Controls
- Colors in Capture One
- RAW and Image File Formats
- Workflow Basics



Recently viewed

- Optimizing Your Workflow
- Keyboard Shortcuts
- Preferences and Customization
- Selecting Images
- Adjustment Controls

PHASE ONE

what the world's best photography is made of



Global Application Preferences

PREFERENCES / CUSTOMIZATION

Capture One Preferences enables customization of the application to help aid workflow.

- [Verifying and modifying the preferences](#)
- General
- Appearance
- Image
- Capture
- Color
- Exposure
- Crop
- Focus
- Warnings
- Update

Verifying and modifying the preferences

Capture One has a range of preferences that allow you to alter how a particular feature responds. In some cases, certain features can only be accessed from the preferences window, so it makes sense to spend some time becoming familiar with each tabbed page and specifying the preferences to suit your particular workflow. The settings affect all Catalogs and Sessions within Capture One.

1. Go to Capture One > Preferences (Mac) or Edit > Preferences (Windows). The global Preferences window opens.
2. The settings are arranged by page using labeled tabs. Click on a tab to view and specify the settings to suit your particular need.
3. To enable the new settings, quit Capture One and restart. Restarting is not necessary when adopting certain features, such as Calibrating an Eizo Monitor, or changing the Color Wheels Layout.
4. Each page can be returned to their default settings independently of the others. Click on the **Defaults** button on the relevant page, then quit Capture One and restart.



General

Select General settings relating to the **Viewer, Catalog and Session, Recent Captures Collection, Importing, Hardware Acceleration (Use OpenCL), Activities, Favorites, Catalog Backup, Media Pro, and Tangent Integration.**

Viewer

Enable or disable the mouse scroll wheel to zoom into images displayed in the Viewer.

Catalog and Session

Open a new Catalog or Session in a new window in addition to the current open window. Deselect this check box to replace the current window with the new Catalog or Session.

Recent Captures Collection



Choose the duration after when a Recent Captures folder will be created in the Library. This is useful to isolate groups of images when shooting tethered throughout the day. Select the duration from the fly-out menu.

Importing

When detecting a memory card in a card reader, choose between whether the importer dialog opens automatically, or ignores it.

Hardware Acceleration (Use OpenCL for)

Choose **Auto** from both the **Display** and **Processing** drop down menus to improve performance. The **Auto** setting will automatically determine whether your graphics card will produce a faster performance than the CPU (Central Processing Unit) in your computer. Select **Never** if you are experiencing stability problems. Note, OpenCL stands for Open Computing Language.

Activities

Enable or disable the activities icon, when Capture One is busy.

Favorites

Choose the appropriate action for adding Session Folders to Favorites from the fly-out menu.

Catalog Backup

From the **Remind on close** fly-out menu, select the frequency for backing up Capture One catalogs based on the volume of work. Backup Catalogs do **not** contain any source (i.e., original) image files, whether referenced or stored internally.

The **Location** field displays the path to the current backup location. Click on the arrow icon to verify the setting. The default location for backing up catalogs is in the User's Application Support folder in the Library (Mac), however, where possible, back up to an external disk is recommended.

Media Pro

When importing Media Pro catalogs, metadata and Catalog Set information from Media Pro can be used by Capture One to update image variants and Albums, respectively. Select the intended action for each, as desired.

Tangent Integration

Capture One's interface and the majority of the tool set can be controlled by grading panels from Tangent. Each Tangent panel model is supported by Capture One Pro with a group of default control layouts. Enable support by checking the box.

To reset only the displayed settings, click the Defaults button at the bottom of the tab.

Appearance

Viewer

The background pattern and the color of the viewer can be adjusted to different shades of gray, white and black. The Capture One default is a dark neutral background. The size of margins and proof margins can also be adjusted here.

Local Adjustments

The Local Adjustment Mask Color can be altered. Click on the icon and select the color from the dialog.

Image

Modify the functionality or handling of different types of files.

Cache

The image preview size (px) value can be adjusted to set the size of the proxy



Phase One industrial users adopting the Phase One SDK to capture should de-select support for Phase One cameras.

Color

Transform

Select an option from the **Rendering Intent** drop down menu. (Rendering Intent refers to the conversion of one color to another.)

Perceptual (default): Compresses the total gamut from one device's color space into the gamut of another device's color space when one or more colors in the original image is out of the range of the destination color space. This preserves the visual relationship between colors by shrinking the entire color space and shifting all colors – including those that were in gamut.

Relative Colorimetric: When a color in the current color space is out of gamut in the target color space, it is mapped to the closest possible color within the gamut of the target color space, while colors that are in gamut are not affected. Only the colors that fall outside of the destination gamut are changed. This Rendering Intent can cause two colors, which appear different in the source color space, to be the same in the target color space. This is called "clipping". Relative colorimetric is the default method of color conversion built into Photoshop.

Absolute Colorimetric: Colors match exactly with no adjustment made for white point or black point that would alter the image's brightness. Absolute Colorimetric is valuable for rendering "signature colors", those colors that are highly identified with a commercial product such as the yellow used by the Eastman Kodak Company™, or the red used by the Coca-Cola Company™.

Saturation: Reproduces the original image color saturation (vividness) when converting into the target device's color space. In this approach, the relative saturation of colors is maintained from gamut to gamut. This rendering intent is primarily designed for business graphics, where the exact relationship between colors (such as in a photographic image) is not as important as are bright saturated colors.

Monitor

A number of Eizo ColorEdge CG monitors with a built-in calibration sensor can be re-calibrated from within Capture One.

The following Eizo monitor models are supported:

24-inch

CG245W, CG246, CG247, CG247X, CG248 (UHD 4K)

27-inch

CG275W, CG276, CG277

31-inch

CG318 (DCI 4K)

Color Wheels Layout

Capture One's color wheels used in the Color Balance and Color Editor tools located in the Color Inspector can be displayed with the chroma hue reference phase rotated 90-degrees to imitate a Vectorscope layout. Select the layout as appropriate. Capture One does not require restarting.

Exposure

Exposure Warning

Set the values of the Exposure Warning function by clicking and dragging the shadow and highlight sliders, as desired. When enabled, areas that fall outside the set values will be shown by a color overlay. By default, the highlight



warning value is 250 and the shadow warning is not enabled.

Double click on the highlight and shadow color icons to change the overlay color. The default highlight color is red and the shadow is blue.


Levels Tool

The **Channel Mode** allows you to switch between the relevant shadow and highlight pickers for the default combined RGB channel mode and separate red, green and blue channels.

Preset output **Target Levels** for both modes can also be applied by clicking and dragging the appropriate sliders.

The **Auto Levels Clipping Thresholds** sets a 0.10% threshold for Shadows and Highlights by default. This allows a small number of pixels, for example specular highlights, to clip without reducing the overall contrast and dynamic range of an image. Type in the values to alter the settings. The range is adjustable between 0-10%, although in practical terms it's unlikely that anything approaching 1% and above would be necessary. Note, the Auto Levels Clipping Thresholds deliver the specified percentage of clipped pixels precisely.

Click the Defaults button to reset the settings.



Crop

Modify the behavior of Crop tool.

Mask

Choose when to **Show Mask**, and adjust the **Opacity** and **Brightness** levels of the area outside the crop. There are also a range of **Frame** and **Label** options.

Grids and Guides

There are number of options to alter the grid and guides tools. You can also change the color of a crop mask and guide line.



Focus^{Pro}

Focus Mask

The Focus Mask tool is used to evaluate whether an image was sharp at the time of capture, and does not depend on the image settings. However, you can alter the threshold or level at which the Focus Mask will be triggered. To assess sharpness more critically, the threshold should be increased above the default 250 setting (i.e., the slider dragged to the right). The amount will vary by use case, however the threshold slider can be adjusted while observing the effect in the Viewer. The color (default is a lime green) and the opacity of the mask are also adjustable.

Warning! While this is a useful tool to evaluate the sharpness of a capture initially, to assess critical sharpness you should check images in the Viewer or Focus tool at 100% magnification.



Warnings

Choose if and when you want to be notified and when certain actions happen. Check mark the boxes in the Files and Folders, Adjustments and Output



Workflow Basics

Preferences and Customization

Global Application Preferences

Customize the Toolbar

Customized Workspaces

Tangent Grading Panels

Keyboard Shortcuts

Change the Default Settings

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

Global Application Preferences

Optimizing Your Workflow

Keyboard Shortcuts

Preferences and Customization

Selecting Images




Customize the Toolbar^{Pro}

PERSONAL TAB / TOOL TABS / TOOLBAR / WORKSPACES

Add or remove tools to create a customized toolbar.

- Arrange the toolbar
- To customize the toolbar

Arrange the toolbar



To customize the toolbar

Capture One offers a wide range of customization options. You can add icons to the top tool bar or reorder the tab-menu.

1. Go to View>Customize Toolbar... Alternatively, right click (or press Ctrl and click) on the toolbar and select **Customize Toolbar...** The Customize Toolbar window will open.
2. The Customize Toolbar feature is a placeholder for icons. Drag the icons from the placeholder to a position in the toolbar or remove icons from the Toolbar by dragging them to the placeholder.



Did you find this article useful?



Workflow Basics

Preferences and Customization

- Global Application Preferences
- Customize the Toolbar

Customized Workspaces

Tangent Grading Panels

Keyboard Shortcuts

Change the Default Settings

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Customize the Toolbar
- Global Application Preferences
- Optimizing Your Workflow
- Keyboard Shortcuts
- Preferences and Customization



Customized Workspaces^{Pro}

WORKSPACES / SESSIONS / PERSONAL TAB / WORKFLOW TIPS

Capture One provides several different fully-customizable workspace layouts for working with your images.

- [Workspace layout overview](#)
- [Customize the interface](#)
- [Create a dual monitor user interface](#)
- [Save a personal workspace](#)
- [Add a tool tab](#)
- [Remove a tool tab](#)
- [Add a custom tool tab](#)

Workspace layout overview

Experiment with various workspaces by selecting Window>Workspace and select an option that best fits your workflow. In addition, you can change the layout of the current workspace by selecting the options in View menu (e.g. View>Place Tool Right). You can add an unlimited number of tools to a Tool Tab. The tools will automatically collapse to make more space if an area of the interface becomes too crowded. It is recommended that you avoid overcrowding and keep tools open to help aid a smooth and efficient workflow.

Customize the interface

Capture One offers numerous customization possibilities. You can reposition the user interface to have the [Browser](#) or the tools on the right hand side.

1. Experiment with the default workspaces by choosing Window>Workspace and select an option that best fits your workflow.
2. Go to Capture One>Preferences for further customization choices. See [Preferences](#).



Create a dual monitor user interface

There are numerous ways to create a customized layout. Follow this suggested set-up to create a dual monitor user interface. This example has a Viewer on one monitor and the Browser on the other.


1. Select Window>Viewer to create an extra Viewer. (Move the Viewer to a second monitor if necessary).
2. Select View>Hide Viewer. The Viewer within the main user interface will disappear and the browser thumbnails will replace it.
3. Move your cursor to the side of the Viewer to access the default Tool Tabs. (More Tool Tabs can be added. Add another Tool Tab in the Viewer by right-clicking on the Tool Tab bar and select Add Tool Tab>Lens or Quick etc).
4. Individual tools can also be moved to float freely. Simply click on the bar at the top of any tool, then drag and drop it to a desired position. (In the example shown, the Camera tool was moved on top of the Viewer on the second monitor).



Save a personal workspace

Although there are numerous ways to customize your workspace, the View menu is a good place to start. Here you will find a wide variety of options to help create a bespoke user interface. For example, some users prefer to have the Browser on the right side, the tools on the left side or the Viewer on full screen. (I.e. Select View>Place Browser Right).

1. Once you have created your desired workspace, choose Window>Work Space>Save Workspace.
2. Name the workspace in the Save Workspace window.
3. The workspace is now available from Window>Workspace.



Add a tool tab

Add a non default Tool Tab or one that has been removed. Non default Tool Tabs include the [Black and White](#) and [Quick](#) Tool Tab.

1. Go to View>Add Tool Tab>Quick.
2. The Quick icon will appear alongside the other Tool Tabs.



Remove a tool tab

1. Go to View>Remove Tool Tab and select the tool tab that is not needed.
2. Alternatively, right click on the [Tool Tabs](#) bar. Go to **Remove Tool Tab** and select the tool tab that is not needed.




Add a custom tool tab



1. Right click on the tool tab and select Add new Tool Tab>Custom Tool Tab from the drop down menu. (Alternatively, go to View>Add Tool Tab>Custom Tool Tab).
2. A dialog box will appear. Name the Tab, choose an icon and press Add Tab. The icon will appear in the Tool Tab bar.
3. Right click on the icon and select Add Tool from the drop down menu and select a desired tool. Repeat this procedure to add more tools.
4. To rearrange the Tool Tab bar, press Cmd/Alt (Mac/Windows) and drag icons in the tab menu to the preferred position.
5. To remove any unwanted tool tabs from view, right click on the Tool Tab bar and select Remove Tool Tab.





Did you find this article useful?



[Introduction](#)[User Interface](#)[Optimizing Your Workflow](#)[Workflow Basics](#)[Preferences and Customization](#)[Global Application Preferences](#)[Customize the Toolbar](#)[Customized Workspaces](#)[Tangent Grading Panels](#)[Keyboard Shortcuts](#)[Change the Default Settings](#)[Organizing Photos](#)[Tethered Capture](#)[Capture Pilot \(™\)](#)[Editing Photos](#)[Exporting Photos](#)[Printing Photos](#)[Tools Appendix](#)[Capture One Glossary](#)[About Phase One](#)[Contact us](#)[Recently viewed](#) ▾[Customized Workspaces](#)[Customize the Toolbar](#)[Global Application Preferences](#)[Optimizing Your Workflow](#)[Keyboard Shortcuts](#)

PHASEONE

what the world's best photography is made of

[Capture One](#) > [Optimizing Your Workflow](#) > [Preferences and Customization](#) > [Tangent Grading Panels](#)

Controlling Capture One Pro with a Tangent grading panel

Capture One's interface and the majority of the tool set can be controlled using a grading panel from Tangent.

- [Working with a Tangent grading panel](#)
- [Video: An overview of the Tangent Element grading panel](#)
- [Enabling Tangent support](#)
- [Customizing the layout with Tangent Mapper](#)
- [Color wheel layout](#)
- [Changing the color wheel layout](#)

Working with a Tangent grading panel

Color grading control panels have traditionally been the preserve of colorists using high-end video-editing and grading software, however the panels from Tangent are the first to be adapted to a stills application - Capture One Pro.

Each Tangent panel model is supported by Capture One Pro with a default control layout, called a map. In its simplest implementation, the three trackerballs in the Tangent Ripple, Element Tk, and Wave panels can be used to adjust the tint and saturation (with the outer ring controlling the lightness) of the three color wheels in the Color Balance tool, but they're not limited to that.

Using the Tangent Mapper application (downloaded from the Tangent website) each of the models, particularly the more sophisticated panels with their additional knobs and buttons can be customized or mapped to control your favorite tools.

With the fully-featured and modular Tangent Element system, for example, consisting of the individual Tk, Kb, Mf and Bt panels, you can control just about every tool in Capture One and perform even the most complex tasks.

To edit and create custom maps, the Tangent Mapper application is required. The Tangent Mapper reveals over 460 properties that can be mapped in practically any configuration. Tangent grading panels can be purchased from Tangent resellers and some Phase One partners.

Video: An overview of the Tangent Element grading panel

Get an overview of the workflow using a Tangent grading panel with Capture One Pro in this in-depth video tutorial. (Click on the image to the right). A Tangent grading panel provides photographers with a highly responsive and precise surface to control Capture One and make adjustments.



Enabling Tangent support

Capture One has built-in support for Tangent panels, which includes a default control layout or map for their devices whichever you have. Each map controls the Capture One tools directly and is completely independent of Capture One shortcuts. If customization of the layout is required, Tangent offer the optional Tangent Mapper application, which is available to download from the Tangent

website.

1. Connect your Tangent panel, using a powered USB hub if necessary.
2. Open Capture One, and go to Capture One > Preferences (Mac) or Edit > Preferences (Windows). The global Preferences dialog opens.
3. Select the **General** tab and under **Tangent Integration**, verify that the **Enable Tangent device support** is checked. If not, select it.
4. Quit and restart Capture One Pro to ensure the support is enabled.
5. Your Tangent panel should now be ready for use.



Customizing the layout with Tangent Mapper

Before you can customize the control layout of your Tangent panel, the Tangent Mapper software is required. (Please see the Tangent Mapper - User Manual for more information.) Tangent Mapper is a component of the Tangent Hub application. This can be downloaded and installed from the Tangent Wave website.

1. Go to www.tangentwave.co.uk
2. Select your Tangent panel model.
3. Go to **Application Support**.
4. From the **What application do use?** drop-down menu, select **Phase One Capture One Pro** application from the list.
5. Download the appropriate OS installer from the list and install the **Tangent Hub** application.



Color wheel layout

Capture One's color wheels used in the Color Balance and Color Editor tools located in the Color Inspector can be displayed with the chroma (color) hue reference phase rotated 90-degrees to imitate a Vectorscope layout, as found on high-end video-editing software.

A Vectorscope is used to adjust the color balance to give images a certain look, called grading by colorists, in much the same way as it is in Capture One. In addition to the color hue rotation, both the saturation and lightness sliders are reversed in the Color Balance tool and the Color Editor (Skin Tone mode only).

Familiarity with this layout, with red near to the top, should be of benefit to anyone working with both mediums, especially so for example when trying to color balance between stills and video from a range of scenes. A convergent workflow is particularly relevant with the three color wheels in the Color Balance tool, especially when working with the Tangent Wave grading-panels.

Note the change in layout does not affect the functionality of either tool. Also note the layout cannot be altered in features where the system color picker is adopted (which can display a color wheel on a Mac), such the option found in the Appearance inspector in the Preferences.



Changing the color wheel layout

1. Go to the Capture One (Mac) menu > Preferences. The Preferences dialog box opens.
2. Click on the Color tool tab.
3. Go to Color Wheels section and select the layout from the two options. Red to the right is the default. Red close to the top imitates a Vectorscope. The selection is made without the need to restart Capture One.
4. To return to the default selection, repeat from step 1.



Did you find this article useful?



Recently viewed ▾

- Tangent Grading Panels
- Customized Workspaces
- Customize the Toolbar
- Global Application Preferences
- Optimizing Your Workflow

PHASEONE

what the world's best photography is made of



Keyboard Shortcuts

SHORTCUTS / PREFERENCES / CUSTOMIZATION

Get an overview of all the keyboard shortcuts and create your own with this easy to follow guide.

- Using keyboard shortcuts
- Selecting keyboard shortcut sets
- Create a custom shortcut set
- Edit shortcuts
- Assign shortcuts to cursor tools
- Copy shortcut set
- Delete shortcut commands and custom sets

Using keyboard shortcuts

Capture One has numerous keyboard shortcuts assigned by default to help speed up your workflow. Shortcuts are assigned not just to the main menu but to many other tools and features, including options for the workspace (such as selection of the tool tabs, cursor tools and displaying or relocating the browser), certain adjustments (including rotating images, rating and color tagging) and many others.

1. For a full list of the default keyboard shortcuts, from the main menu, select Help>Keyboard Shortcut Summary.
2. Capture One will open your default internet browser and display the summary in a new window (Mac shortcuts displayed, above). Note a network connection is NOT required.



Selecting keyboard shortcut sets

When opening Capture One for the first time the default shortcut set is used. However, Capture One offers the option to create and select custom sets of shortcuts, as well as shortcuts from an earlier version (Capture One 3.7), if desired.


1. To select the version, from the main menu, select Capture One>Edit Keyboard Shortcuts... /Edit>Keyboard Shortcuts (Mac/Windows). The Edit Keyboard Shortcuts dialog opens.
2. Select the **Default** (or optional **Capture One 3.7**) set from the fly-out menu.



Create a custom shortcut set

Before editing the keyboard shortcuts, a copy or duplicate of the complete Default set (or optional Capture One 3.7 set) must first be created. Note, a number of essential shortcuts cannot be changed.

1. From the main menu, select Capture One>Edit Keyboard Shortcuts... /Edit>Keyboard Shortcuts (Mac/Windows). The Edit Keyboard Shortcuts dialog opens.
2. Select the Default (or optional Capture One 3.7) set from the fly-out menu.
3. Click on **Create**. A second dialog box opens.
4. Name the new shortcut set in the text field. (e.g., My custom shortcuts), and press OK. The new set is added to the fly-out menu and is ready for editing.
5. Continue to make edits (see below), or click on **Close** to shut the dialog



(the set will be saved automatically).

Edit shortcuts

As a safeguard, only a custom set can be edited. The Default set and the optional Capture One 3.7 set cannot be modified or deleted, even accidentally.

1. From the main menu, select Capture One>Edit Keyboard Shortcuts... /Edit>Keyboard Shortcuts (Mac/Windows). The Edit Keyboard Shortcuts dialog opens.
2. Select a previously created custom shortcut set (see above for details on how to create a custom set).
3. Under the **Command** column, click on the function that requires a new or different shortcut. Selecting a function that is subsequently highlighted in orange can't be edited, however those that change instantly from orange to gray are editable.
4. Type in the chosen keyboard shortcut in the adjacent text field, under the **Key** column. Repeat for each selection. The new shortcuts are effective immediately (and are updated in the main menu against the tools, where applicable).
5. Click on **Close** to shut the dialog. All of the edits are saved automatically.
6. You can view a summary of the selected set from the main menu, select Help>Keyboard Shortcut Summary.



Assign shortcuts to cursor tools

Although certain groups of cursor tools are assigned keyboard shortcuts by default, you can assign new keyboard shortcuts to any cursor tool. By assigning the same shortcut to a group you can cycle through the selection using the shift key. For example, when assigning the P key to all of the pickers, you can cycle through the group using shift+P.

1. Create a custom shortcut set, as described above.
2. From the **Cursor Tools** command, select the cursor group you want to change the shortcuts to. For example, Pickers.
3. Select each picker in turn, then click on the adjacent key column (the text box will turn from gray to black when active) and type P, for example.
4. Repeat for each cursor tool in the group.
5. When finished click on **Close** to shut the dialog. All of the edits will be saved automatically.



Copy shortcut set

When more than one custom set is required with only some minor changes, or you want peace of mind after taking time creating a complex set, you can simply duplicate it.

1. From the main menu, select Capture One > Edit Keyboard Shortcuts... / Edit > Keyboard Shortcuts (Mac/Windows). The Edit Keyboard Shortcuts dialog opens.
2. From the fly-out menu, located top left, select the set to copy.
3. Click on **Duplicate** at the top the dialog. A new dialog opens.
4. Type in a name for the new set in the text field, and click on **OK**. The new set is added to the fly-out menu and is selected ready for editing.
5. Continue to make edits and when finished click on **Close** to shut the dialog. The set will be saved automatically.



Delete shortcut commands and custom sets

Only custom sets can be edited and deleted, the Default set and the optional Capture One 3.7 set cannot even accidentally. **Warning!** Deleting a custom set is irreversible. After creating an extensively modified set of shortcuts, it is advisable to make a copy as a back-up (see above for more details).

1. Open the Edit Keyboard Shortcuts dialog and select the custom shortcut set to be edited, as described above.
2. Under the **Command** column, click on the chosen shortcut, then click on





the adjacent delete (cross-shaped) button.

3. To delete a complete set of shortcuts, select the chosen custom set from the fly-out top left, then click on the **Delete** button at the top right of the dialog box. The set is removed immediately.
4. Click on **Close** to shut the dialog.



Did you find this article useful?



Recently viewed ▾

- Workflow Basics
- Tangent Grading Panels
- Customized Workspaces
- Customize the Toolbar
- Global Application Preferences



Change the Default Settings

Capture One automatically selects a recommended default setting for all image files from recognized cameras. It is also possible to apply a user defined default setting.

- [Change the default setting](#)

Change the default setting

Individual adjustments can be made to most Color, Exposure, Details and Metadata tool parameters and used as the default setting. Once selected, this user-defined default setting will be automatically applied to every subsequent file from a specific camera make and model. This procedure is recommended for advanced users only. There is a vast range of possible user-defined default settings.



1. For example, if your camera habitually under- or over-exposes captured image files, adjust the Exposure slider to an appropriate value.
2. Click on the action menu icon and select the **Save as Defaults for... (relevant camera model)** option at the top of the tool tab.
3. Add any other Color, Exposure, Details and Metadata adjustments using the same procedure, if necessary.
4. This new Default setting will now be applied to every subsequent file from this specific camera make and model.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow

Organizing Photos

- Working with Catalogs
- Working with Sessions
- Library
- File Naming
- Copying Images
- Deleting Images
- Keywords
- Metadata
- Sequences

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

- [Change the Default Settings](#)
- [Workflow Basics](#)
- [Tangent Grading Panels](#)
- [Customized Workspaces](#)
- [Customize the Toolbar](#)



Organizing Photos

This section contains all the information you need to structure your images in a catalog or session. Add keywords and other meta data to help with cataloging, Rate your best images or Search and filter for material by almost any property.

Working with Catalogs

Catalogs are best used as semi-permanent projects or for organizing large volumes of images.

Working with Sessions ^{Pro}

Sessions are favored for daily on-set workflow with direct interface to the computer's file system. Find out how to create a Session and start importing images.

Library

The Library Tool enables you to access files located on your local computer or on external drives and networks. The Library Tool is a filtered file explorer that displays catalogs, sessions, albums, projects, groups, folders and supported files.

File Naming

Choose a customized filename recipe that best fits your needs

Creating Copies of an Image

Each time you copy an image you create another variant. Capture One keeps all of the variants of an image together in groups, so that you can always view and work on them together at anytime.

Deleting Images from Collections

Find out how to delete source images and variants in Sessions as well as referenced and managed variants in Catalogs.

Keywords

Capture One Pro provides a simple way to apply keywords to images to help both users and clients categorize, search and find photos.

Metadata

The Metadata tool allows you to insert keywords and specific information in addition to the basic metadata from a camera. Find out more...

Sequences (Phase One XF system camera only)

This section covers the new Sequences feature for the Phase One XF system camera and how you can use it to automatically name files and create sub folders, search and group images together from a number of related photos.



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos

Working with Catalogs

- Overview of Catalogs
- Importing Images into a Catalog
- Importing Catalogs and Sessions
- Organizing Images in a Catalog
- Working with Multiple Catalogs
- Backing-up a Catalog
- Working with Sessions
- Library
- File Naming
- Copying Images
- Deleting Images
- Keywords
- Metadata
- Sequences

- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed

- User Interface
- Introduction
- Organizing Photos
- Change the Default Settings
- Workflow Basics



Working with Catalogs

WORKFLOW / WORKSPACES

Catalogs are best used as semi-permanent projects or for organizing large volumes of images.

Overview of Catalogs

Before importing any photos, you must first decide to use either a Catalog or a Session. This section provides information on Catalogs and the benefits of using one.

Importing Images into a Catalog

Find out how to import images from your card reader, connected camera, flash disk or portable external drive, as well as how to import images already stored on your computer or external drive.

Importing Catalogs and Sessions

In addition to importing entire Capture One Catalogs and Sessions and their associated images, you can also import Media Pro Catalogs, as well as Lightroom catalogs and Aperture Libraries.

Organizing Images in a Catalog

After you have imported images into your Catalog the next step is to organize them. You can use system-based Folders, or organize your images using virtual folders; Projects, Groups and Albums.

Working with Multiple Catalogs

In Capture One you are not restricted to working in any one Catalog or Session at a time.

Backing-up a Catalog

This section provides information about backing-up your Catalog.

Did you find this article useful?



Working with Catalogs

Overview of Catalogs

Importing Images into a Catalog

Importing Catalogs and Sessions

Organizing Images in a Catalog

Working with Multiple Catalogs

Backing-up a Catalog

Working with Sessions

Library

File Naming

Copying Images

Deleting Images

Keywords

Metadata

Sequences

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

Working with Catalogs

User Interface

Introduction

Organizing Photos

Change the Default Settings



Overview of Catalogs

Before importing any photos, you must first decide to use either a Catalog or a Session. This section provides information on Catalogs and the benefits of using one.

- [An overview of a Catalog](#)
- [Video tutorial: Catalogs](#)
- [Catalog strategies](#)
- [Opening Capture One for the first time](#)
- [Creating a new Catalog](#)
- [Opening a Catalog](#)
- [Importing images into a Catalog](#)

An overview of a Catalog

A Catalog is the primary method of working in Capture One, and it's where all of the various steps in your workflow will be carried out. Not only does that include image importing, capture (using a tethered camera) and image organization (viewing, sorting and grouping), but a Catalog is where you will apply all your image adjustments and then distribute your images.

The location of the original images (sometimes called source files) can be on any disk (local, or external) and their location is referenced by the Catalog and recorded by the Library. As an option, the original image files can be stored physically inside the Catalog file. This is referred to as a managed workflow. The benefit to you when working with managed files is that those images are always accessible. Capture One never alters your originals in anyway but if you store your images on a external disk, and you don't have access to it when the time comes to distribute them, then Capture One can't duplicate them to process or export them.

Whether you're using a managed or referenced workflow, or a combination of the two in the same Catalog, image files and are located and accessed using that Catalog's Library tool. The Library tool in the Catalog tracks the imported original images in their folders or wherever they're located, and it seamlessly keeps track of the corresponding variants and adjustments, so you don't have to. For more information on variants, please see [here](#). After importing, you can use the Library to to create projects, groups and albums, to further organize your images.

Note that you are not limited by the number of Catalogs you can create, so you use as many or as few as you like. See below for information on Catalog strategies.

Video tutorial: Catalogs

Learn about Catalogs in this in-depth video tutorial. (Click on the image to the right). Discover how to create, build and structure Catalogs.



Catalog strategies

It is possible that a single main or master catalog will be sufficient for your workflow needs. However, grouping files into a few separate catalogs creates a higher level of organization. The main downside is that you can't search across them. Here are some examples in which to organize your catalogs:

- **Organize by project**

You can dedicate a catalog to each of your projects or clients for easy and quick reference. This is also a good method for supporting short-term deadlines and goals.

- **Organize by chronology**

You can create an additional set of catalogs based on the date and time. This is a good monthly habit that will help you build a searchable archive as you go.

- **Organize by subject**

Any logical subjects that are not likely to overlap are a good way to divide your media into multiple catalogs. For example, you can store your images by high-level subjects that describe the types of your photo assignments, such as travel, fashion, portraits and so on.

- **Organize by process/task**

At times, there are clearly definable states for files in a workflow. Separating items by their state or task can help direct users to a media item at a specific stage in the workflow. For example, photographers might create one catalog each for client selections or edited images.



Opening Capture One for the first time


You must first choose between a Catalog or a Session to begin importing and working in Capture One. Catalogs are more suited to creating or maintaining an existing image library and are ideal for large, on-going projects. Sessions on the other hand are more convenient for smaller, individual projects with a typically simpler workflow. However, you are not tied to that choice. You can create as many as you like (depending on disk space) and can switch between them at anytime.



1. After opening and activating Capture One, you will be presented with a simple dialog with two workflow choices:
 - **I am New to Capture One** - select this if you are unfamiliar with Capture One and want to open a Catalog.
 - **I know Capture One** - select this if you're familiar with either Catalogs or Sessions. You will be presented with a second dialog with the option to create a new Catalog (or a new Session if you prefer, see [here](#) for more details).
2. A new document (i.e., Catalog/Session) is created and named (this can be renamed at a later date, if necessary). After creating a new document, you can import files from your card reader, connected camera, or folder. See the [Importing](#) section for more information.

Creating a new Catalog

After setting up and creating your first Catalog, the next time you open Capture One that Catalog will be displayed straightaway. However, if in the meantime you've created and recently opened a second Catalog or a Session, a Recents window will be displayed first. You can bypass any previously created Catalogs (or Sessions) and create a new Catalog, by clicking on the New Catalog... button instead.



If you have clicked on one those Catalogs in the list or Capture One is already open, you can create a new Catalog (or Session) without closing the existing one. You are not restricted by number of Catalogs that can be created, see Catalog Strategies above for more information.

1. If Capture One is open already, as either a Catalog or Session, select File > New Catalog... Or use the keyboard shortcut Shift+Cmd+N/Ctrl+Shift+N (Mac/Windows). A dialog box will open.
2. Fill in the Name field and select a Location for the Catalog. Note, although a Catalog can be stored anywhere in theory, it is best located on a high-


speed local drive.

Opening a Catalog

If you've not created another Catalog or Session, opening Capture One will open your original Catalog, however if you have, a Recents window will be displayed showing up to ten of the last-opened Catalogs or Sessions in a list. You can open any of those directly, or you can search for a Catalog anywhere on your system by clicking on the Browse button instead.

When Capture One is already open, you can do one of the following

- Select File > Open Recent and select the relevant Catalog from the list. Note, the list may also shows recent Sessions, if any.
- Using the Finder/Explorer (Mac/Windows), navigate to the relevant Catalog on your system, including external drives and then select and Ctrl/right-click (Mac/Windows) to open.



Importing images into a Catalog

Depending on your workflow, there are various options available to import images into a Catalog in Capture One:

1. Import from a memory card, connected camera, or folder on a computer or external disk drive. Press the import icon (downwards-pointing arrow icon in middle or the top left of the user interface) or go to File > Import Images... Find out about the Import dialog box [here](#).
2. Shoot from a supported tethered DSLR or digital back. Images will be imported into the active Catalog by default, or you can choose another location. Find out about capturing from a tethered camera [here](#).
3. Import a Media Pro, Capture One or Lightroom Catalog, or a Aperture Library. Note that there are certain limitations to what Capture One is able to import from third-party applications. Find out more information [here](#).



Did you find this article useful?



Working with Catalogs

Overview of Catalogs

Importing Images into a Catalog

Importing Catalogs and Sessions

Organizing Images in a Catalog

Working with Multiple Catalogs

Backing-up a Catalog

Working with Sessions

Library

File Naming

Copying Images

Deleting Images

Keywords

Metadata

Sequences

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

Overview of Catalogs

Working with Catalogs

User Interface

Introduction

Organizing Photos



Importing Images into a Catalog

Find out how to import images from your card reader, connected camera, flash disk or portable external drive, as well as how to import images already stored on your computer or external drive.

- An overview of importing images
- File formats you can import into a Catalog
- Importing images from external media
- Importing images stored on your computer
- Importing images inside a Catalog
- Creating a folder structure on import
- Adding images to a Collection on import
- Backing up images on import
- Naming images on import
- Adding copyright and a description on import
- Add adjustments on import
- Sorting images prior to import
- Importer options

An overview of importing images

After choosing the option to create a Catalog, you will need to acquire - or import - images before you can start to view them and work with them. When Capture One imports images it automatically creates a small variant file (a preview with a group of settings applied) for each image. At the same time it also creates a link or reference to where it's stored.

You can import images files from various sources, such as a card reader or connected camera, or perhaps you've stored some images on a portable disk drive that you want moved. With new images like that you can get Capture One to copy those files when importing to a destination folder of your choice. From the **Import To** dialog of the Importer, select **Choose Folder...** from the **Destination** fly-out menu. Typically, that's the Pictures/My Pictures (Mac/Windows) folder on your computer if you have space, or a folder on an external hard disk drive.

When you have an existing folder of images on your computer or external disk drive that you haven't used with Capture One, you still need to "import" these images to generate the variants and create a link to them. From the **Import To** dialog of the Importer, select **Current Location** from the **Destination** fly-out menu. Capture One can "import" the contents of individual folders or your whole image library including sub-folders. Images aren't copied or moved and importing will preserve the file structure, which is useful if you have a large library that you would like to maintain.

Capture One can also import images from any folder and store those images physically inside the Catalog. As images are always copied, this "managed" workflow is useful in that the original images are always available to the application for processing or exporting. However, as the Catalog should typically reside on your local drive, this option can quickly put pressure on system resources. From the **Import To** dialog of the Importer, select **Inside Catalog** from the **Destination** fly-out menu.

File formats you can import into a Catalog

Capture One supports a range of still-image formats and is compatible with QuickTime Player/Windows Media Player (Mac/Windows) for playback of supported movie formats and codecs. The following file types can be imported:


- RAW (from a range of supported digital cameras)
- DNG (from a range of supported digital cameras)
- JPEG
- TIFF
- PNG
- PSD (read only)

- QuickTime/Windows Media Player (Mac/Windows) compatible movies and codecs (dependent on OS)

For a list of supported cameras, visit the [Phase One](#) site.

Importing images from external media

Capture One's importer dialog allows you to import all the images from a memory card, connected camera, flash disk or portable external drive, or you can import selected images instead. You can choose to store source images on your computer or, preferably, store them on a dedicated external drive. In either case, Capture One will copy the images to the chosen destination folder and reference them. If you want to move the source files at a later date, move the folder from the Library. The Library will update the references to the images in their new location.




1. Open the importer by choosing one of the following options:
 - o From the main menu choose File > Import Images...
 - o Click on the Import icon in the Toolbar.
 - o Drag a volume or folder of images into the Capture One image browser.
 - o Click on the Import icon in the browser of a new catalog.
 - o Connect your card reader to your computer.
2. The Import Images dialog (i.e., the importer) opens. When a card reader has been connected or when a folder has been dragged into the Capture One image browser, the contents of that folder are displayed as thumbnails in the importer's browser.
3. If the importer's browser isn't displaying your images, go to the **Import From** tool, click on the **Source** fly-out menu, select **Choose Folder...** and navigate to the relevant folder you want to import. The images will then be shown in the browser and every image selected automatically for import. Also, make sure that the **Include Subfolders** check box is selected in the Import From tool. This option is useful for locating all the images on a memory card.
4. When you want to select specific images to import, adopt the usual shift-click to select contiguous images, or Cmd+click (Mac), Ctrl+click (Windows) to select individual images. When you want to reset the image selection, click on the background between thumbnails.
5. When using a multi-bay card reader with two or more cards inserted, each card appears at the top of the **Source** fly-out menu. After downloading from the first card, select the next from the fly-out menu.
6. In the **Import To** tool, make sure the **Destination** fly-out menu is set to **Choose Folder...** Note the importer remembers the last selection and, therefore, the current setting may not be suitable for your intended storage location.
7. Navigate to either, an existing system folder, or create and name a new folder as desired on the local computer or an external disk, and click **Set as Import Folder**. Recently used folders appear as shortcuts.
8. In the optional Sub Folder field, add a folder or a series of sub-folders. Select this only if you want to segregate a group of images from an existing folder of images on import, or adopt a multiple folder structure. (See below for more information.)
9. From the **Sample Path** field, verify the path is pointing to the **chosen folder for import**.
10. Verify the **Collection** text box is set to **Recent Imports Only**. If already set-up, you can use the other settings to sort images into existing User Collections (i.e., existing albums, or albums based on templates). (For more information, see below.)
11. In the **Space Left** field, verify the capacity left on the volume, or drive is enough to store the new images.
12. Select options for backing-up, naming images, copyright and adjustments as desired. (For more detailed information, see below.)
13. Press **Import All** or **Import X Images** for selected images, if no further options are required. (Note you can always add adjustments later, of course, and easily add copyright info and rename files.)

Importing images stored on your computer

To view and edit source images already stored on your computer you must first


import them into Capture One's database. When importing like this, Capture One is not duplicating or copying the source files but referencing them in their existing location. This procedure also applies when you're referencing source images stored on an external drive. If you're importing a large library of images, the rendering of individual previews for every image may take some time.



1. Open the importer by choosing one of the following options:
 - o From the main menu choose File > Import Images...
 - o Click on the Import icon in the Toolbar.
 - o Drag a volume or folder of images into the Capture One image browser.
 - o Click on the Import icon in the browser of a new catalog
2. The Import Images dialog (i.e., the importer) opens. When a folder has been dragged into the Capture One image browser, the contents of that folder are displayed as thumbnails in the importer's browser.
3. When searching for images to import, from the **Import From** tool, click on the **Source** fly-out menu and select **Choose Folder...** And navigate to the relevant folder you want to reference. The images will then be shown as thumbnails in the importer's browser and every image selected automatically for import.
4. Make sure that the **Include Subfolders** check box is selected in the Import From tool. Note this option should be used when maintaining a previously organized folder of images (i.e., an existing image library).
5. When you want to select specific images to import, adopt the usual shift-click to select contiguous images, or Cmd+click (Mac), Ctrl+click (Windows) to select individual images. When you want to reset the image selection, click on the background between thumbnails.
6. In the **Import To** tool, select or verify the **Current Location** option listed in the **Destination** fly-out menu. This is intended for referencing image files in situ. Note the importer remembers the last selection and, therefore, the current setting may not be suitable for your intended storage location.
7. Verify the **Collection** text box is set to **Recent Imports Only**. If already set-up, you can use the other settings to sort images into existing User Collections (i.e., existing albums, or albums based on templates). (For more information, see below.)
8. Select options for backing-up, captioning and adjustments as desired. (For more detailed information, see below.) Note copyright and renaming options will be disabled when referencing images in their current location.
9. Press **Import All** or **Import XX Images** for selected images, if no further options are required. (Note you can add adjustments, copyright info and rename files later.)

Importing images inside a Catalog

Although a Catalog will be typically chosen to reference folders of images, either when importing from external media or when importing folders already in place on your computer or external drive, Capture One can store the original image files physically inside a Catalog. This managed file option can be used when you want a temporary or portable catalog to distribute or share with colleagues. You can import images from a folder on any external media or already on your computer. Original image files are duplicated, even when already located on your computer.



1. From the **Import From** tool click on the **Source** fly-out and select the folder you want to import (from any location).
2. In the **Import To** tool under **Destination**, verify the option **Inside Catalog** is selected. Note the importer remembers the last selection and, therefore, the current setting may not be suitable for your intended storage location.
3. Warning! Image files are copied and stored physically inside the catalog itself (not recommended when hard disk capacity is limited). Note the storage location can be changed when creating and setting up the catalog.
4. Continue to verify or make selections for importing into albums, file naming,

- backing-up, copyright and adjustments, as desired.
- Click **OK** to start the import process.


Creating a folder structure on import

When downloading images from external media you can use the importer to organize those images into subfolders. This feature can be used in a number of different ways.

Firstly, it allows you to adopt an existing storage strategy if you have one, but you can use it to simply segregate a group of images from an existing folder of images or create just about any hierarchical folder structure. You can also save these folder structures as user presets and switch between them when necessary.

In addition, you can combine this with Capture One's dynamic locations feature. By leveraging Capture One's database access to the image metadata, the Location Sub Folder Tokens enable the importer to automatically create, organize and name folders of images when downloading. The Location Sub Folder Tokens are also available in the Export dialog, so you can semi-automate the organizing of folders when it is time to share a selection of images.


- Open the importer and, from the **Source** fly-out menu, select the images you want to import.
- In the **Import To** tool, click on the **Destination** fly-out menu and select **Choose Folder...** to set where to store the source files.
- Navigate to either an existing system folder, or create and name a new folder on the local computer or an external disk, as desired, and click **Set as Import Folder**. Recently used folders appear as shortcuts. When selected, the **Sub Folder** field is revealed. Note this option is unavailable when selecting Inside Catalog or Current Location.
- To create a single subfolder, add a descriptive name in the **Sub Folder** text field, and move to step 9.
- To create and organize images in multiple sub-folders based on metadata, click on the (...) icon next to the Sub Folder text field to open the Location Sub Folder Tokens dialog and select the appropriate tokens available in the list.
- Text and tokens may be used together in the Sub Folder text field or the dialog's Format text box.
- When creating hierarchical sub-folders, add a forward/backward slash (Mac/Windows) without spaces in between each new folder name or token used. Each forward/backward slash adds a subfolder to the preceding text entry or token. (Folder structures created in the Location Sub Folder Tokens dialog can be saved as a user preset. Click on Save User Preset... Add a name and select Save.)
- When using the Location Sub Folder Tokens dialog, remember to click OK to accept the naming/folder-structure format.
- In the **Sample Path** field, verify the path is pointing to the chosen folder for import.
- Continue with options for backing-up, file-naming copyright and adjustments, as desired.



Adding images to a Collection on import

You can choose to have Capture One import images into a previously created Album or Capture Collection (an Album set up as a Capture Collection) in your Catalog. Albums are a useful option to have when you want to organize images in a different way without disrupting your existing storage strategy. As Albums are virtual folders, images aren't copied or moved but merely referenced in their destination folder. Therefore, this option is available when importing from external media, when referencing images already stored on your computer or external drive, or when importing images inside a Catalog as managed files.

- Before importing, head to the Library and select the appropriate Capture Collection or Album. The chosen album will be highlighted in orange initially, then silver-gray.
- Open the importer and select the options in the Import From and Import To



- tools as appropriate to your intended workflow.
3. From the Collection fly-out select from either:
 - o **Capture Collection** - select this to add imported images to the current capture collection (i.e., an album previously setup as a capture collection, denoted by a small camera icon.)
 - o **Selected Album** - choose this to add imported images to an existing album. This option only works with albums (i.e., not projects or smart albums).
 4. The **Recent Imports Only** option should be selected when you no longer want to use this feature.

Backing up images on import

A simultaneous copy of the imported images can be chosen from the Backup To tool in the importer. For example, importing images from a memory card can be downloaded (i.e. copied) to the Pictures/My Pictures (Mac/Windows) folder on your laptop, and simultaneously backed up (i.e., copied again) to a connected portable external drive.

Warning! While this is a useful option for a temporary backup, it should not replace your principal backup strategy.


1. In the **Backup To** dialog, select the **Backup Enabled** option.
2. From the **Location** fly-out menu, choose **Select folder...** and navigate to your chosen location, such as an external drive, ideally, and select either an existing folder or create and name a new folder from the dialog.
3. Images will be duplicated to the selected backup folder on import.



Naming images on import


When importing from external media you can use the importer to rename the images. If left to the default setting, with the Image Name token in the format field, the file names will not be changed. Note when importing images already stored on your computer or external drive and referencing them in their original location (i.e., not moving them), the Naming dialog is disabled.

1. Add, or verify previous image naming and identification data in the **Naming** dialog. To maintain the original file names of the source images, only the **Image Name** token should be used in the **Format** field.
2. In the **Naming** tool click the button next to the **Format** text box to reveal the Naming dialog box.
3. Select the desired naming choice in the Presets fly-out menu. Alternatively, create a new naming format by dragging tokens and/or adding custom text to the Format text box. Any new format can be saved as a user preset.
4. Click the downward arrow on Tokens to access and select more options.
5. After choosing the desired token, drag and drop the token into the format line. When the Job Name token is selected the **Job Name** field becomes active. Use this option when customizing the naming of a small number of images at a time.
6. Click **OK** to accept the changes.
7. In the **Sample** field, verify that name is in the desired format.



Adding copyright and a description on import

Use the Metadata tool to fill in copyright information and a description or caption, if desired. The tool remembers data, so adding copyright information doesn't have to be re-entered for each import. You can leave both fields blank if you're unsure how the images will be used as both can be added after import.



Add adjustments on import

You can add image adjustments when importing from external media. It is limited to the automatic adjustments found in the main toolbar, but you can

also apply styles and presets which can be extensive. You can also use this to apply certain keywords, if they've been saved previously as a user preset. When referencing images that have been worked on previously in Capture One, the Include Existing Adjustments option should be selected so that any previously made adjustments and settings can be applied. It can be left permanently selected, just in case.




1. In the **Adjustments** tool, check mark the **Auto Adjust** option to apply on import the automatic adjustments selected from the Toolbar. (Note this option may slow down the import process.)
2. Presets and/or styles can also be applied to images during import. Select the relevant options from the **Styles** fly-out menu.
3. Select the **Include Existing Adjustments** check box if you are importing RAW files that have already been worked on in Capture One. This option imports and applies all adjustments and settings (i.e., ratings, keywords, copyright info, and any other metadata) associated with each image file.
4. Selected adjustments will be applied on import.

Sorting images prior to import

Images can be sorted by a variety of criteria, and selected individually.


1. Click on the sort-menu field, top-left of the browser window and choose an option from the fly-out menu.
2. Click on the arrow to change the sorting orientation.
3. Thumbnails can be resized using the slider opposite the sort-menu field, located top right.
4. When you want to choose individual images to import, shift-click to select adjacent images. To select non-adjacent images, Cmd+click (Mac), Ctrl+click (Windows) (clicking on single images will reveal data in the File Info panel, after clicking on the disclosure button).
5. When you want to reset the image selection, click on the background between the thumbnails.



Importer options

As Capture One allows you to continue working while images are imported in the background, the importer offers some useful additional options. This includes notifications during the importing process, as well as erasing the images from the card after copying and ejecting the card from the Finder/Explorer.

- From the **Import Collection** fly-out, select **Notify When Done** if you want to be notified of the completed import, or leave the default **Open Collection When Import Starts** to start work on the files. If you want to continue to work without distraction, select **Never Open Import Collection**.
- Options to **Eject Card** and/or **Erase Images After Copying** are also available.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos

Working with Catalogs

- Overview of Catalogs
- Importing Images into a Catalog
- Importing Catalogs and Sessions

- Organizing Images in a Catalog
- Working with Multiple Catalogs
- Backing-up a Catalog

Working with Sessions

- Library
- File Naming
- Copying Images
- Deleting Images
- Keywords
- Metadata
- Sequences

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Importing Images into a Catalog
- Overview of Catalogs
- Working with Catalogs
- User Interface
- Introduction



Importing Catalogs and Sessions

In addition to importing entire Capture One Catalogs and Sessions and their associated images, you can also import Media Pro Catalogs, as well as Lightroom catalogs and Aperture Libraries.


- An overview of importing and exporting Catalogs
- Upgrading imported Catalogs, Sessions and variants
- Importing a Capture One Catalog
- Importing a Capture One Session
- Importing third-party Catalogs

An overview of importing and exporting Catalogs ^{Pro}

Capture One Pro offers users the option to import and export Capture One Catalogs. Rather than switching between multiple Catalogs, importing small working Catalogs and creating one main or master Catalog may simplify workflow and improve search queries.

Also, this new functionality is useful when, for example, you want to send a small Catalog with images off to the retoucher and then later import the catalog with the adjustments back into the original catalog.

The flexibility of importing and exporting of Catalogs will also be popular with location photographers. For example, Catalogs complete with the images and adjustments created on a laptop may easily be transferred to a desktop computer back in the studio, or at home.



Upgrading imported Catalogs, Sessions and variants ^{Pro}

Catalogs or Sessions created in earlier versions of Capture One that have been merged and opened from within a Catalog using the latest version of Capture One Pro must be upgraded to ensure compatibility with the database. A warning dialog will be displayed with the option to Upgrade and Open, or Cancel. While the upgrade is irreversible, settings and adjustments are preserved. Individual variants may still be processed using the earlier version's tools and processing engine.

So that you can benefit from the new tools and image quality enhancements, older variants will also require upgrading for compatibility with the latest processing engine. Before committing, you can test the effect of the new processing engine on images by cloning the variant first (select image, right-click > Clone Variant). You can then upgrade the settings on the clone and compare and the two side-by-side before committing further variants to the upgrade.



Importing a Capture One Catalog ^{Pro}

Imported Capture One Catalogs are duplicated and merged with the current open main or master Catalog. Note, however, when there are source images located within the imported catalog as managed files, these are **not** imported and remain inside the original Catalog. Any duplicated variants in the imported Catalog will be referenced to the original source files. The Catalog is imported in the background, so that you may continue to work uninterrupted.



1. Open Capture One Pro and from the main menu choose File > Import Catalog > **Capture One Catalog...**
2. Navigate to the Catalog (<name>.cocatalog), select and click **Import**, or, optionally, double-click on the catalog file to imported.
3. If the 'master' Catalog already contains one or more of the variants in the Catalog to be imported, a dialog box will ask you to choose which variants you would like to keep. Choose between Stop, All, Existing and Imported. Check mark the box to apply the choice to all the variants.

Importing a Capture One Session ^{Pro}


In addition to importing or merging smaller Capture One Catalogs, you can also import Sessions into a Catalog. As Sessions are typically stored on the computer with the source images and adjustments, you can use this option to free space on your hard disk. This is a useful solution when using a laptop on location. The Catalog references the source image files in the Session folder and imports all the necessary settings from the Session. Collections will be imported as Projects with Session Folders, Albums and Projects preserved as individual Albums. You can manage multiple Session folders from one master Catalog and continue to make new image adjustments using the Catalog. Note the original Session remains unaltered.



1. Copy the parent Session folder (complete with all the source images and adjustments) to an external drive for storage or archiving.
2. Import the session database file into a catalog on your desktop. From the main menu, choose File > Import Session...
3. Navigate to the enclosing Session Folder, open it and select the database file (<name>.cosessiondb).
4. Select Import, or, optionally, double-click on the file to initiate the import of the variants, adjustments and metadata. No source images contained within the Session sub-folders are copied or moved from their new location.
5. **Warning!** Only delete the Session folder from your computer after verifying the images are securely backed-up.

Importing third-party Catalogs

In addition to the typical workflow of importing image files from various sources, you can use a Capture One Catalog to import previously made catalogs of images from third-party applications. A Capture One Catalog can import Lightroom Catalogs and Aperture Libraries, albeit with some restrictions. Images are not moved or duplicated but referenced in their original location, including any images stored physically inside the Aperture Library. You can also import Phase One Media Pro and Media Pro SE catalogs, as well as small Capture One Catalogs.



The importer is not used in this instance, however the underlying process is practically identical. Capture One creates variants for each of the original image files, which are referenced in their original location (i.e., the original images are not moved, or duplicated). You can then continue with your typical workflow using a Capture One Catalog instead.

Did you find this article useful?


Note that all of the source image files (i.e., RAW, JPEG and TIFF etc) within the folder will be moved, whether they've all been referenced or not. You can use the Synchronize feature to import and reference any additional images, see [here for more information](#).

1. From the Library Tool Tab, go to Library tool's Folders dialog.
2. Navigate to the folder that requires moving and then click and drag to the new location.
3. The receiving folder or directory will be highlighted and a warning dialog open to will remind you that the folder and contents will be moved, and that the operation can't be undone. Note while the operation can't be undone using the Undo command (e.g. From the menu, select Edit > Undo), the folder can in fact be moved back. Simply repeat the process from step 2.

Updating a folder

Although source image files can be referenced anywhere on a disk with a Catalog, they are typically stored in a folder (which is then displayed in the Library). When changes have been made to a referenced folder outside of the Catalog, for example, when adding images using another application, the Catalog can be updated using the Synchronize Folder option. As the Import dialog is used in-part, new images can be renamed, backed up and adjustments applied automatically. Deleted or missing images may also be removed from the Catalog during this process.

1. From the **Library Tool Tab**, select the **Folder** that requires updating.
2. Go to the main menu and select **Synchronize Folder...**
3. Check mark the relevant boxes in the Synchronize prompt and press the **Sync** button. A new **Import** window opens.
4. Select the images as required to add to the Folder, and check-mark the options for renaming, backing up and adding styles, as appropriate.



Virtual organization

A Catalog can store single image files, Projects, Albums, **Smart Albums** and Groups.

Groups: A group is a freeform organizing item. It can contain other groups, projects, albums etc. - it is a simple way to group items. A Smart Album located within a group will search for files located outside the group. (A project in contrast will limit the search scope of, for example, smart albums within it and cannot contain other projects).

Albums: Put an image into several albums without creating copies or using more hard disk space. This saves on hard disk space and makes for easier organization. Editing an image in one album will, of course, be reflected in all other albums, which contain the same image.


Projects: Group your albums into projects, search and filter for images within a project. A project will limit the search scope of, for example, Smart Albums within it. (i.e. A Smart Album will only search for files within a project unlike a group). A project cannot contain other projects.

Organize your images into albums, your albums into projects and your projects into groups. It is easy to drag and drop images between collections within different projects.



Organizing a Catalog: Creating a Group

1. Go to the Library tool and press the + (plus) icon at the top of the User tab.
2. Select one of the **four options**.
3. In this example, a Group has been chosen and named *People*.
4. It is possible to add a number of Projects or Albums within the Group, if desired. In this case, an Album has been selected to help organize the different models within the Studio Portraits catalog.
5. Drag and drop selected image files from the catalog into the newly created Album.



Create a catalog template ^{Pro}

Making a Catalog Template allows you to create a new catalog with a predetermined set of [User Collections](#), instead of starting from scratch. This may be a valuable time saving exercise if you adopt a complex hierarchy of User Collections. Nested Albums, Smart Albums complete with rules (search criteria and active filters), Projects and Groups are all duplicated from within the open Catalog. Note, no images are copied into the Catalog when creating a Template.



1. Open a catalog and navigate to the Library tool with a set of User Collections that you intend to copy. Select File > **Save As Template...** A dialog box will open to save the file.
2. Choose a suitable name for the Template. Select **Save**.
3. From the Library, click on the **+ (plus) with reveal** icon (top right) and select **New Catalog...** Or select File > New Catalog... (shortcut Shift+Cmd+N). A dialog box will appear.
4. Select an appropriate name for the new Catalog, select a location for the Catalog to be saved to (or choose to retain the existing location) and select the appropriate **Template** from the drop-down menu.
5. Check mark the box underneath to open the new catalog alongside the already open Catalog, or uncheck to close the existing Catalog and open the new one.

Searching for images

The [Library tool](#) tab also has a Filters tool that is useful for global searches or groupings, allowing a quick comparison across thousands of files. A Catalog offers full searchable functionality of image files from the Filters tool.

There are a number of ways to use the filters. There are visual indicators that let users see how many images have, for example, a 5-star rating and/or a color tag. The number next to the relevant color or star in the Filters tool represents how many images fulfil that criterion. Clicking and selecting on that number (represented by an orange dot) will filter all the images with those particular criteria so that they appear in the [browser](#).




Add star ratings and color tags

1. Ensure the Library tool tab is open. Select one or more thumbnails in the [browser](#).
2. Drag and drop the thumbnail(s) on to the desired star rating or color tag in the Filters tools.

Tip: Press 0 (zero) on your keyboard to remove a star rating.

Discover [other ways](#) to add color tags and star ratings.



Did you find this article useful?



Working with Catalogs

- Overview of Catalogs
- Importing Images into a Catalog
- Importing Catalogs and Sessions
- Organizing Images in a Catalog

Working with Multiple Catalogs

Backing-up a Catalog

Working with Sessions

- Library
- File Naming
- Copying Images
- Deleting Images
- Keywords
- Metadata
- Sequences

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Organizing Images in a Catalog
- Importing Catalogs and Sessions
- Importing Images into a Catalog
- Overview of Catalogs
- Working with Catalogs



Working with Multiple Catalogs

In Capture One you are not restricted to working in any one Catalog or Session at a time.

- Switching between Catalogs
- Exporting a Catalog
- Deleting a Catalog
- Offline browsing
- Video tutorial: Offline browsing
- Sharing and working in the same Catalog

Switching between Catalogs ^{Pro}

If Capture One is open and you have previously created a Catalog, you can open and run another and switch between them, without having to close one. You can also open and work in a Session in the same way, when needed.

1. Go to the Library tool tab and select a Catalog from the drop down menu.
2. A Catalog will open in a new window.



Exporting a Catalog ^{Pro}

Any Catalog Collection, Folder or User Collection (Album, Smart Album, Group or Project) in an existing Catalog may be exported as a new separate Catalog, that can be shared and worked on by colleagues.

1. From the Library tool, under Catalog Collections, User Collections or Folders, select the folder to be exported as a new Catalog. If certain images from one or more folders are required to be exported, create a dedicated album to export.
2. Right-click (Windows) or control-click (Mac) the relevant folder or album and select **Export as Catalog...** Alternatively, select the folder or album and from the main menu, select File > Export as Catalog...
3. From the dialog box, specify a name for the Catalog to be exported, and select a destination.
4. Check mark the **Include Originals** box to add referenced image files, if required. Selecting this option will make a copy of the original image files (if they're available to Capture One) and place them **inside** the Catalog. Any managed images selected (i.e. originals stored within the Catalog) will be copied regardless. Note, including the original images as managed files when exporting will increase the size of the Catalog proportionately.



Deleting a Catalog

You cannot delete a Catalog from within Capture One. This can only be achieved from the Finder/Explorer (Mac/Windows). **Warning!** Deleting a Catalog with source images inside will also result in the loss of those files. You can check to see if a Catalog has any source images inside from the Library. There will be a number displaying the total next to the Catalog folder under the Folders sub-heading.

1. Navigate to the Catalog (<name>.cocatalog) file in the Finder/Explorer (Mac/Windows), click on it and select Move to Trash/Recycle Bin



- (Mac/Windows).
2. The Catalog along with the previews and adjustments will be moved to the system trash. **Warning!** Any source images files inside the Catalog (if there are any) will also be moved to the trash.
 3. Emptying the trash/recycling bin will permanently delete the Catalog (and potentially any source image files residing in the Catalog). **Warning!** This action cannot be undone.

Offline browsing

Catalogs referencing source images that are located on an external hard drive or a server can still be browsed when they are offline. It is even possible to apply some image adjustments. Working offline can prove useful when, for example, you are working with a laptop and away from your image collection in the studio. A number of adjustments and metadata edits can be made.

1. Go to the **Folders** section of the **Library** tool. By default the folder hierarchy shows the root folder, and the folder the images are stored in.
2. To see the complete hierarchy, right-click on the folder and choose **Show Folders Hierarchy**. If the external location is unavailable, it will be flagged with a question mark. The image in the Viewer will also be tagged with a question mark and shown as offline. (See circled).
3. Apply adjustments using the available tools. Tools that are grayed out cannot be used when the source images are offline. The full-range of Capture One's toolset will become available once the Catalog is re-connected with the source images.



Video tutorial: Offline browsing

Learn about Offline Browsing in this video tutorial. (Click on the image to the right).

If your images are no longer online with the current catalog, they can still be browsed and some image adjustments made. This is good if you keep your cataloged files on external drives or servers but would still like to browse 'offline'.




Sharing and working in the same Catalog ^{Pro}

It is possible for several people to share and work on the same Catalog. It is also possible to lock a Catalog (restricting it to a 'View Only' mode) to ensure no changes can be made to it.

To lock a Catalog...

1. Go to File > Lock Catalog...
2. A dialog box will appear. Press the Lock button and the window will reopen.
3. A locked Catalog can be opened by multiple users simultaneously, but no changes can be made to it. Notice the icon in the bottom right corner of the thumbnail. (See circled). All editing tools will also become disabled.
4. Go to File>Unlock Catalog... Press the Unlock button to remove the restrictions.



Did you find this article useful?



Working with Catalogs

- Overview of Catalogs
- Importing Images into a Catalog
- Importing Catalogs and Sessions
- Organizing Images in a Catalog
- Working with Multiple Catalogs

Backing-up a Catalog

Working with Sessions

- Library
- File Naming
- Copying Images
- Deleting Images
- Keywords
- Metadata
- Sequences

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Working with Multiple Catalogs
- Organizing Images in a Catalog
- Importing Catalogs and Sessions
- Importing Images into a Catalog
- Overview of Catalogs



Backing-up a Catalog

This section provides information about backing-up your Catalog.

- Backing-up a Catalog

Backing-up a Catalog

Backup Catalogs do NOT contain any original images (i.e. RAW, TIFF or JPEG files etc), whether referenced or managed (i.e., stored physically inside the Catalog), however, database and adjustment settings are included, therefore, Catalogs should be backed-up regularly. Where possible, backup to an external disk is recommended. This backup location can be the same disk as the source of the original images.

1. Go to the main menu > Capture One/Edit (Mac/Windows) > Preferences... > Catalog Backup.
2. From the **Remind on close** fly out menu, select the frequency for backup based on the volume of work.
3. From **Location**, a path is shown to the current backup location. Click on the arrow icon to verify the setting.
4. Attach an external disk (recommended) and click on the action button (...). A new Finder/Explorer (Mac/Windows) dialog opens.
5. Navigate to the disk and either create a new folder and give it a logical name (e.g, Catalog Backups), or navigate to one created earlier. Thereafter, Catalogs will be backed-up to the same location. Note the external disk should be backed-up independently, as per your chosen backup regime.
6. When closing a Catalog, a dialog will open reminding you to back it up. You can leave it to backup to the location defined (e.g., as above), or temporarily override the location from the dialog (e.g., use this option when backing up to frequently changed external drives).
7. Additional options to **Test Integrity** and **Optimize Catalog** should be left enabled, unless you require a quick and temporary backup.
8. Select **Backup**. The Catalog will be backed-up and placed inside a timed and dated sub-folder. This folder is itself located within a folder with the same name as the Catalog, which is saved within the previously nominated folder (i.e., chosen at step 5 or overridden at step 6). A second dialog opens to confirm successful backup with a path to confirm the location.
9. Select **OK** to close the Catalog.
10. Capture One remains open, and the **Recents** dialog opens so that you can continue to work with either new or existing documents.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos

Working with Catalogs

Working with Sessions

- An Overview of Sessions
- Importing Images into a Session
- Organizing Images in Sessions

Library

- File Naming
- Copying Images
- Deleting Images
- Keywords
- Metadata
- Sequences

Tethered Capture

Capture Pilot (™)

Editing Photos

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us



Working with Sessions ^{Pro}

SESSIONS / WORKFLOW / WORKSPACES

Sessions are favored for daily on-set workflow with direct interface to the computer's file system. Find out how to create a Session and start importing images.

An Overview of Sessions

Before starting work on your images, find out how Sessions can be used in your workflow, and how they differ from using a Catalog.

Importing Images into a Session

Find out how to import images from your card reader, connected camera, flash disk or portable external drive.

Organizing Images in Sessions

Discover how to organize images when using Sessions, create templates, and transfer Sessions between disks.

Did you find this article useful?

Recently viewed

- Backing-up a Catalog
- Working with Multiple Catalogs
- Organizing Images in a Catalog
- Importing Catalogs and Sessions
- Importing Images into a Catalog



Recently viewed

- Working with Sessions
- Backing-up a Catalog
- Working with Multiple Catalogs
- Organizing Images in a Catalog
- Importing Catalogs and Sessions



An Overview of Sessions

Before starting work on your images, find out how Sessions can be used in your workflow, and how they differ from using a Catalog.

- [Introduction to Sessions](#)
- [Opening a Session](#)
- [Video tutorial: Sessions](#)
- [Creating a new Session](#)
- [Importing images into a Session](#)

Introduction to Sessions


Use the Sessions function to organize all your work and any client project. Sessions enables you to store all files as a complete project that includes RAW files, setting files, library files, output files and paths to drives used in a project. For quick access and fast loading of folders you can create favorite folders for the locations used in a particular project.

Sessions are especially useful when you are shooting tethered. Simply create a tethered Session, plug in the camera and capture images directly to Capture One. This saves time compared to importing images after a shoot. [Shooting tethered](#) in Capture One can also help you get superior control. A shoot can be scrutinized as it happens, to help you fine-tune image parameters.

Opening a Session

After opening Capture One for the first time you will have created either a Catalog or Session in the process. If you created a Catalog when setting-up, and now want to switch and adopt the more project-oriented workflow of a Session, you will need to create a new Session (see below for more details). If you previously created a Session and want to continue working on the project, you can choose one of **four** ways to open it:

1. Choose File > Open. Navigate to the Session file and open Sessionname.cosessiondb.
2. Choose File > Open Recent. Choose a Session from the drop down menu. (This menu displays up to ten previously opened Sessions/Catalogs).
3. Drag and drop the Sessionname.cosessiondb file on to the Capture One icon located in your Dock (Mac only).
4. Double click on the Sessionname.cosessiondb file and it will automatically open in Capture One.



Video tutorial: Sessions

Learn about sessions in this in depth video tutorial. (Click on the image to the right). Discover how to create, build and structure sessions.



Creating a new Session

1. Select File > New Session. (Alternatively, go to the [Library Tool Tab](#) and


- press the + icon located next to the Switch Session/Catalog menu).
2. Name the Session.
 3. Choose a Template if set-up (or leave as Blank).
 4. Rename folders if desired.
 5. Decide on the placement of the Session folders.
 6. Press OK.

Find out more on creating a [Session Template](#).

Importing images into a Session

There are various options available to import images into a Session in Capture One:

1. Import from a memory card, connected camera, or folder on a computer or external disk drive. Press the import icon (arrow icon in middle or the top left of the user interface) or go to File > Import Images... Find out about the Import dialog box [here](#).
2. Shoot from a supported tethered DSLR or digital back. When more than one Session is open, images will be imported into the active Session by default. Find out about capturing from a tethered camera [here](#).



Did you find this article useful?



Recently viewed

An Overview of Sessions

Working with Sessions

Backing-up a Catalog

Working with Multiple Catalogs

Organizing Images in a Catalog



Importing Images into a Session


Find out how to import images from your card reader, connected camera, flash disk or portable external drive.

- Importing images from external media
- Creating an additional folder structure on import
- Backing up images on import
- Naming images on import
- Adding copyright and a description on import
- Adding adjustments on import

Importing images from external media

Capture One's importer dialog allows you to import all the images from a memory card, connected camera, flash disk or portable external drive, or you can import selected images instead. Although you can choose to store source images on a dedicated external drive, when working in a Session, it is best to store them on your local disk first, then move them off when you've finished with all of the adjustments and edits.

1. Open the importer by choosing one of the following options:
 - o From the main menu choose File > Import Images...
 - o Click on the Import icon in the Toolbar.
 - o Drag a volume or folder of images into the Capture One image browser.
 - o Connect your card reader to your computer.
2. The Import Images dialog (i.e., the importer) opens. When a card reader has been connected or when a folder has been dragged into the Capture One image browser, the contents of that folder are displayed as thumbnails in the importer's browser.
3. If the importer's browser isn't displaying your images, go to the **Import From** tool, click on the **Source** fly-out menu, select **Choose Folder...** and navigate to the relevant folder you want to import. Make sure that the **Include Subfolders** check box is selected in the Import From tool. This option is useful for locating all the images on a memory card.
4. When you want to select specific images to import, adopt the usual shift-click to select contiguous images, or Cmd+click (Mac), Ctrl+click (Windows) to select individual images. When you want to reset the image selection, click on the background between thumbnails.
5. From the **Destination** fly-out, select the **Capture Folder**. This option is the standard folder to import files to when using Sessions. It maintains the standard Sessions structure of Capture, Selects, Output and Trash subfolders.
6. In the optional **Sub Folder** field, add a subfolder or a series of hierarchical subfolders. Select this only if you want to organize the imported images into subfolders within the parent Capture Folder. (See below for more information.)
7. From the **Sample Path** field, verify the path is pointing to the **chosen folder for import**.
8. In the **Space Left** field, verify the capacity left on the volume or drive is enough to store the new images.
9. Select options for backing-up, naming images, copyright and adjustments as desired. (For more detailed information, see below.)
10. Press **Import All** or **Import X Images** for selected images, if no further options are required. (Note you can always add adjustments later, of course, and easily add copyright info and rename files.)



Creating an additional folder structure on import

When you created a new Session you will have already generated a Session folder with a series of subfolders - Capture, Selects, Output and Trash. However, the importer offers the option to create additional subfolders, as simple or as complex as your needs dictate.


In addition, you can combine this with Capture One's dynamic locations feature. By leveraging Capture One's database access to the image metadata, the importer's Location Sub Folder Tokens enable it to automatically create, organize and name folders of images when downloading.

By adopting just one token, for example the Orientation token, you can use the feature to organize images into portrait and landscape subfolders of the parent Capture folder. However, you can use the two features together to create and organize images into just about any folder structure. You can also save these folders as user presets and switch between them, as and when you need.

The Location Sub Folder Tokens are also available in the Export dialog, so you can semi-automate the naming and organizing of folders when it is time to share a selection of images.

To aid session navigation, when importing into a session and the Sub Folder field contains only text or the Import Date token, Capture One will automatically create a Session Favorite in the Library. If any other tokens are used that may result in files being stored in separate subfolders, an Album will be created.

1. Open the importer and, from the **Source** fly-out menu, select the images to import.
2. In the **Import To** tool, click on the **Destination** fly-out menu and select from one of the following options:
 - o **Capture Folder** - this option is the standard folder to import files to when using Sessions. Select this when you want to further segregate images in this folder.
 - o **Session Folder** - this is the highest folder in the session hierarchy. Choose this option when you want to customize the standard session structure (i.e., using the Sub Folder option below will add another parent folder initially, however hierarchical subfolders can also be created).
 - o **Selected Folder** - a previously created folder, selected in the Library tool. Choose this option, for example, when importing images into a previously customized session.
 - o **Choose Folder...** - use this option to navigate to a new folder, such as an existing folder hierarchy in an image library, or a folder on an external drive, and click **Set as Import Folder**. Note, recently used folders appear as shortcuts.
3. To verify the folder location, click on the adjacent arrow. A warning icon may be displayed instead if a valid folder has not already been selected in the Library.
4. To create a single subfolder within the folder selected above, add a descriptive name in the **Sub Folder** text field, then move to step 8.
5. To create and organize images in multiple subfolders based on metadata, click on the (...) icon next to the Sub Folder text field to open the Location Sub Folder Tokens dialog and select the appropriate tokens available in the list.
6. Text and tokens may be used together in the Sub Folder text field or the dialog's Format text box and saved as a user preset. (Click on Save User Preset.... Add a name and select Save.)
7. When creating hierarchical subfolders, add a forward/backward slash (Mac/Windows) without spaces in between each new folder name or token used. Each forward/backward slash adds a subfolder to the preceding text entry or token.
8. When using the Location Sub Folder Tokens dialog, click OK in to accept the naming/folder structure format.
9. In the **Sample Path** field, verify the path is pointing to the chosen folder for import.
10. Continue with options for backing-up, file-naming, copyright and adjustments, as desired.




Backing up images on import

A simultaneous copy of the imported images can be made from the Backup To tool in the importer. For example, importing images from a memory card can be downloaded (i.e. copied) to the Pictures/My Pictures (Mac/Windows) folder on your laptop, and simultaneously backed up (i.e., copied again) to a connected portable external drive.

Warning! While this is a useful option for a temporary backup, it should not replace your principal backup strategy.


1. In the **Backup To** dialog, select the **Backup Enabled** option.
2. From the **Location** fly-out menu, choose **Select folder...** and navigate to your chosen location, such as an external drive, ideally, and select either an existing folder or create and name a new folder from the dialog.
3. Images will be duplicated to the selected backup folder on import.



Naming images on import


When importing you can use the importer to rename the images. If left to the default setting, with the Image Name token in the format field, the original file names will be maintained.

1. Add, or verify previous image naming and identification data in the **Naming** dialog. To maintain the original file names of the source images, only the **Image Name** token should be used in the **Format** field.
2. In the **Naming** tool click the button next to the **Format** text box to reveal the Naming dialog box.
3. Select the desired naming choice in the Presets fly-out menu. Alternatively, create a new naming format by dragging tokens and/or adding custom text to the Format text box. Any new format can be saved as a user preset.
4. Click the downward arrow on Tokens to access and select more options.
5. After choosing the desired token, drag and drop the token into the format line. When the Job Name token is selected the **Job Name** field becomes active. Use this option when customizing the naming of a small number of images at a time.
6. Click **OK** to accept the changes.
7. In the **Sample** field, verify that name is in the desired format.



Adding copyright and a description on import

Use the Metadata tool to fill in copyright information and a description or caption, if desired. The tool remembers data, so adding copyright information doesn't have to be re-entered for each import. You can leave both fields blank if you're unsure how the images will be used as both can be added after import.




Adding adjustments on import

You can add image adjustments when importing. Although it is limited to the automatic adjustments found in the main toolbar, you can also apply Styles and Presets which can be extensively customized for your particular workflow. For example, you can use this feature to apply keywords or IPTC metadata, such as copyright and rights usage terms, if they've been saved previously as a User Style or Preset.

When importing images that have been worked on previously in Capture One, the Include Existing Adjustments option should be selected so that any previously made adjustments and settings can be applied. It can be left permanently selected, just in case.

1. In the **Adjustments** tool, check mark the **Auto Adjust** option to apply on import the automatic adjustments selected from the Toolbar. (Note this option may slow down the import process.)
2. Presets and/or styles can also be applied to images during import. Select



the relevant options from the **Styles** fly-out menu.

3. Select the **Include Existing Adjustments** check box if you are importing files that have already been worked on in Capture One. This option imports and applies all adjustments and settings (i.e., ratings, keywords, copyright info., and any other metadata) associated with each image file.
4. Selected adjustments will be applied on import.

Did you find this article useful?



Recently viewed ▾

Importing Images into a Session

An Overview of Sessions

Working with Sessions

Backing-up a Catalog

Working with Multiple Catalogs



Organizing Images in Sessions

Discover how to organize images when using Sessions, create templates, and transfer Sessions between disks.

- Working in multiple Sessions simultaneously
- Create a Session Template
- Moving a Session

Working in multiple Sessions simultaneously

Capture One can handle numerous open Sessions at the same time.

1. When one session is open, choose File > Open Session.
2. Browse and open the next session file Sessionname.cosessiondb.
3. It is now possible to drag and drop image files from one Session to another.



Create a Session Template

Making a Template allows you to create a new Session with a predetermined set of Session Albums and Session Favorites instead of starting from the presets. This may be a valuable time saving exercise if you adopt a complex hierarchy of nested Albums. Smart Albums complete with rules (search criteria and active filters) are duplicated from within the open Session.

Note, no images are copied into the Session when creating a Template. Also note, the process of creating a Session Template is similar to that of creating a Catalog Template, but the resultant template files are not interchangeable.

1. Open a Session and navigate to the Library with a set of Session Albums and Session Favorites that you intend to copy. Select File > **Save As Template...** A dialog box will open to save the file.
2. Choose a suitable name for the Template. Select **Save**.
3. From the Library, click on the **+ (plus) with reveal** icon next to the switch Session/Catalog field and select New Session... Or select File > **New Session...** (Cmd/Ctrl+N). A dialog box will appear.
4. Select an appropriate name for the new Session, select a location for the Session to be saved to (or choose to retain the existing location), nominate the appropriate Session Subfolders as usual, and select the appropriate **Template** from the drop-down menu.
5. Check the box underneath to open the new Session alongside the already open Session, or uncheck to close the existing Session and open the new one.



Moving a Session

Sessions can be moved from one folder to another on the local disk like any typical system folder. Sessions can also be transferred to an external drive for storage or archiving, freeing up local disk space. However, as Session folders store settings and adjustments in addition to the source files, it is not recommended to work on a Session when it's stored on an external drive. Should the drive be accidentally disconnected, the settings could become corrupted. When you need to work on an archived Session it's recommended



that you import the Session into a Catalog. The source images will be referenced. Please see the section [Importing a Session into a Catalog](#) for more information.

Note when moving a Session, the session subfolders paths should be set relative to the session folders, to assure automatic updating of the links. Although the paths are set to relative by default, if the links are set to absolute you will lose connection to the folders when changing location.

1. Open the Session, navigate to the Library, then Ctrl-click/right-click (Mac/Windows) and select Show Info from the menu.
2. Select each Session folder in turn and verify the path's link is set to Relative to session in the fly-out located in the Info panel.
3. Close the Session to be moved or transferred.
4. Navigate to the appropriate Session folder in the Finder/Explorer (Mac/Windows) or Capture One Library (assuming another Session is open).
5. Select the Session folder (it will enclose the typical Capture Selects, Output and Trash folders plus any other previously created sub-folders), and drag and drop it in the new location.
6. When opening the Session for the first time (i.e., in the new location), navigate to the session folder using the Finder/Explorer and click on the csession.db folder located within. This will open the Session and ensure the correct links are rebuilt between the Session folders and Capture One.
7. Before deleting any Session folders located on the local disk, for example to free up space after transferring (i.e., copying) them to an external drive, verify first that all the folders and files are located on the external drive and make back-ups using your typical routine.
8. You can verify the folder locations and contents from the Library. From the System Folders drop down, navigate to the relevant session folder and then ctrl-click/right-click (Mac/Windows) and select Show Info from the menu. The path to the images will be displayed in the Where field.
9. You can also select an image from the Session subfolder and then ctrl-click/right-click (Mac/Windows) and select Show in Finder/Explorer (Mac/Windows). If you have the Path Bar enabled in the Finder/Explorer (File > View Show Path Bar) then the path can be confirmed. Alternatively, use third-party software to verify and validate the transfer.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos

- Working with Catalogs
- Working with Sessions

Library

- Albums and Folders
- Smart Albums
- Search and Filters
- Star Rate and Color Tag Images

- File Naming
- Copying Images
- Deleting Images
- Keywords
- Metadata
- Sequences

- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed ▾

- Library
- Working with Catalogs
- Sequences
- Metadata
- Keywords



Library

IMPORT / IMPORTING IMAGES

The Library Tool enables you to access files located on your local computer or on external drives and networks. The Library Tool is a filtered file explorer that displays catalogs, sessions, albums, projects, groups, folders and supported files.

The Library tool tab in Capture One is where all file navigation and organization takes place. Navigate via the hierarchical tree-view to a folder that contains the image files you wish to edit. Thumbnails of the images within your selected folder will be created and displayed in the [Image Browser](#). You can also watch videos supported by your particular OS. [Find out more here.](#)

Capture One applies non-destructive editing because any image adjustments will not affect the actual RAW file – only the Capture One settings file will change. Create a catalog or [session](#) to help organize your workflow.

Albums and Folders

Use albums and Selects Folder as a key organizing element in a Capture One Session or Catalog.

Smart Albums

A Smart Album is a filtered album containing a subset image collection. Discover the benefits.

Search and Filters

There are numerous ways to search an image collection to help you find, sort and organize images.

Star Rate and Color Tag Images

Use stars ratings and color tags to help organize images.



Recently viewed ▾

- Library
- Working with Catalogs
- Sequences
- Metadata
- Keywords

PHASE ONE

what the world's best photography is made of



Albums and Folders

FOLDERS / SMART ALBUM / RATING / FILTERS / METADATA

Use albums and Selects Folder as a key organizing element in a Capture One Session or Catalog.

Albums

Album folders are virtual image collections. There are three primary ways to create a new Album:

1. Go to File>New Album.
2. Right click (and select New Album) in Library Tool.
3. Go to the User tab in the Library Tool. Press the + icon and select New Album.



Add images to an album


A straightforward way to add images to a folder is to drag and drop (selected) thumbnails from the [Browser](#). Images can also be dragged from a Capture One folder to a file system folder and vice versa, if the operating system supports this action. You cannot drag images or groups of images into a Smart Album; only into a simple or favorite folder.



Selects folder

The Selects Folder (previously known as the Move-To folder) is automatically created when a new session is started. It is designed to enable users to quickly and easily move image files.

1. Once an image is selected, press the "Move to Selects" icon on the toolbar and the location of the file will change to the Selects Folder.
2. To quickly move an image to the Selects Folder, right click on a thumbnail in the browser and select **Move to Selects Folder**. Alternatively, use keyboard shortcut **Cmd+J/Ctrl+J** (Mac/Windows).



Selects collection

It is possible to assign any folder to make it a Selects Collection when you want to quickly transfer images from one folder to another. The Selects Collection function can come in particularly useful when you want to edit and move your best images into a different folder whilst browsing through multiple image collections.

When you don't want to physically move the images, then create an Album or an Album within a Project or Group and nominate the Album as a Selects Collection instead.

1. Create and name a new Catalog.



2. Right click and select **Set as Selects Collection** to assign a folder, or album.
3. Now browse image collections and click the Selects Folder icon (located in the top left tool bar) whenever you find an image that you want to add to the new folder, or album.

Learn more

Catalog functionality includes a Folders tool and numerous ways to organize your image collections. Find more about Catalogs and the following subject matter:

- Folders tool in a Catalog
- Create an Album and Group in a Catalog
- Virtual Organization within a Catalog

Did you find this article useful?



Recently viewed

Albums and Folders

Library

Working with Catalogs

Sequences

Metadata



Smart Albums

SMART ALBUM / FOLDERS / FILTERS / METADATA / BATCH RENAME / LIBRARY


A Smart Album is a filtered album containing a subset image collection. Discover the benefits.

- [Introduction](#)
- [Create a smart album](#)
- [Edit a smart album](#)
- [Create a smart album from filtered collection with multiple criteria](#)
- [Can I use a smart album in a catalog?](#)

Introduction

A Smart Album only contains the references and adjustments that will be applied to all views of the image. You can search and/or filter within a Smart Album. This will help to narrow down a collection of images to get a smaller subset to work on and accelerate workflow; e.g. Filter all images rated with three or more stars in the Smart Album that need retouching and finalizing.

Smart Albums will contain images located in a Catalog or Session folders (i.e. Session Folders, Session Albums and Session Favorites folders).



Create a smart album

1. Select File>New Smart Album.
2. Name the Smart Album and add the filter criteria. If no filter criteria are selected, then the Smart Album will include all the images in the catalog or session folders (albums and favorite folders).
3. To populate the Smart Album with images, see [Edit Smart Album](#).

Note: Several presets are available for ratings and color tags.



Edit a smart album

1. Right click on a selected Smart Album in the Library Tool and select **Edit Smart Album...** The Filter Collection dialog box will open and display the criteria that were created earlier.
2. Change one or more criteria. Add more criteria by clicking on the + icon.
3. Press OK. The Smart Album is now updated and will only contain images that match the filter settings.



Create a smart album from filtered collection with multiple criteria


1. Click the area (with three dots) on the right side of the search field. (This area is sometimes highlighted in orange). A Search Collection dialog box will appear.
2. Add custom fields by clicking on the + icon. Choose criteria from the drop down menus.
3. Any customized filter can be saved as a Smart Album by clicking **Create Smart Album** option at bottom of the dialog box



- This Smart Album will now be located in the Library Tool with a default name. Give the Smart Album a name.

Can I use a smart album in a catalog?

Yes. Album folders are virtual collections that offer an easy way to organize images from different folders, without having to create duplicate images in the same folder. Smart Albums are populated automatically by images that match the album's criteria. Capture One comes with a selection of Smart Albums that are already set up in the library. You can also create your own Smart Albums.



Did you find this article useful?



Recently viewed

- Smart Albums
- Albums and Folders
- Library
- Working with Catalogs
- Sequences

PHASE ONE

what the world's best photography is made of



Search and Filters

FILTERS / SMART ALBUM / METADATA

There are numerous ways to search an image collection to help you find, sort and organize images.

Users can apply a simple text filter or use the Filters Tool to quickly locate image files that have a colour tag or star rating. Filtered images (in a Catalog, actual folder, Session, album, and Smart Album etc.) are displayed in the [Browser](#).

- Filters tool
- Add more filters
- Use text to filter a collection
- Create a custom filter

Filters tool

The [Library Tool Tab](#) has a Filters tool that is useful for global image searches or grouping of images. There are a number of ways to use the different filters:

Filter by Star rating and/or Color tag

Ensure that you have applied [color tags](#) and [star ratings](#) to an image collection.

1. Go to the Filters tool in the [Library Tool Tab](#).
2. Notice that there are numeric indicators that let users see how many images have, for example, a 5-star rating and/or a color tag. (The number next to the relevant color or star in the Filters tool tab represents how many images fulfill that criterion).
3. Click on the number (that is adjacent to the star rating/color tag) to filter all the images with those particular criteria so that they appear in the browser. (The active filter will have an orange dot next to the number).
4. In this example all images that have a 5-Star rating have been filtered. Click on the orange dot to deactivate the search.

Follow this procedure to filter images by other criteria such as Keyword, Place and Format. (Find out how to add more search criteria [below](#)).



Add more filters

Add more filter criteria to the Filters tool tab to help refine your image search.

1. Go to the Filters tool in the [Library Tool Tab](#).
2. Click the action menu icon (three dots) at the top of the Filters tool.
3. Select Show/Hide Filters... An option box will appear.
4. Check mark the criteria that you want to add to the Filters tool.



Use text to filter a collection

1. Insert text into the search field at the top of the Browser or in the Filters tool. (These search fields are circled in the example image).
2. The results will change in the browser as you type. Adding multiple words will produce a search with resulting images that contain one or all of the inserted search terms. E.g. Inserting "blue red phase" will produce resulting images that contain either blue or red, or phase in any metadata field or in the filename.



Tip: Press the magnifying glass icon (on the left of the search field) to quickly filter images using a color tag or star rating.

Create a custom filter

Filter an image collection using the Search Collection dialog box.

1. Click the area (with three dots) on the right side of the search field. (This area is sometimes highlighted in orange). A Search Collection dialog box will appear.
2. Add custom fields by clicking on the + icon. Choose criteria from the drop down menus.
3. Any customized filter can be saved as a **Smart Album** by clicking **Create Smart Album** option at the bottom of the dialog box.

An image collection can be filtered by rating, or by combining a rating and a color filter. This will help narrow down a search to find images that contain a specific rating and a certain color tag.

Note: If a rating has been applied, a filter will not take effect until a thumbnail has been deselected (when the white border is removed).



Did you find this article useful?



Star Rate and Color Tag Images

RATING / SMART ALBUM / FILTERS / METADATA

Use stars ratings and color tags to help organize images.

Ratings and tags can be altered throughout the editing process. There are several ways to apply ratings and tags to help filter your image collection and make searching for files quick and easy. You can combine a star rating with a color tag or use one exclusively.

Add star ratings and color tags in the viewer

1. Color tags and star ratings can be selected in the bottom right corner of the **Viewer**.
2. Click on the box icon to select a desired color tag.
3. Press on a dot to star rate an image from 1 to 5.
4. To remove a star rating, press 0 (zero).




Add star ratings and color tags from the browser

1. Select a thumbnail in the **Browser**. (The thumbnails should be displayed in either the **grid** or **filmstrip** view).
2. Go to the ratings bar at the bottom of the thumbnail and click on the box icon to select a desired color tag or a dot to star rate an image from 1 to 5.
3. Alternatively, select the **list** view. Go to the Rating and Color columns to select a desired tag or star number.
4. To remove a star rating, press 0 (zero).



Add star ratings and color tags in the filters tool

1. Select **one or more thumbnails** in the **Browser**.
2. Drag and drop the thumbnail(s) on to the desired star rating or color tag in the **Filters** tool.
3. To remove a star rating, press 0 (zero).



Sort images using star ratings or color tags

1. Go to **Sort** field at the top of the **Browser** and select **Rating** or **Color Tag** from the drop down menu.
2. Alternatively, go to the **Filters** tool (in the Library tool) and click on the desired number in color tag and rating tabs.
3. All images that match the selected rating or tag criteria will be displayed in the **Browser**.



Add star ratings from your keyboard

1. Select a thumbnail in the [Browser](#).
2. Press numbers 1 to 5 on your keyboard to select a desired star rating.
3. To remove a star rating, press 0 (zero).

Learn more

- Star Ratings and Color Tags are embedded into the metadata of an image. Go to the [Metadata Tool Tab](#) to view and alter a rating or tag.
- It is also possible to add Star Ratings and Color Tags via the [Capture Pilot app on the iPad](#).
- Right click on a thumbnail or on the image in the Viewer and select a desired rating or tag from the menu.
- Thumbnails (in Grid and Filmstrip View) have three display and edit options. Go to View > Browser Labels and select one of the three options:

Off - Star ratings and color tags disappear from view and are not editable from the thumbnail.

Edit mode – Star ratings and color tags can be viewed and editable from the thumbnail.

Status mode – Star ratings and color tags can be viewed but not edited from the thumbnail.

Did you find this article useful?



Recently viewed

- Star Rate and Color Tag Images
- Search and Filters
- Smart Albums
- Albums and Folders
- Library

PHASEONE

what the world's best photography is made of



File Naming

FILE NAMING / IMPORTING IMAGES / OUTPUT NAMING / BATCH RENAME

Choose a customized filename recipe that best fits your needs

The expanded Token Based naming function enables easy access to create individual naming criteria that can be tailored to your own personal preference. New tokens include access to a range of International Press Telecommunications Council (IPTC) metadata, including rights usage terms and copyright status, as well as some for submitting photos specifically to Getty Images. In addition, EXIF data has been expanded to include Camera and GPS data and tokens for the Catalog/Session (Document) name as well as folder names. All the new Tokens are available to the Naming Tool on export, but they're also available on import, adding greater flexibility and efficiency.

You can access the Token Based renaming functionality in the following ways:

- Import Images
- Capture Tool tab ([Tethered shooting](#))
- Process Recipe and [Batch Rename](#) function
- Export [Originals](#) or Export [Variants](#)

The Token Based Naming tool is particularly useful when shooting tethered or when importing images from a memory card or an external disk. It is also possible to create an output recipe and specify a Token Based naming convention. See [Process Recipe](#).

- [Change output naming settings](#)
- [Output naming PC](#)
- [Name output files when processing images](#)
- [Name files when importing images](#)
- [Rename multiple files \(Batch Rename\)](#)
- [Rename multiple files using Find and Replace](#)
- [Control the counter in Batch Rename](#)
- [Name files when capturing](#)
- [Create custom naming presets](#)
- [Learn more](#)

Change output naming settings

1. Go to **Output Naming** tool in the Output Tool Tab.
2. To remove unwanted Tokens, click on them in the **Format** text field and press backspace/delete (Mac/Windows). Alternatively, open the Naming Format dialog, by clicking on the Format action icon (...) and delete them from there.
3. Drag and drop new Tokens into the desired order in the Format field of either of the two naming dialogs. Note, some Tokens provide a drop down menu with more options.
4. Press **OK** to accept the changes.

Output naming PC

On Windows (PC), the naming tokens are no longer converted into text when dropped on the text box and are displayed much like they are on a Mac.





Name output files when processing images


1. Go to the **Output Naming** tool (in the Output Tool Tab) and click the button next to the Format text box. A Naming Format dialog box will appear.
2. Select the desired naming choice in the **Presets** drop down menu. Alternatively, create a new naming format by dragging tokens and/or adding custom text to the Format text box.
3. Click the downward arrow on **Tokens** to access and select more options.
4. Click OK to accept any changes.
5. Verify that the sample below the Format text box is the desired format.



Note: To add a Job Name, add text in the field and add the Job Name token to the Format field. Adding a Sub Name token adds a suffix to the file name from the Process Recipe tool.

Name files when importing images

1. Select File>Import Images... from the menu or click the Import icon.
2. In the **Naming** tool click the button next to the Format text box to get the Naming dialog box.
3. Select the desired naming choice in the **Presets** drop down menu. Alternatively, create a new naming format by dragging tokens and/or adding custom text to the Format text box.
4. Click the downward arrow on **Tokens** to access and select more options.
5. After choosing the desired token, drag and drop the token into the format line.
6. Click OK to accept the changes.
7. Verify that the sample below the Format text box is the desired format.



Rename multiple files (Batch Rename)

1. Select Multiple (thumbnail) images in the Browser.
2. Choose File>Batch Rename Images...or ctrl-click (Mac) / right-click (PC) and select Batch Rename... to open the Batch Renaming tool.
3. **Text and Tokens** is selected by default under the renaming **Method** option, however, certain image files can be singled out from large batches and renamed using the **Find and Replace** option (see below for details).
4. Click the [...] button next to the Format text box to get the **Naming Format** dialog box.
5. Select the desired naming choice in the **Presets** drop down menu. Alternatively, create a new naming format by dragging tokens and/or adding custom text to the Format text box.
6. Click the downward arrow on **Tokens** to access and select more options.
7. Click OK to accept the changes.
8. Verify that the sample below the Format text box is the desired format.
9. Click Rename to start renaming all the selected images.




Rename multiple files using Find and Replace

Multiple image files can be singled out from large batches and renamed using the **Find and Replace** option.

1. Select a group of images in the Browser that you want to search within.
2. Choose File>Batch Rename Images...or right click and select Batch Rename...to open the Batch Renaming tool.

3. From the **Method** text box, select **Find and Replace** from the drop-down menu.
4. From the **Find** text box, type the file name to be searched for and then rename the file(s) in the **Replace** text box.
5. Be sure to verify the proposed renaming format in the **Sample** field.
6. Click the **Rename** button to accept the changes and start the renaming.



Control the counter in Batch Rename

1. Select the images that you want to rename.
2. Choose File>Batch Rename Images...
3. Click on the action [...] menu.
4. Select **Set Batch Rename Counter** to set the starting number.
5. Select **Set Batch Rename Counter Increment** to control the increment of the Counter.
6. Press the Rename button.



Name files when capturing

1. In the **Next Capture Naming** tool click the button next to the Format text box to get the token name dialog box.
2. Select the desired naming choice in the **Presets** dropdown menu. Alternatively, create a new naming format by dragging tokens and/or adding custom text to the Format text box.
3. Click the downward arrow on **Tokens** to access and select more options.
4. Click OK to accept the changes.
5. Verify that the sample below the Format text box is the desired format.



Create custom naming presets

1. Create a custom format by dragging tokens and/or adding custom text to the Format text box in the Naming dialog box.
2. Select **Save Use Preset...** in the Presets drop down menu or at the bottom of the Naming Format dialog box.
3. Name the Custom Preset and click OK.



Learn more

Mac users: You can add the file extension in the Batch Renaming. This will change the file from a e.g. .TIF(RAW) from a Phase One digital back to a .IIQ.

To add the file extension, activate the **Include File Extension** in the Batch Rename preset drop-down menu. Go to the Advanced tab in **Process Recipe** to add a Sub Name.

Note: Naming options are not exactly the same in e.g. Capture tab and Output tab.

Did you find this article useful?



Recently viewed

- Working with Sessions
- File Naming
- Star Rate and Color Tag Images
- Search and Filters
- Smart Albums



Creating Copies of an Image

VARIANTS / COPY AND APPLY / THUMBNAILS

Each time you copy an image you create another variant. Capture One keeps all of the variants of an image together in groups, so that you can always view and work on them together at anytime.

- Creating copies of variants
- Creating a copy of the original image
- Creating a copy of the selected image
- An overview of variant groups
- Opening and closing variant groups
- Creating multiple copies of variant groups

Creating copies of variants

Although Capture One creates a variant of the source image to display on-screen and save adjustments to, there are times when you want to create copies of that variant. For example, you may want a single copy of the original image variant to apply adjustments to so that you can compare them, or you may want to create multiple copies with incremental color adjustments or with different output sizes. Whatever the reason, when you copy an image in the browser, Capture One creates another variant of that image.



Capture One has two options for creating copies of variants. When using the New Variant command, a copy of the original image variant will be created using Capture One's default settings, regardless of any applied adjustments. By contrast, the Clone Variant option will create an exact copy of the selected image variant, with or without any applied adjustments. Typically, you would choose this option to apply incremental adjustments.

It is important to note, you have not duplicated the source image (i.e., RAW, JPEG, TIFF, PNG, DNG or PSD file). Both new and cloned variants are based on the same source image, just with their own settings or adjustments applied. This means they are a fraction of the file size of the source image and therefore numerous copies can be made without taking a lot of disk space.

To signify this idea of one file with multiple copies in the UI, all related thumbnails are numbered and represented in the browser with one filename bar.

Creating a copy of the original image

This option creates a new variant of the source image with the default settings applied. You can use this option when you want to create a copy before applying any adjustments. It is also useful when you've made a series of adjustments without keeping a copy of the original variant; it lets you keep the adjusted variant and allows you to start over on a copy of the original.

1. Select the image that you want to create a copy of with the default settings applied. (This can be an image with adjustments already applied.)
2. From the menu, select Image > New Variant (or press F2/F7 (Mac/Windows)). Alternatively, right click, and select **New Variant**.
3. A single copy of the image **without** any adjustments is made (i.e. a new variant with the default settings is created).
4. The new variant is added automatically to a variant group, and numbered with a position (displayed in the browser).



Creating a copy of the selected image

Making a duplicate or clone of a variant simply copies the selected image variant to make another. It is useful when you've made a number of adjustments and you want to keep that variant and try some incremental changes. If an original image variant is cloned, then the result is the same as using the create New Variant command. There is practically no limit to the number of copies that can be made.

1. Select the image variant you want to copy (typically this will be an image with adjustments applied).
2. From the menu, select Image > Clone Variant (or press F3/F8 (Mac/Windows)). Alternatively, right click, select **Clone Variant**.
3. A single copy of the selected image is made.
4. The copy is added automatically to a variant group, and numbered with a position (displayed in the browser).



An overview of variant groups

When you have created multiple variants from one image, either by making a copy of the original without adjustments applied (i.e., a New Variant) or a copy with adjustments (i.e., Clone Variant), Capture One always keeps the related image variants together in a variant group.

When selecting one of those image variants, for example, to form part of an album, all of those in that group are also selected. In addition, when working on an image from a variant group, that image will be updated in every album and favorite that the variant group appears in. And, when a variant is added to that variant group, that newly created variant will also instantly appear in each album or favorite.

Every time a variant is added to the group, the file name is shared and a number showing its position appears in the top right of the thumbnail in the Browser. The file name is also appended with the number in the Viewer. To save space, the variant group can be collapsed and the variant that's displayed representing the variant group at position one is called the pick.


All references to a position are made in relation to the pick, but it is NOT to be confused with the primary variant. You can reorder, promote or demote images in a variant group as necessary by dragging, or by selecting Promote/Demote Variant from the menu. That order will also be reflected in every album or favorite. There is an exception to that rule, however. When one of the variants to be reordered is already selected in another album, then that particular variant group will not be updated with the new position.



Opening and closing variant groups

Variant groups can be collapsed, or closed, to save space in the browser. When a variant group is closed, only the pick is visible. When a variant group is open, all of the image variants related to that group are displayed in the browser and you can select any of the individual image variants to display in the viewer.

1. To open/close the variant group, click on the group button located at the top left of the pick's thumbnail (numbered as position 1), or select the pick and from the main menu select, Image>Expand/Collapse.
2. To open/close all the variant groups in a collection, from the main menu select Image>Expand All/Collapse All.



Creating multiple copies of variant groups

With the clone variant option, it is easy to create multiple copies of one image with different adjustments applied, to make what's called a variant group. Capture One allows the associated adjustments and settings of that group to be applied to other individual images to create cloned groups.

For example, if you have created a variant group consisting of the original image variant along with a total of six clones, four depicting incremental



changes and including a couple of B&W (mono) options, the adjustments of all six cloned variants can be copied in turn to create another variant group from the next capture.

1. Select and copy the adjustments starting with the first adjusted variant in the group, right-click and from the menu select Edit>Copy Adjustments, or click on the Copy Adjustments button (upwards slanting icon in the toolbar).
2. Start a new selection and select the images in the browser that you want to apply the adjustments to (when returning from step 6, select the same images. Note there is no need to select the same position in the group).
3. Make sure the Edit>Edit All Selected Variants option is enabled (also visible as a button/icon in the toolbar).
4. From the menu, select Image>New Variant, or press F2/F7 (Mac/Windows). This will create a new variant for each the images you have selected.
5. Right-click, select Apply Adjustments, or click on the Apply Adjustments button (downwards slanting arrow icon in the toolbar) to apply the adjustments to the selections.
6. Return to step 1 and repeat until all variants in the variant group have been copied.

Did you find this article useful?



Recently viewed

- Copying Images
- Working with Sessions
- File Naming
- Star Rate and Color Tag Images
- Search and Filters



Deleting Images from Collections

Find out how to delete source images and variants in Sessions as well as referenced and managed variants in Catalogs.

- An overview of deleting images and variants
- Deleting images and all its variants from Collections
- Deleting only variants from Collections
- Deleting variants from an Album
- Deleting variants from a Project (Mac only)
- Deleting images and variants from the Session Trash
- Deleting images and variants from the Catalog Trash
- Deleting images and variants immediately
- Deleting offline images and variants
- Restoring images and variants to their Collections
- Verifying warnings when deleting

An overview of deleting images and variants

Although Capture One creates variants of the source images to work with non-destructively, when it comes to either moving or deleting, variants cannot be separated from the source image. Therefore, when an image has one variant, moving or deleting that variant will also move or delete the source image. Similarly, when an image has several variants and you move or delete them all, then you will also move or delete the source image.

However, there are certain times when you can delete a variant without deleting the source image. For example, when an image has several variants, and you leave at least one variant of that image in the Collection undeleted, then the source image is not deleted. Similarly, variants can be deleted from Albums without deleting the source image and its variant or variants located elsewhere.


As a result, Capture One has four commands (Delete, Move to Catalog/Session Trash and Delete from Disk and Empty Catalog/Session Trash...) that allow you to manage the removal or deletion of images, regardless of how many variants you have or where they're stored.

Each command provides a similar workflow throughout Capture One, not only between between Sessions and Catalogs, and with referenced and managed source image files, but also when deleting images from Albums where it can be difficult to know where else the image is located.

One or more of the commands will be available at the same time allowing you to move or delete images, however, it is the Delete command that's most likely to be adopted in the day-to-day deleting of images.

Bear in mind the context of the Delete command can change to that of the Move to Catalog/Session Trash and Delete from Disk commands, depending on how many variants there are of an image, how many are selected, and where they're located.

Thus, it's recommended that you use either the main or contextual menu to select the Delete command until you're familiar with it, as they give a clear indication of the intended action. Even then, with the exception of the Delete (from Disk) option, it is typically the easiest to undo if you make a mistake.



Deleting images and all its variants from Collections

The workflow is identical when deleting images from either Catalog or Sessions Collections (i.e. Folders in the Library other than Albums).

When you delete one image with one variant or an image and all of its variants, Capture One moves the image and its variant or variants to the Catalog/Session Trash. **Warning!** The source image and its variant or variants located elsewhere (e.g., in Albums, Favorites and other Collections) are also moved to the Catalog/Session Trash, pending permanent deletion.

Note the delete command can be undone (Edit > Undo Move To Trash) or images can be moved back by dragging to the relevant Collection or Folder in the Library.

To prevent the unnecessary moving of source images in a Session when the images are located on a different disk to the Session Trash, the **Delete from Disk** command should be used instead of the **Delete (Move to Session Trash)/Move to Session Trash** commands. Moving source image files from one disk to another may take a long time to complete, especially if they're located on a network. **Warning!** Source images are deleted immediately. This cannot be undone. See [Deleting Images Immediately](#) for more information.

1. Select the Collection.
2. From the browser, select the image and its variant or variants to delete, then choose File > Delete (Move To Catalog/Session Trash) (or press Cmd+backspace, press X in the toolbar or cursor tool or drag images to the Catalog/Session Trash). Note there is no warning dialog displayed.
3. Selected images are moved to the Catalog/Session Trash.
4. **Warning!** Emptying the image variants from the Catalog/Session Trash may result in the permanent deletion of your source images. This cannot be undone.



Deleting only variants from Collections

The workflow is identical when deleting variants from either Catalog or Sessions Collections (i.e. Folders in the Library other than Albums).

When you want to delete specific variants of an image, leaving at least one variant of the image in the Collection, Capture One will delete those selected from that Collection and in every other location. The source image and its variant or variants located elsewhere (e.g., in Albums, Favorites and Collections) are not deleted.

Note the delete command can be undone (Edit > Undo Delete Variants).

1. Select the Collection.
2. From the browser, select the variants of an image to delete (leaving at least one variant of the image in Collection), then choose File > Delete (Variants), or press Cmd+backspace, press X in the toolbar or cursor tool. Note there is no warning dialog displayed.
3. Selected variants are deleted immediately.



Deleting variants from an Album

When you delete an image with one variant (or an image and all of its variants) from an User Album, Capture One deletes the selected variants only from that Album. The source image and its variant or variants located elsewhere (e.g., in other Albums, Favorites and Collections) are not deleted.

When you want to delete specific variants of an image, leaving at least one variant of the image in the Album, Capture One will delete those selected from that Album and in every other location where that variant is located. The source image and its variant or variants located elsewhere (e.g., in other Albums, Favorites and Collections) are not deleted.

The behavior is identical between a Session Album and an Album in a Catalog (located in the Library's User Collection). Collectively, these albums are known as User Albums. Note, that in all cases when that variant is selected by a Smart Album, then it will also be removed from there.



1. Select the User Album.
2. From the browser, select the image to delete, then choose File > Delete (from Album "Name"), or press Cmd/Ctrl+backspace (Mac/Windows), or press X in the toolbar or cursor tool). Note, in this instance, there is no warning dialog displayed.
3. The selected image is removed from the Album (and filtered Smart Album, if applicable). The source image and its variant or variants located elsewhere are not moved or deleted.

Deleting variants from a Project (Mac only)

When working in a Catalog on a Mac, images organized inside Albums are visible from Projects. Therefore, when you delete an image with one variant (or an image and all of its variants) from a Project, Capture One deletes only the selected variant or variants from any of the Albums where they're located within the Project. The source image and its variant or variants located elsewhere (e.g., in other Albums outside the Project, Favorites and Collections) are not deleted.

When you want to delete specific variants of an image, leaving at least one variant of the image in the Project, Capture One will only delete those selected from any Albums within the Project and in every other location where that variant is located. The source image and its variant or variants located elsewhere (e.g., in other Albums, Favorites and Collections) are not deleted.

1. Select the Project from User Collections folder.
2. From the browser, select the image, then choose File > Delete (from Project "[Project Name]"), or press Cmd+backspace, or press X in the toolbar or cursor tool. Note, in this instance there is no warning dialog displayed.
3. The selected variant is deleted from the Project and the Album or Albums within (and filtered Smart Album, if applicable). The source image and its variant or variants located elsewhere are not deleted.




Deleting images and variants from the Session Trash

When images and their variants are located inside the Session Trash, emptying the Trash will permanently delete your source images. As a safety feature, Capture One will by default open a dialog box to confirm deletion - it is recommended not to disable this warning dialog.

Warning! Deleting images from the Session Trash cannot be undone, images are not placed in the system trash and therefore cannot be retrieved later.

Images inside the Trash are read-only and cannot be edited (thumbnails are indicated by a small crossed-over pencil icon, and all the sliders and tools are disabled). Note this is intended to prevent the editing of images or their variants that are located in the Trash without the user being aware. Without this feature, editing images or variants in the Trash may result in wasted time if they're inadvertently deleted later.

1. Choose File > Empty Session Trash. Focus (i.e., pre-selection) on the Trash Collection is not required. (Note you can delete images and their variants individually from the Trash. Select the Trash Collection and then choose File > Delete (Variant)/Delete (From Disk) or press Cmd/Ctrl+backspace (Mac/Windows), or press X in the toolbar or cursor tool.
2. When deleting from the Session Trash a warning dialog opens asking you to confirm the action:
 - o To permanently delete the source images - click on **Delete from Disk. Warning!** Source image files are deleted immediately and can't be undone.
 - o If you realize you've made a mistake before deleting, press **Cancel**, select the image from the Browser and drag the image and its variants back to the relevant Session- or System-Folder in the Library.



Deleting images and variants from the Catalog Trash

As there maybe a mixture of images and variants in the Catalog Trash, when emptying it Capture One will identify the type available there and open the appropriate dialog, or series of dialogs, asking you to confirm your choice. It is recommended not to disable this warning option.

Warning! Deleting images from the Catalog Trash cannot be undone, images are not placed in the system trash and therefore cannot be retrieved later.

When emptying the Catalog Trash of variants that reference source images, you will be asked if you want to remove the variants from the Catalog or whether you want to delete the source images. Removing the variants from the Catalog (Remove from Catalog) will leave the source images in place wherever they're located for future use. Deleting (Delete from Disk) immediately deletes the both the variants and source images and can't be undone.

If there are variants referencing source images that are currently offline (i.e., source images residing on an unconnected external disk, or with a broken link on a local or external disk and indicated by a question mark (?)), only the variants will be removed from the Catalog. The source images will not be deleted.

When there are managed images in the Catalog Trash, Capture One treats the variants as the source images, therefore a dialog will open asking you to confirm their deletion. Note these images cannot be offline as they are stored inside the Catalog itself.

Images inside the Catalog Trash are read-only and cannot be edited (thumbnails are indicated by a small crossed-over pencil icon, and all the sliders and tools are disabled). Note this is intended to prevent the editing of images or their variants without the user being aware. Without this feature, editing images or variants in the Catalog Trash may result in wasted time if they're inadvertently deleted later.

1. Choose File > Empty Catalog Trash. Focus (i.e., pre-selection) on the Trash Collection is not required. (Note you can delete individual images or variants from the Trash. Select the Trash Collection and then choose File > Delete (Variant)/Delete (From Disk) or press Cmd/Ctrl+backspace (Mac/Windows), or press X in the toolbar or cursor tool.)
2. Capture One identifies the type of images in the the Trash and a dialog appears asking you to confirm the action for each type, choose from the following (where relevant):
 - o To remove only the variant or variants from the Catalog (leaving the source image untouched in its current location) - click on the **Remove from Catalog** button.
 - o When you want to permanently delete the source images - click on **Delete from Disk**. **Warning!** Source image files are deleted immediately and can't be undone.
 - o If you realize you've made a mistake before deleting, press **Cancel**, select the image from the Browser and drag the image and its variants back to any Catalog- or User-Collection.



Deleting images and variants immediately

Capture One allows you to delete source images and all their variants immediately from all Collections even Albums, bypassing both the Catalog/Session Trash and permanently deleting the images from the disk. This option is provided for users to delete unwanted source images as quickly as possible in their workflow.

Warning! This command cannot be undone. An image and its variants is considered a source image by Capture One, therefore, whether you are deleting an image with one variant, or all the variants of an image, you will also be deleting its source image.

To prevent the unnecessary moving of source images in a Session when the images are located on a different disk to the Session Trash, the Delete from Disk command should also be used instead of the Delete (Move to Session



Trash)/Move to Session Trash commands. Moving source image files from one disk to another may take a long time to complete, especially if they're located on a network.

Note the physical moving of referenced source images does not occur with the Delete (Move to Catalog Trash)/Move to Catalog Trash commands. However, you can still adopt the Delete from Disk command when working in a Catalog, should you need to. Also note if the source image file is not available (i.e., offline), for example it's located on an unconnected external disk, then it will not be deleted.

1. Select the image and its variant or variants in the Browser.
2. Choose File > Delete from Disk. A dialog appears asking to confirm the action.
3. Click on the **Delete from Disk** button.
4. **Warning!** This will result in the permanent deletion of your source images and their variants. This cannot be undone.

Deleting offline images and variants

When a source image is not available to Capture One (e.g., typically when referenced in a Catalog and the source image is moved using the Finder or Explorer, or an external disk containing the source image is not connected), the variant in the browser displays a small question mark (?) icon in the lower right-hand corner of the thumbnail. In addition, the variant in the Viewer shows the same icon along with the warning Offline.

When deleting an image and its variant or variants referencing an offline source image, Capture One moves only the variant or variants to the Catalog Trash, pending emptying and permanent deletion. As the source image is not immediately accessible, it can't be removed from the Trash and deleted until the drive is reconnected.


Note when deleting specific variants of an image referencing an offline source image, only the selected variants are deleted from the Catalog, the source image and any other variants of that image are not deleted. In that context, the Delete (Move to Catalog Trash) command changes to Delete (Variant/s).

1. Select the image and its variant or variants in the browser, and then choose from one of the following options:
 - o From the main menu, select File > Delete (Move to Catalog Trash).
 - o Ctrl/right-click (Mac/Windows) and select Delete (Move to Catalog Trash) from the contextual menu.
 - o Click on the Delete (X) icon in the main toolbar.
 - o Click and drag an image to the Catalog Trash.
2. The variant or variants of the image are moved to the **Catalog Trash**.
3. If you select **Empty Catalog Trash...** A dialog opens asking you to **Remove from Catalog** (i.e., only the variant or variants are deleted), or **Cancel**.
4. If you reconnect the drive or the source image is located and select **Empty Catalog Trash...** a warning dialog will open to ask you to confirm whether you want to **Delete from Disk** (i.e., delete the variant or variants and the source image), or **Remove from Catalog** (i.e., delete the variant or variants and leave the source image in its original location).

Restoring images and variants to their Collections

If you have moved an image and its variant or variants to the Catalog/Session Trash accidentally or otherwise, it's easy to restore both the image and its variants by dragging them out. When there's more than one variant of an image, you do not have to select them all. In Capture One, when moving one variant of an image all of the variants of that image are moved.

When working in a Catalog or a Session, you're not restricted in where they can be moved to (you can move them to any relevant Catalog/Session Collection, including an Album in a Catalog), though it is likely you will want to return them to their original location. In a typical Session, that is usually straightforward enough but, if you are unsure where the image or images were deleted from in a Catalog, which can be large and complex, it is best to drag them to the All Images Collection.





Recently viewed

- Deleting Images
- Copying Images
- Working with Sessions
- File Naming
- Star Rate and Color Tag Images

PHASE ONE

what the world's best photography is made of



Keywords

Capture One Pro provides a simple way to apply keywords to images to help both users and clients categorize, search and find photos.

- Introduction
- Create and apply keywords to images
- Delete keywords from images
- Enter hierarchical keywords
- Rearranging keywords
- Keyword library
- Creating a new keyword library
- Adding keywords to a keyword library
- Editing keywords in the keyword library
- Add keywords to images in the keyword library
- Remove keywords from images in the keyword Library
- Managing keyword libraries
- Additive metadata lists
- Controlling keyword libraries on export

Introduction

Adding keywords is particularly useful in large catalogs but this option is no less important for multiple small catalogs and sessions as well. Keywords may also be important if you're supplying photo agencies with images, where identification of the subject may be a requirement of submission.

Capture One supports hierarchal keywording and lists that are necessary for efficient organization. Hierarchical keywording makes it easier to find keywords and store them when hierarchies are collapsed. It is also a genuine time saver. Assigning the lowest level child keyword to an image adds all the keywords in the hierarchy.

Keyword data is stored by Capture One in XMP sidecar files by default for RAW and embedded in JPEG and TIFF files when assigned. Keywords applied to RAW files are only embedded when processed files (i.e., variants) are exported. Keyword data will not be embedded when exporting unprocessed RAW files (i.e., originals). Keywords are managed with two tools in the Metadata tool tab:

- Keywords tool
- Keyword Library tool

The Keywords tool interfaces with the selected image(s). Keywords can be added and removed from images using this tool.

The standard Capture One tool tips for local reset, local copy apply, pre-sets and help are available for this tool. See the section on [Optimizing Your Workflow](#) for more information.

The Keyword Library tool is used for managing the list (or lists) of keywords in the document. A document can be either a catalog or session. As the Keywords tool adds keywords to images, the document Keyword Library is populated. This forms a keyword list for any and all terms in the current document and is unique for the session or catalog.



Create and apply keywords to images

1. Go to the **Keywords** tool found by default under the **Metadata Tool Tab**.
2. Next select the image or images from the browser that you want to add the keyword tags to. Note, keywords cannot be generated in the Keyword tool unless images are selected first.
3. Type the chosen keyword in the field labeled **Enter Keywords...** in the Keywords tool.
4. Press enter/return key to add the keyword(s).
5. To add another keyword tag or set of keywords, repeat from step 3.

Pro tip: Adding multiple keywords to an image or images using Keywords tool

- Multiple keywords can be added by separating entries with a comma (,) and then pressing enter/return: e.g Denmark,Vikings,Beer...

Pro tip: Adding keywords to multiple images

To add keywords to multiple images either:


- Select all the images required for the keywords (making sure Edit Selected Variants from the main toolbar is selected). Then type the keyword/s using the Keywords tool and press the enter/return key to add them.

Or

- Add keywords to one image then, while still highlighted, select the other images in batch and use the local copy and apply tool to paste the keywords to the others in the selection.

Pro tip: Working with keywords across multiple images

- If a selection of images contains keywords and a particular keyword only applies to some of the selection, then a minus sign (-) will appear on the left side of the keyword. Clicking on a keyword with a minus sign (-) will add the keyword to all selected images.
- Capture One has an auto-fill function for all Metadata fields including Keywords. As you start to type, Capture One will suggest keywords from those already added in your list. Click on one to select it, or scroll and click to select from a list, or use the up/down keys, then press enter. Note that the autofill function is not case sensitive.




Delete keywords from images

1. Go the **Metadata Tool Tab**, and select the **Keywords** tool.
2. Select the image(s) to remove the keywords from.
3. In the Keyword tool mouse over the keyword and press the (X) icon that appears on the right side.
4. Repeat to remove additional keywords.

Note: When a keyword in the Keywords tool is only applied to some of the selected images, a minus sign (-) will appear on the left side of the keyword. Pressing (X) will remove the keyword from only those images with that keyword within the selection.

Pro tip: To remove all keywords from a variant or batch of variants easily, select the images and use the local reset function on the Keyword tool toolbar.



Enter hierarchical keywords

1. Go the **Metadata Tool Tab**.
2. Select the images that you want to add the keywords to.
3. Select the **Keywords** tool and enter hierarchical keywords in the **Enter Keywords...** field, dividing the keywords using pipe (|) or greater than (>) as separators. For example; Denmark|Viking|Thor... or Denmark>Viking>Thor...

- Hierarchies can also be added in ascending order using the less than (<) symbol as the separator; Denmark<Viking<Thor... Note neither the space key or hyphen act as a separator.
- Press enter (Windows)/return (Mac) to assign the hierarchical keywords.

To amend an existing hierarchical set of keywords, click on the keyword displayed in the Keywords tool and drag it to the new relevant position in the hierarchy.

Note: Keyword tags entered into the Keyword tool may be saved as a [User Preset](#). This is a quick and easy way to add extensive keyword lists to a series of images, even when importing images into a document (session or catalog). Presets can be selected from the Styles drop-down menu in the Adjustments tool on the import images dialog box. There are no limits to the number of presets that can be saved, and the presets can be stacked allowing multiple lists to be applied.

Pro tip: It is worth spending some time planning and organizing hierarchies. If you have an extensive list of keywords, it may be quicker and more efficient creating hierarchies in the Library tool and then dragging the existing keywords into them.

Removing hierarchical keywords

Hierarchical keywords can be removed from an image by pressing the (X) icon in the keyword in the same way as single keywords. If a parent keyword is removed in a hierarchical keyword, then the child is also removed as it is deemed linked to the parent.

More about hierarchical keywords

Hierarchical keywords are displayed in the Keywords tool UI as a flat list but retain their hierarchical relationship in the Keyword Library. To see the relationship, mouse over the keyword in the Keywords tool to get tool tip showing the full path.

If the same keyword exists in more than one Keyword Library then the keyword label is appended with its child relationship to help distinguish in the UI which list it belongs to. See managing lists for more information on making additional Keyword Library.

Rearranging keywords

Capture One has a unique feature that allows the user to rearrange the keywords in the Keywords tool. Note this feature is only available to single image selections. If a batch is selected (along with the Edit Selected Variants option), then the keywords are presented alphabetically and cannot be manually sorted. As a reminder of this, an icon is displayed to the right of the Enter Keywords field.

- To rearrange the keywords, click and drag the keywords to their new desired position. This will form the order of keywords when exported or synced to XMP.

Advanced technical note with regard to rearranging hierarchical keywords

Hierarchical keywords can be rearranged in the Keywords tool. Note for the purposes of syncing to XMP or exporting, the Keywords tool will extract and populate the keyword IPTC field as a “flat list” in the order chosen.

If hierarchical keywords are used this in workflow their order will be preserved and represented in an additional XMP “bag”: the lightroom:hierarchicalSubject



bag. There will, therefore, be some discrepancies in the order of keywords in this workflow between the two fields if viewing the variant in Lightroom, Bridge or an application that supports this XMP bag.

Keyword library

Every document (session or catalog) in Capture One has a Keyword Library. You can make additional shared Keyword Libraries which will load alongside every document Keyword Library. For more information, see the Creating a Keyword Library section below.

The default keyword library

Every document in Capture One has either a **Session Keywords** or **Catalog Keywords** library, depending on your chosen document type. As you add keywords to images in a catalog or session, the default keyword library for the document will automatically populate.

The Keyword Library displays two types of keyword:

- **Active** (highlighted as solid gray) which indicates the word is applied to the image.
- **Passive** (displayed black with a gray outline) indicating the word is in the library but not applied to the selected image. Passive keywords will remain in the library even if removed from all the images.

To remove a keyword from the document library (and any images that it is applied to), right click on the keyword and choose **Delete Selected Keywords...**

Creating a new keyword library

It is sometimes necessary to have a number of libraries, either for a specific purpose, or for controlling vocabulary. Libraries made in addition to the document library are referred to as "Shared", as once created, any subsequent document opened or created will load these libraries alongside the default document library.

Shared libraries are stored in the application support folder with the extension .cokeywordsDB (see managing Keyword Library).

To create a new shared Keyword Library, click on the contextual menu (...) icon in the Keyword Library tool and choose from the following:

- New (empty library).
- From Keywords text file (a previously exported Keyword Library).
- From a Media Pro Vocabulary File.
- From Capture One Catalog/Session (extracts the Document Keyword Library from the chosen Catalog/Session file).

Adding keywords to a keyword library

If you wish to add a keyword to any available Keyword Library, shared or otherwise, without adding it to an image, click on the (+) icon next to the desired list to add a keyword. The keyword will appear in the list as passive (displayed black with a gray outline).

Editing keywords in the keyword library

To edit a keyword in the Keyword Library, right-click on the keyword and choose **Rename...**

To add a child keyword (hierarchical) to an existing term, right-click on the keyword and choose **Create Keyword Child**.



To delete a keyword from the library including any images that they are applied to, right-click on the keyword and choose **Delete Selected Keywords...**




To delete multiple keywords from a Keyword Library (including any images that they are applied to), hold the shift key when making a sequential selection or hold the cmd (Mac) / ctrl (PC) key for an arbitrary selection, then right click and choose **Delete Selected Keywords...**

Notes about editing Document and Keyword Libraries

- Editing a keyword in the document Keyword Library will update the images in the document with those keywords.
- Editing keywords in Shared Keyword Libraries will NOT update their respective images.
- Session users: Editing or deleting keywords in the Session Keyword Library will only update those keywords applied to images in directories which are part of the session. These are Favorites or the Session folders (Capture, Output, Selects, Trash).

Add keywords to images in the keyword library

All Keywords listed in the Keyword Library can be added to images. Select the image or images, then click on a keyword from the Keyword Library to apply it. Keywords added here will be displayed in the Keywords tool.



When applying a keyword child to images, any parents already associated with that child will also be applied.

Remove keywords from images in the keyword Library

To remove a keyword from an image, or multiple images, using the Keyword Library, highlight the image, or images, then click on the (X) icon in the relevant keywords in the list.




The relevant keywords will be removed from the Keywords tool while the Keywords Library tool will be updated and display the changes made. Keywords removed from images will still be displayed in the library's list but the keyword will have changed from active (solid gray) to passive (black with a gray outline).

Any active keywords (i.e., those still applied to the selected images) will be shown in both the Keywords palette and the Keywords Library tool.

Managing keyword libraries

Managing the Keyword Library – or indeed multiple Keyword Libraries – is the key to mastering quick keywording.

If a list is required for use in another workstation, or if you wish to export a document Keyword Library as a foundation for a custom Keyword Library you can export the list from the contextual menu option (...) in the specific Keyword Library to a text file (.txt).



This txt format can then be imported on another workstation, shared, or reimported for customization. Upon import of txt file this is converted to a .cokeywordsdb file and stored in the applications support folder.

To import a Keyword Library from another source, click on the (...) icon on the keyword library tool bar and then **Create Keyword Library...** and then an

option from the fly-out menu. Capture One supports import from a variety of sources.

Supported sources:

- Keyword TXT file (file generated by exporting an existing Keyword Library)
- Media Pro vocabulary file
- Catalog/session (document Keyword Library from selected Catalog/Session)

Note: When importing text files with keywords (keyword lists (e.g., from Lightroom) and Media Pro vocabulary files) the following characters are not allowed in the text file:

| ; , < >

By default Shared Keyword Libraries are stored in the application support folder:

Mac: ~/library/application support/capture one/keywords

Win: user\appdata\local\capture one\keywordlibraries

Any Keyword Library saved in these directories will automatically load into created or opened documents.

Additive metadata lists

To complement the keyword implementation, the logic of combining keyword presets has changed in Capture One to allow blending of presets in a more predictable sequence.

Tools affected are keywords and IPTC fields, where word lists are supported:

- Subject Code
- Supplemental Categories
- Scene
- Getty Personality
- Keywords

In versions prior to Capture One 9, for example, combining the presets:

A
B
C


And:

A
D
E
F

Would result in B and C being removed in the keyword list.

Capture One now combines the list in a more logical way so that the resulting list would be:

A
B
C
D
E
F



Controlling keyword libraries on export

When exporting images, Capture One will include any assigned keywords from shared keyword libraries by default. However, you can select specific keyword libraries to limit keywords assigned to images during export. This is useful when you have a controlled vocabulary for a particular use, for example, when submitting images to a news agency or stock library.

1. From the [Output Tool Tab](#), select the appropriate recipe from the **Process Recipes** list, or create a new recipe specifically for the purpose. When the recipe is highlighted in orange, amendments will be saved automatically. (Note that if multiple recipes are to be used for export, the following selection will have to be made for each recipe.)
2. In the **Process Recipe** tool located below the recipes list, select the **Metadata tab**.
3. Click on the Text field under **Include Keywords**, select **From selected keyword libraries**, and choose the relevant library from the list. Only shared libraries can be chosen.
4. When exporting images with the controlled keywords, remember to enable the recipe in the list by selecting the checkbox.



Did you find this article useful?



Recently viewed

- Keywords
- Deleting Images
- Copying Images
- Working with Sessions
- File Naming

PHASE ONE

what the world's best photography is made of



Metadata

METADATA / PRESETS / RATING / FILTERS

The Metadata tool allows you to insert keywords and specific information in addition to the basic metadata from a camera. Find out more...

- Introduction
- Create a metadata preset
- Strip specific metadata from output files
- Manually or automatically add Getty Images metadata fields
- Activate or deselect auto sync sidecar XMP
- Learn more
- Reloading and auto load
- Text completions

Introduction

Metadata can be very useful when organizing photos or used to simply brand images with some indications of the image type or photo creator. You can set up your own metadata stamps (e.g. copyright, client profiles) and apply these to multiple images. It is also possible to create your own Metadata Presets (a collection of values).

Add metadata by inserting keywords in the Metadata tab. Alternatively, add metadata to images by applying a Style or a Preset. Metadata Presets can be applied as a Style containing a number of presets, or as one preset containing metadata from one metadata category.



Create a metadata preset


There is no limit to the number of saved metadata presets. It is possible to apply any number of presets to any number of images, referred to as Stacked Presets. See [Styles & Presets](#).

1. Go to the **Metadata** tab and insert keywords and info into one or more of the metadata categories.
2. Click on the small preset icon and select **Save User Preset**. The Save Preset window will open. Note, the **Save Preset** dialog box enables users to uncheck specific metadata details that you want stripped from an image (see below for details on [stripping metadata](#)).
3. Uncheck any unwanted metadata values and press the Save button. The Save Dialog will open.
4. Name and save the Preset.
5. You have now created a Metadata Preset.



Strip specific metadata from output files

1. Go to the **Output Tool Tab** and click the Metadata tab in the **Process Recipe** tool.
2. Uncheck the metadata categories you do not want to include in the output file.
3. Your current Process recipe is now updated, containing the checked categories only.



Manually or automatically add Getty Images metadata fields

1. From the [Metadata Tool Tab](#), go to the **Getty Images** section.
2. Alternatively, click on the **Manage Presets** icon and select the Import Preset... option.
3. Now it is possible to select any relevant (.txt etc) file to automatically add metadata info.



Activate or deselect auto sync sidecar XMP

1. Go to Capture One (in the top menu bar) and select Preferences. Click on the Image icon in the Preferences dialog box. Now choose one of the three options from the Auto Sync Sidecar XMP drop down menu (in the Metadata section).

Note: To quickly reload or Sync Metadata, select the Metadata tool and click on the action menu (three dots) icon and choose one of the two (reload or sync) options.



Learn more

Metadata is stored in the Capture One settings file and can be embedded in the output file (e.g. JPG) if desired. You can change the Basic metadata such as the filename, rating, caption and copyright. You can also set Caption and Copyright information when importing photos. This saves time when you need to process a batch of photos or produce a [Web Contact Sheet](#). In some cases, you might want to strip metadata from an output file and this can easily be achieved by creating a Process recipe.

If you have metadata related to a raw file in a standard metadata format like XMP (Extensible Metadata Platform) then Capture One will automatically reload the metadata and merge the .XMP sidecar with the metadata already created in Capture One.

Capture One can read and store metadata in the following four formats: Embedded EXIF, Embedded IPTC-IIM, Embedded XMP and .XMP Sidecar file – these four types of metadata will be automatically updated and read.

Reloading and auto load

View any changes made to metadata in an external application (e.g. Media Pro) by pressing Reload in the Metadata tool's action menu.

You can set Capture One to auto load metadata by checking the Auto load checkbox in Preferences>Image>Metadata. You also can also sync the metadata between the Variant and the XMP sidecar. If no preferred sync option is checked the software will use the sidecar values. Otherwise the embedded Capture One values will be applied.




Text completions

Capture One has a text completion function for all Metadata (text) fields. Capture One remembers text that a user has previously entered for each field in the Metadata Inspector. The text will be saved to User Defaults.

Previously entered text will appear in a popup list when a user is editing field text. Press the return key to select the text.

Go to the action menu (three dots) icon and select Reset Metadata Completions to clear any previously entered text. (Warning: This action cannot be undone).





Did you find this article useful?





Recently viewed

- Metadata
- Keywords
- Deleting Images
- Copying Images
- Working with Sessions

PHASEONE

what the world's best photography is made of



Sequences (Phase One XF system camera only)

// METADATA

This section covers the new Sequences feature for the Phase One XF system camera and how you can use it to automatically name files and create sub folders, search and group images together from a number of related photos.

- An overview of sequences
- Tokens and dynamic locations
- Metadata
- Creating sequence sub-folders on import
- Naming a sequence on import
- Naming a sequence when tethered
- Batch renaming using sequences
- Searching for sequences
- Selecting sequences
- Creating an album from a sequence
- Creating sequence sub-folders on export
- Naming images on export using sequences
- Exporting sequences to Helicon Focus®
- Process RAW files and export to Helicon Focus
- Export JPEG/TIFF files to Helicon Focus

An overview of sequences

A Sequence is a series of related photos captured using certain features available on the Phase One XF series camera. The Hyperfocal Distance tool and the new Time Lapse, High Dynamic Range (HDR) and Focus Stacking functions introduced with Feature Update #2 all create Sequences automatically.

After you've captured a series of images or Sequence using one or more of the new tools, you'll almost certainly want to view the photos together and customize your workflow around them. Sequences allow you to do that and more.

When you import images from a CompactFlash card or directly with a tethered Phase One XF series camera, Capture One can identify those Sequences by the metadata recorded by the camera at the time of capture. The camera tags the RAW files with the following properties:

- **Sequence ID:** Unique identifier (i.e., IQ back serial number and initial frame number of each sequence).
- **Sequence Type:** Tool in use (e.g Hyperfocal, HDR, Focus, Time lapse).
- **Sequence Count:** frame count shown as position (e.g., position 3 (of 7)).
- **Sequence Total:** frame count shown as total (e.g sequences comprising of 7 images).

Capture One can use this data in a number of ways:

Tokens and dynamic locations

When importing from a CompactFlash card, or when using the XF camera tethered, Capture One can automatically name photos and folders using the



Sequence properties. You can use one just one property or any combination of the four in the naming of Sequences. The same tokens can be used for batch re-naming, or for naming on export. As part of Capture One's Dynamic Locations feature, they can be used to automatically create named sub-folders for each Sequence, either on import, export or both.

After import, photos will appear in the Browser in order of capture. To differentiate a Sequence from other non-sequence captured photos, a multi-frame icon is displayed in the lower left corner of each image in the Filmstrip and Grid views. In the List view, the Browser shows the **Sequence ID** in order of capture.



Metadata


When an image is selected, the sequence count, total type and ID can be determined from the Vendor Specific drop-down section of the Metadata tab under **Sequence ID** and **Sequence Info**. When using the HyperFocal AF mode on a tethered Phase One XF camera system, the HyperFocal MCU value is recorded during capture and is displayed in the **Description** field under the **IPTC - Content** section. After checking the multiple images for focus accuracy in the Viewer, you can manually transfer the MCU value from the optimal image to the camera. See the XF owner's manual for more information on the Hyperfocal distance tool.



Creating sequence sub-folders on import

When importing images from a CompactFlash card from the Phase One XF system camera and one or more Sequence has been captured, Capture One can automatically create and name sub-folders based on the metadata properties of the Sequence.

For example, when you have captured 10 HDR Sequences and then import them using the Dynamic Location Token for Sequence ID, Capture One can automatically create and name a sub folder for each HDR bracket, or Sequence.



1. Click on the **Import** button to open the dialog, and select only the images that are known to form a Sequence or a series of Sequences.
2. In the **Import To** tool, select where to store the imported images from the Store Files fly-out menu.
3. Adjacent to the Sub Folder field, click on the Location Sub Folder Tokens button (...). The Location Sub Folder Tokens dialog opens.
4. Select from the combination of four Sequence Naming tokens (**Sequence Type, ID, Count** and **Total**). For example, when just the Sequence ID token is used, a sub-folder is named and created for each individual sequence. When the Sequence Type token is placed in front of the Sequence ID with a forward or back slash (Mac/Windows) between them, the individual Sequence sub-folders are enclosed by a folder denoting the Sequence Type (in this case, if only HDR type sequences were captured, the enclosing folder would be HDR with ID subfolders).
5. Click **OK**, and continue with your usual import workflow.

Note: When images are included on the CompactFlash card that aren't part of Sequence, re-open the importer and import images using a more relevant folder naming format.

Naming a sequence on import

When importing images from a CompactFlash card from the Phase One XF system camera and one or more Sequence has been captured, Capture One can automatically name the images based on the metadata properties of the Sequence.

1. Click on the **Import** button to open the dialog, and select only the images that are known to form a Sequence or a series of Sequences.
2. Follow your usual workflow with the Importer.
3. In the **Naming** tool, click on the Naming Format button (...) to the right of the text field. The Naming Format dialog opens.
4. Select from the combination of four Sequence Naming tokens (**Sequence Type, ID, Count and Total**). For example, when all four tokens are used in that order with underscore to separate them, the file name format will look like this: Focus Stacking_ABC0123_0011732_3_5.IIQ. This series identifies this image as the 3rd in a 5 frame Focus Stack, and details the serial number and unique ID of the Sequence.
5. Verify the name is in the desired format in the **Sample** text field.
6. Click **OK**, and continue with your usual workflow.

Note: When images are included on the CompactFlash card that aren't part of a Sequence, re-open the importer and import images using a more relevant naming format.



Naming a sequence when tethered


When a Sequence is being captured with a tethered Phase One XF system camera, Capture One can automatically name the images during import based on the metadata properties of the Sequence.

1. Follow your usual workflow when working tethered.
2. In the **Next Capture Naming** tool, click on the **Naming Format** button (...) to the right of the text field. The Naming Format dialog opens.
3. Select from the combination of four Sequence Naming tokens (Sequence Type, ID, Count and Total). For example, when all four tokens are used in that order with underscore to separate them, the file name format will look like this: **Focus Stacking_ABC0123_0011732_3_5.IIQ**. This identifies this image as the 3rd in a 5 frame Focus Stack, and details the serial number and unique ID of the Sequence.
4. Verify the name is in the desired format in the **Sample** text field.
5. Click **OK**, and continue with your usual workflow.



Batch renaming using sequences

1. Select the Sequence in the Browser.
2. Choose File>**Batch Rename Images...** or ctrl-click (Mac) / right-click (PC) and select **Batch Rename...** to open the Batch Renaming tool.
3. From the **Method** fly-out menu, confirm the **Text and Tokens** option is selected (default).
4. Click the (...) button next to the Format text field to open the **Naming Format** dialog box.
5. Select from the combination of four Sequence Naming tokens (**Sequence Type, ID, Count and Total**). For example, when all four tokens are used in that order and using underscore to separate them, the file name will look like this: Focus Stacking_ABC0123_0011732_3_5.IIQ. This identifies this image as the 3rd in a 5 frame Focus Stack, and details the serial number and unique ID of the Sequence.
6. Click **OK** to accept the naming format
7. Verify the name is in the desired format in the **Sample** text field.
8. Click **Rename** to start renaming all the selected images.



Searching for sequences

You can search any collection for image Sequences using the Filters tool to find the Sequence metadata assigned at the time of capture by the Phase One

XF camera system. You can search by Sequence Type, ID, Count and Total.

1. In the **Library Tool** tab, select a collection you want to search.
2. From the **Filters** tool, click on the action menu (...) and select **Show/Hide Filters...** A Metadata Filters dialog opens.
3. Select the Sequence type you want to search by (all four types can be added). The relevant search dialogs are added to the Filters tool.
4. In each dialog, Sequence data is shown alongside the number of images that match the search criteria.
5. Select the type of images you're searching for (e.g., Sequence Type > Hyperfocal) and click on the adjacent numbered radio button. The button is highlighted in orange (when the search is active) and the total number of images are immediately displayed in the Browser.
6. To clear the search, click on the active (orange) radio button, returning it to black. All of the images in the collection are displayed in the Browser once more.



Selecting sequences

Any Sequence can be selected from the Browser and isolated from other non-related images to get an overview and help with the initial organization. Photos are displayed in succession, unless images have been manually rearranged (i.e., the sort order has been changed).

1. Select an image in the browser that you believe is a part of the sequence.
2. Right click, or Ctrl-click to reveal the contextual menu.
3. Select **By Same**, then choose **Sequence ID**.
4. All the images in the Sequence are displayed in the Viewer (and selected in the Browser). (Note that Multi View option must be enabled in the Viewer bar.) During selection, the sort order cannot be altered.
5. To navigate through the Sequence without selecting other non-related images, you can use the optional Select buttons on the main Toolbar, or forward / backward arrow keys on the keyboard.



Creating an album from a sequence

After a Sequence has been selected you can save the Sequence as an Album. When there are multiple Sequences, you can select an entire import, or collection and create multiple Albums automatically, saving time and effort organizing the sequences into their respective groups.


1. Select an image from a chosen Sequence in the browser, or, to make multiple albums, select all the images in a collection.
2. Right click, or Ctrl-click to reveal the contextual menu.
3. Select **Create Albums From**, and choose **Sequence ID**.
4. Albums are created by Sequence ID in the Library tool (under User Collections in a Catalog, and as Sessions Albums in a Session).
5. Click on the new Album to reveal the Sequence in the Browser.



Creating sequence sub-folders on export

When exporting images Capture One can automatically create and name sub-folders based on the metadata properties of the Sequence. For example, you have captured 10 separate Focus Stacking Sequences, made some preliminary edits and now want to export the images for merging and rendering. Capture One can process the images and automatically create and name a sub-folder for each Focus Stacking Sequence.

Automatically naming and creating sub-folders on export using Capture One's Dynamic Locations feature can be achieved on an improvised basis using the Process Recipe tool (using Sequence tokens in the Sub Folder text field). However this is a specialized tool intended to make presets and this particular option is useful when creating sub-folders by file format (using Recipe Name



tokens). Best practice when creating Sequence sub-folders is to use the Output Location tool instead.

1. Select the images for export and choose the appropriate recipe or multiple recipes. Note, the Root Folder option in each chosen recipe must defer to the Output Location tool.
2. In the **Output Location** tool, click on the Sub Folder button (...) to the right of the text field. The Location Sub Folder Tokens dialog opens.
3. Select from the combination of four Sequence Naming tokens (**Sequence Type, ID, Count** and **Total**). For example, when just the Sequence ID token is used, a sub-folder is named and created for each individual Sequence. When the Sequence Type token is placed in front of the Sequence ID with a forward or back slash (Mac/Windows) between them, the individual sequence sub-folders are enclosed by a folder denoting the Sequence type (in this case, if only Focus Stacking type sequences were captured, the enclosing folder would be labeled Focus Stacking and include ID sub-folders).
4. In the **Sample** text field verify the name is in the desired format.
5. Click **OK**, and continue with your usual export workflow.

Naming images on export using sequences

Naming images on export can be achieved on an improvised basis using the Process Recipe tool (using Sequence tokens in the Sub Name text field and providing a complementary Sub Name token is used in the Output Naming tool). However it is a specialized tool intended to make presets. Best practice is to use the Output Naming tool instead.

1. Select the images for export and choose the appropriate recipe or multiple recipes.
2. In the **Output Naming** tool, click on the Naming Format button (...) to the right of the text field. The Naming Format dialog opens.
3. Select from the combination of four Sequence Naming tokens (**Sequence Type, ID, Count** and **Total**). For example, when all four tokens are used in that order and using underscore to separate them, the file name will look like this: Focus Stacking_ABC0123_0011732_3_5.IIQ. This identifies this image as the 3rd in a 5 frame Focus Stack, and details the serial number and unique Sequence ID.
4. Verify the name is in the desired format in the **Sample** text field. Note, for convenience when repeatedly using the same tokens, you can save the combination as a User Preset (as shown).
5. Click **OK**, and continue with your usual export workflow.




Exporting sequences to Helicon Focus ®

When capturing image sequences destined for focus stacking you can use Capture One to select the appropriate sequence and then export the images to the dedicated focus stacking application, Helicon Focus ®, by Helicon Soft Ltd. This is a third-party utility and a separate license is required. Capture One can either process Phase One RAW files (IIQ 16-bit, IIQ L and IIQ S only) as either JPEG or TIFF and then export those files, or export previously processed JPEG or TIFF files to Helicon Focus. After the files are composited and saved in Helicon Focus, the rendered file is returned to Capture One. Please note Helicon Focus does not support Phase One RAW files, therefore these files must first be processed before adopting the Open With workflow, or as a result of using the Edit With... option.



Process RAW files and export to Helicon Focus

1. Select the image variants (with IIQ file extension) required for stacking. You can do this either individually, or, by selecting one image variant from the appropriate sequence and then by choosing the **Select By Same** option (right click > Select By Same > Sequence ID. All of the images with the same Sequence ID are selected).
2. Right click a second time and choose **Edit With...** An Edit Recipe dialog opens.
3. Select the appropriate image format from the **Format** fly-out menu (e.g., JPEG or TIFF (8/16-bit)).



4. Select from the other options where relevant or leave as default.
5. Click on **Open With** and select **Helicon Focus** from the list.
6. Click on **Edit Variants** to process and export the files to Helicon Focus.
7. Render the files in Helicon Focus (as directed in the developer's manual) and name and save the file as appropriate.
8. The rendered file will be returned to the originating image folder (e.g., the Selects Session Folder) in Capture One by default and displayed in the browser.

Export JPEG/TIFF files to Helicon Focus

1. Select the previously processed images (with either .jpg or .tif file extension) required for stacking. You can do this either individually, or, by selecting one image from the appropriate sequence of processed images and choosing the **Select By Same** option (right click > Select By Same > Sequence ID. All of the images with the same Sequence ID are selected).
2. Right click a second time and choose **Open With**, and select **Helicon Focus** from the list.
3. Render the files in Helicon Focus (as directed in the developer's instruction manual) and name and save the file as appropriate.
4. The rendered file will be returned to the originating image folder (e.g., the Selects Session Folder) in Capture One by default and displayed in the browser.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture**

- Tethered Capture Overview**
- Capture Naming and Counters
- Capture Location - Sessions
- Capture Location - Catalogs
- Capture Adjustments
- Camera Settings
- Live View
- Working with an Overlay

- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed ▾

- Sequences
- Metadata
- Keywords
- Deleting Images
- Copying Images



Tethered Capture

TETHERED SHOOTING / SESSIONS //

Shoot directly to the computer for an instant preview on screen, automatically apply image adjustments and control the camera. This section describes how to get the most from Capture One when working with a tethered camera.

Tethered Capture Overview ^{Pro}

Shoot directly into Capture One using Sessions or Catalogs; the world's most advanced tethered capture solution.

Capture Naming and Counters

Capture One imports images directly when working with a tethered camera, and you can choose from and apply a wide range of naming and counter options in the process.

Change the Capture Location when using Sessions

You can leave the storage location for captured images to Capture One or you can specify a new folder, at any time.

Change the Capture Location when using Catalogs

Capture One can manage the storage of captured images inside a Catalog or you can specify a separate folder instead.

Apply Capture Adjustments

Capture One can automatically apply a range of adjustments, including ICC profiles, metadata and image settings, as well as built-in or user-defined presets and styles to captured images to help you work faster.

Applying Camera Settings

When working tethered using a supported camera model, you can alter a wide range of camera settings, as well as adjust focus, initiate live view and trigger the shutter, all directly from within Capture One.

Live View ^{Pro}

Accelerate your workflow with Live View for supported medium format and certain Canon, Nikon and Sony cameras.

Working with an Overlay ^{Pro}

Use the Overlay tool when working tethered to help capture images for a specific layout or design. The Overlay tool can also be used when working with Live View.



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture

Tethered Capture Overview

- Capture Naming and Counters
- Capture Location - Sessions
- Capture Location - Catalogs
- Capture Adjustments
- Camera Settings
- Live View
- Working with an Overlay

- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed ▾

- Organizing Photos
- Optimizing Your Workflow
- User Interface
- Introduction
- Tethered Capture

PHASEONE

what the world's best photography is made of



Tethered Capture Overview^{Pro}

TETHERED SHOOTING // FOLDERS

Shoot directly into Capture One using Sessions or Catalogs; the world's most advanced tethered capture solution.

- Introduction
- Overview of workflow using a supported camera
- Starting a tethered Session
- Creating a new tethered Catalog
- Tethered camera support

Introduction

The Capture tool tab is the gateway to tethered shooting with a Phase One digital back or supported DSLR. When connected to the computer, you can import photos directly into a Session or Catalog and store them on the hard disk or an external drive, avoiding importing from a memory card.

Capture One allows full control over a compatible camera. You can adjust a wide range of camera settings and parameters, including the exposure and metering modes, exposure compensation, ISO, white balance and release the shutter. Capture One can even activate a camera's live view function and you can adjust the focusing either remotely, or manually, using the computer's monitor for composition and to check focus accuracy with an enlarged live preview.

For the latest information on compatible cameras, please refer to the [Supported Cameras](#) page, or view the release notes for the application. Note, supported cameras require a USB (or FireWire) cable to connect the camera to the computer (check your supported configuration in the camera documentation) for a simple out-of-the-box, "plug and play" experience.

In addition, the Capture tool tab allows you to apply a wide range of image adjustments, and multiple styles including image presets, keywords and IPTC metadata automatically from image to image, as well as name photos and name and create folders on import.

You can also connect to Capture One Pro wirelessly with the Capture Pilot app and an iOS device that lets you present, rate and capture images remotely. The Capture Pilot dialog in Capture One also has a separate web function that enables you, your Art Director and your colleagues to view, rate and color tag captured images from a web browser on a computer, Android (mobile device) or Windows Phone operating system.



Overview of workflow using a supported camera

1. Start a new Session, or if you prefer, you can use a Catalog instead.
2. Open the [Capture Tool Tab](#).
3. When a supported camera is connected and powered up (see your camera documentation for the supported transfer specification), Capture One will immediately recognize the model and populate both the Camera and Camera Settings tools with the relevant camera menus and settings.
4. From the **Camera Settings** tool, select the desired camera settings from the appropriate drop-down menu, or using the +/- buttons. For example, ISO, exposure mode (Av/Tv/M or P) and File format. Note the available camera settings depends on the support for the camera model.



5. Press the Capture button, located in the **Camera** tool.
6. Set the white balance by clicking on the brightest white area with detail in the captured image, using the **White Balance picker** (eye dropper) tool located in the **Camera** tool or **Cursor tool bar**.
7. Check the **Next Capture Adjustments** tool settings. The **Copy from Last** choice will copy the settings from the previous capture and will ensure that resulting images attain a similar look.

Starting a tethered Session

Sessions are popular for tethered capture, due to their portable and autonomous folder structure. However, you can work tethered in a Catalog if you prefer, see below for more information. Note a tethered Session is no different to a regular Session, though there are some important points to consider in the workflow prior to capturing and saving images to your computer.

1. From the main menu, choose File > **New Session...** A New Session dialog will open. When capturing images using an existing Session, ignore this section and instead verify the tool settings starting with the [Name or rename files](#) section.
2. In the **Name** text field, add a name for the new session.
3. In the **Location** text field, verify where the captured images will be stored is convenient. The default setting is the Pictures/My Pictures folder (Mac/Windows) on your computer. You can choose a new location by clicking on the (...) icon to the right of the Location text field. (The location can be altered later if necessary, using the Next Capture Location tool.) Note, the camera does NOT save or back up images to the memory card, and does not require a memory card to be installed.
4. In the **Subfolder** text fields, choose between the default names or rename them to suit. If new to working with Sessions, it is recommended to leave these folder names unaltered.
5. Choose a **Template** if you have one set-up, otherwise leave as Blank. When starting a new tethered session, templates offer a convenient method for adopting a predetermined set of albums, favorites and sub-folders. See the link below for more information on Templates. Note, you can NOT create multiple sub-folders using Capture One's token-based dynamic locations feature when creating a session, you can only add them if you've saved a hierarchy of folders previously as a template.
6. In the **Capture** name text field, the Session name is adopted automatically for naming images. However, you can choose another name now, or change it later, if necessary (see **Next Capture Naming** tool for more information).
7. Click **OK** to save the selections.

Find out about [Templates](#) and [Dynamic Locations](#) in Sessions.



Creating a new tethered Catalog

While Sessions are typically used for tethered capture, Catalogs are also well suited. While you don't have to create a new catalog every time you want to work tethered, it makes sense to if you want to share the database and image files between colleagues. Creating a Catalog when working with a tethered camera is no different to a regular Catalog, however there are some points to consider, such as changing the location of captured files from the default setting, which is inside the database file.

1. From the main menu, choose File > New Catalog... a New Catalog dialog will open. When capturing images using an existing Catalog, ignore this section, connect a camera and verify the tool settings detailed in the [Name or rename files](#) section.
2. In the **Name** text field, add a name for the new catalog.
3. In the **Location** text field, verify where the catalog and captured images will be stored is convenient, or choose a new location by clicking on the (...) icon to the right of the Location field. Note as the catalog is a database file, for optimum performance it should be located on a high-speed HDD, or an SSD. For convenience when working offline, the drive must be local, however, catalogs can be saved to an external drive or a network drive when necessary.



4. When creating a new catalog for tethered capture, image files are managed and stored **INSIDE** the catalog by default. After the catalog has been created, you can choose to reference the images later using the **Next Capture Location** tool. For more details, see the section [Change where to store captures](#). Note, the camera does **NOT** save, or back up, images to the memory card, and in fact does not require a memory card to be installed.
5. Choose a **Template** if you have one set-up, otherwise leave as Blank. When setting up a new tethered catalog, templates offer a convenient method for adopting a predetermined set of albums, favorites and sub-folders. For more details, see the section on [Templates](#). Note, you can't create multiple sub-folders using Capture One's dynamic locations feature when creating a catalog, you can only add them if you've saved a hierarchy of folders previously as a template.
6. Click **OK** to save the selections.

Tethered camera support

The scope of tethered support will vary depending on the digital back or camera connected. Live View may not be supported for all cameras. For the latest information on compatibility, please refer to the [Supported Cameras](#) page.

When using an unsupported camera it may still be possible to use Capture One. Please see the [Attach an unsupported camera](#) section for more details.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture

Tethered Capture Overview

Capture Naming and Counters

- Capture Location - Sessions
- Capture Location - Catalogs
- Capture Adjustments
- Camera Settings
- Live View
- Working with an Overlay

Capture Pilot (™)

- Editing Photos
- Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Tethered Capture Overview
- Organizing Photos
- Optimizing Your Workflow
- User Interface
- Introduction

PHASEONE

what the world's best photography is made of



Capture Naming and Counters

TETHERED SHOOTING / FILE NAMING /

Capture One imports images directly when working with a tethered camera, and you can choose from and apply a wide range of naming and counter options in the process.

- [Name or rename images](#)
- [An overview of Counters](#)
- [Adding Counters](#)
- [Setting Counters for both tethered use and import using a memory card](#)
- [Setting a Counter value](#)
- [Setting the Counter increment](#)
- [Manually decreasing the Counter](#)
- [Resetting a Counter](#)

Name or rename images

As both the memory card and its internal naming system are bypassed when working tethered, captured files are named on import by the **Next Capture Naming** tool. The default naming format adopts the Session or Catalog name along with a four-digit frame counter. However, you can change this at any time thereafter, using text or tokens or a combination of the two. Note, amending the name in Name field does not rename the document.



For example, if you've organized your Session or Catalog with a series of capture folders, by adopting the Destination Folder Name token you can automatically append images with that folder name as they come into Capture One. When changing the capture folder, the token will automatically update all further images with the new name. Similarly, if you're using Favorites in Sessions or Capture Collections in Catalogs, you can adopt the Collection Name token instead.

When only the original file name is required from the camera, replace the tokens in the **Format** field with only the **Original Filename** token instead. Note the selected Format and Name entries are saved when saving a Session or a Catalog as as Template.

1. Go to the **Next Capture Naming** tool.
2. In the **Name** text field, the Session (or Catalog) name adopted can be altered simply by typing a new name. For this text to be applied as the file name, the **Name** token must be used in the **Format** field.
3. When other naming options are to be used, click on the (...) icon next to the **Format** text field to reveal the **Naming Format** dialog.
4. Select one of the presets or create a new naming format by dragging tokens and, if desired, by adding custom text to the Format text field. Note some tokens have additional format options, click on the disclosure triangle to the right of the token to access and select the alternative configuration.
5. Verify the resultant name and format in the **Sample** field below the **Format** text field. This format will be used in naming subsequent files.
6. Click **OK** to accept the changes.

Find out more about [Naming Files](#), [Creating Naming Presets](#) and [Naming a Sequence when Tethered](#).

An overview of Counters

The **Next Capture Naming** tool offers a number of options for counters. With the default **Camera Counter** token, Capture One keeps track of the specific camera used during tethering. A four-digit counter is adopted, starting at zero the first time the camera is used tethered and thereafter increasing by one with each capture.

The Camera Counter cannot be reset, and continues regardless of the session or catalog in use. Additional Capture Counters are available that allow full control over, however, and you can adopt both the Import Counter and the Capture Counter when working between a tethered camera and another with a memory card. This allows consistent numbering between them.

When only the original file name is required from the camera, replace the tokens in the **Format** field with the **Original Filename** token instead.



Adding Counters

The default **Camera Counter** can be appended or replaced with additional counters. Two **Capture Counters** are available; a 1-6 Digit Counter that allows you to choose the number of leading zeros, and a simple Counter without that option.

1. From the **Next Capture Naming** tool, click on the action menu (...) beside the Format text field. The **Naming Format** dialog opens.
2. Double click on the relevant Counter token, or drag it to the **Format** text field in the Naming Format dialog. In addition, the 1-6 Digit Counter is included in a number of presets available from the dialog.
3. One or more counters may be used at a time.
4. Click **OK** to accept the selections.



Setting Counters for both tethered use and import using a memory card

When you know you will be switching between tethered operation and downloading images from a memory card in the same shoot, the Next Capture Naming tool can integrate the Import Counter in the Import Images dialog (i.e., the Importer) with the Capture Counter. This maintains consistent numbering, however, it is recommended that this option is set before starting tethered capture.

1. Start a new tethered session.
2. From the **Next Capture Naming** tool, click on the action menu (...), located at the top right of the dialog.
3. Select **Use Import Counter**. (Note, there is no need to switch back to the Capture Counter when working with a tethered camera).
4. Click on the action menu (...) beside the Format text field. The **Naming Format** dialog opens.
5. Add the 1-6 Digit Counter token, or the three digit Counter token, by double clicking on or dragging the relevant token to the Format field.
6. When it is time to import from a memory card, connect a card reader and card, or click on the Import icon to open the Import Images dialog.
7. In the **Naming** dialog, adopt the same naming format and counter tokens selected in the **Next Capture Naming** tool.
8. Imported images will adopt the same naming and numbering format as the tethered camera.



Setting a Counter value

You can set a value to start from for the selected counter (i.e., Capture or Import). Note the Camera Counter can not be altered.

1. From the **Next Capture Naming** tool, click on the action menu (...), located at the top right of the tool's title bar. The action menu dialog opens..
2. Click on **Set Capture/Import Counter**. A dialog opens.
3. Add a value to start from. To count down, add a minus (-) sign in-front



- of the value.
- 4. Click **OK** to accept the settings.

Setting the Counter increment

You can set a value for the selected counter (i.e., Capture or Import) to increase or decrease by. Typically this value will be one, but this option can be useful with multi-camera set-ups.

1. From the **Next Capture Naming** tool, click on the action menu (...), located at the top right of the dialog.
2. Click on **Set Capture/Import Counter Increment**. A dialog opens.
3. Set a value for the desired increment (to count down, minus values can be used).



Manually decreasing the Counter

The Capture Counter in use can be decreased manually, if necessary. This is useful when you want to re-number an image.

1. From the main menu Choose Edit > Counters > Decrement Capture Counter.
2. The counter is decreased by the previously selected increment each time this option is selected.
3. When another image is captured, duplicating the same counter number, the image will NOT be overwritten but appended with the set increment instead.



Resetting a Counter

With the exception of the Camera Counter, each counter can be reset from the Next Capture Naming tool or from main menu. Note, you can assign shortcuts to the counter options in the Capture One > Edit Keyboard shortcuts... / Edit > Keyboard Shortcuts... (Mac / Windows) menu.

1. From the Next Capture Naming tool, click on the action menu (...), located at the top right of the tool's title bar. The tool's action menu opens.
2. Click on Reset [Type] Counter.
3. Alternatively, from the main menu, choose Edit > Counters > Reset [Type] Counter.
4. The selected counter will be reset. Note the Camera Counter cannot be reset.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture

- Tethered Capture Overview
- Capture Naming and Counters

Capture Location - Sessions

- Capture Location - Catalogs
- Capture Adjustments
- Camera Settings
- Live View
- Working with an Overlay

Capture Pilot (™)

- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Capture Naming and Counters
- Tethered Capture Overview
- Organizing Photos
- Optimizing Your Workflow
- User Interface



Change the Capture Location when using Sessions

TETHERED SHOOTING / SESSIONS / FOLDERS

You can leave the storage location for captured images to Capture One or you can specify a new folder, at any time.

- Changing where to store captured images
- Creating multiple capture folders
- Selecting the capture folder from the Next Capture Location tool
- Creating folders from the System Folders browser
- Selecting the capture folder from the System Folders browser
- Creating folders from the Sessions Folders collection
- Creating capture folders from the Finder or File Explorer
- An overview of Session Favorites
- Creating folders directly as Favorites
- Selecting the capture folder from a Favorite
- Deleting a Session Favorite
- Saving a folder structure as a Template

Changing where to store captured images

When left to the default location, Capture One stores the Session folder and its sub-folders in the Pictures/My Pictures directory (Mac/Windows) on the local drive. And, when working tethered, the default destination folder for captured image files is the Capture sub-folder of the Session folder (which is no different when importing images from memory card in a typical session). However, using the **Next Capture Location** tool, you can change the destination folder (i.e., storage location) for captured images at anytime, even during a shoot.



Note, although there are no real restrictions as to where the destination folder can be located, to retain the organization and modularity of the Session, it's recommended that any new capture folders are created within the Session folder, and ideally within the Capture sub-folder. When the destination folder is located outside of the Session folder, on an external drive, for example, that drive must be accessible or on-line at all times in order to continue to work with images stored there. Image variants will NOT be available, if the drive is not accessible.

1. Go to the **Next Capture Location** tool.
2. From the **Destination** fly-out menu select **Choose Folder**.
3. Navigate to the new location and select an existing folder, or choose **New Folder** (optional) and name it, then select **Set as Capture Folder**. Future captures will be stored in that folder.
4. The **Space Left** field indicates the estimated number of captures available (based on the image file size of the last used tethered camera and the capacity of the drive, where the chosen folder was selected or created).

Creating multiple capture folders

In a tethered Session, the **Next Capture Location** tool can be used to create additional capture folders without leaving the Capture Tool Tab. Multiple capture folders are useful when you have a complex shoot to manage, and want to keep certain groups of images organized. For example, you may be photographing a large number of items for a brochure, capturing multiple images of each and want to organize them separately by item. Rather than

storing the whole shoot in the Session's default **Capture** folder, you can store each item in their own capture sub-folder.

Organizing a Session that way allows you to locate and return to a folder with ease should additional images of the item be required later. Not only that but there are some advantages in performance and stability when spreading large quantities of images across multiple folders, rather than storing them all in one single folder.

There are further benefits as well. When capture folders are added as Favorites, they're displayed as a flat list in the Library and images are indexed in the Session database file. This makes them quicker to load, and expands the search and organization capabilities of Smart Albums across each folder.

1. Follow steps 1 to 3 from [Change where to store captured files](#), immediately above, to create a new Capture folder. Repeat as necessary.
2. To add sub-folders, navigate to an existing folder (e.g., the Session's default Capture folder) and repeat the process of adding and naming New Folders where necessary.
3. When the folder structure is complete, continue and navigate in the open dialog to your chosen folder and select **Set as Capture Folder**.
4. When capture folders have been set in this way, they can be quickly selected when required from the **Destination** fly-out menu, under Recents.

For more information, see [Select the capture folder from the Next Capture Location tool](#) below.

Selecting the capture folder from the Next Capture Location tool

When you have previously created and selected one or more new capture folders using the **Next Capture Location** tool the folders are remembered so you can switch between them quickly, without navigating away from the Capture Tool Tab to the Library's Session Folders collection or System Folders browser.

1. Go to the **Next Capture Location** tool.
2. From the **Store Files** fly out menu, simply select the capture folder from the list.
3. When moving from a capture folder with images, a warning dialog opens asking, "**Would you like to remember the previous Capture Folder as a Favorite?**". Note this is the default behavior, further options are available from the [Global Application Preferences](#), under General, Favorites.
4. Select "**Yes**" when you want to view those images later (i.e., from the Library). Note, when "**No**" is selected, you can still view those images later by navigating to the folder from the System Folders and selecting **Add to Favorites**.
5. Future captures will be stored in the selected folder and a new browser session is started.

Creating folders from the System Folders browser

While the Next Capture Location tool can be used to create additional session sub-folders without leaving the Capture Tool Tab (useful if you've started the session already), you can instead create them beforehand or at any time using the Library's System Folders browser.

The following procedure assumes you're creating additional capture folders, but you can add any number of folders and sub-folders to the Session folder there, including Selects, Output and Trash sub-folders, if needed.



1. Navigate to the Library and choose from the following:
 - o Go to **System Folders**, and then navigate to the session folder and existing capture folder to add sub-folders.
 - o Alternatively, go to **Session Folders** and right click on the current **Capture Folder** and select **Show in Library**.
2. Select the capture folder, then right click and select **New inside "Capture"** and choose **Folder**. A New collection name dialog opens.
3. Name the folder, and click **OK**.
4. To create additional capture folders, repeat from step 2.
5. To set as the Capture Folder, right click on the new folder and select **Set as Capture Folder** from the menu.

Selecting the capture folder from the System Folders browser

When the System Folders browser in the Library has been used to create sub-folders, you can select the next Capture folder from there without navigating away.

1. From the **Library Tool Tab**, choose from one of the following:
 - o Go to **System Folders**, unfold the directory and navigate to the session folder.
 - o From the **Session Folders** and right click on the current Capture Folder and select **Show in Library**.
2. Select the new folder then right click and select **Set as Capture Folder**.




Creating folders from the Sessions Folders collection

While using the Library's **System Folders** browser to create new folders or sub-folders gives you a good overview of the Session folder hierarchy, it is quicker and simpler to create additional sub-folders for any of the four default Session sub-folders directly from the **Session Folders** collection.

Note that while all newly created folders are displayed in the System Folders browser, they're not shown in the fixed Session Folders collection. Instead a Session Favorite will be created as a shortcut to each system folder or sub-folder, where they're displayed as a flat-list in their own Session Favorites collection and the images are displayed in their own browser session. Read more about [Session Favorites](#) and their benefits.

The following procedure assumes you're creating additional capture folders, but it is the same for each type of Session sub-folder.

1. Navigate to the Library in the Library Tool Tab.
2. From the **Session Folders** collection, right click on the chosen Session sub-folder (e.g. Capture Folder) and select **Capture Folder** from the menu.
3. A dialog opens, asking "**Would you would like to remember the previous Capture Folder as a Favorite?**". Select "**Yes**", when you have or intend to store captured images there, even temporarily. Otherwise, select "**No**".
4. In either case, a new **Session Favorite** will be added to the Session Favorites collection.
5. Name the new Session Favorite in the corresponding text field. Choose the name carefully as a system sub-folder will be created with the same name (only visible in the System Folders browser).
6. In addition, the new Session Favorite will be automatically selected as the new Capture Folder (indicated by a small camera icon), and all subsequently captured images will be physically stored in the new system sub-folder.
7. To create additional sub-folders, repeat from step 2.
8. To select the Capture Folder, right click on the chosen Session Favorite and select **Set as Capture Folder** from the menu.




Creating capture folders from the Finder or File Explorer

If you prefer, you can bypass both the **Next Capture Location** and the Library's **Session Folders** collection and **System Folders** browser and create additional Session sub-folders using the Finder (Mac) or File Explorer (Windows) instead. New folders must then be added as a Favorite. Read more

about [Session Favorites](#) and their benefits.

1. Create a new folder in the location of your choice (e.g. the current Session's Capture Folder) using the Finder (Mac) or File Explorer (Windows) as normal and name it.
2. Open the Session, if not already, navigate to the **Library** and drag the new folder to the **Session Favorites**. Repeat as necessary.
3. To set as the Capture folder, right click on the chosen Session Favorite and select **Set as Capture Folder**.



An overview of Session Favorites

A Session folder consists four sub-folders, displayed in the Library's Session Folders as a fixed collection of Capture, Selects, Output and Trash folders. These folders and their contents are indexed in the Session database allowing quick loading of their own individual browser session, as well as access to the search and organization capabilities of Smart Albums.

When you add folders using the **Next Capture Location** tool, however, those folders are neither displayed in the fixed **Session Folders** collection, nor are they indexed automatically. Therefore navigating between the folders is limited to the Next Capture Location tool itself and the **System Folders** browser. While this is fine for a typical Session with a few additional folders, more complex Sessions will benefit from each new folder being designated as a **Session Favorite**.


There is no limit to the number of Favorite folders. And every folder assigned as a Favorite is not only indexed in the Session database with all of the attendant benefits, but is also conveniently displayed as a flat-list in the Session Favorites collection dialog. As well as greatly simplifying navigation, from there you can add new folders, rename them, re-organize the list, and easily set the next Capture, Selects, Output or Trash folder, or even remove them.



Creating folders directly as Favorites

Folders can be created directly from the Session Favorites collection. As with the other methods described, it is recommended that any new folders should be added as sub-folders to the Session folders. All folders created from this collection are automatically saved as Favorites, which can be quickly-nominated as the next Capture, Selects, Output or Trash folder, as needed.


1. From the Library Tool Tab, go to **Session Favorites** and click on the (+) button. A Finder/File Explorer (Mac/Windows) dialog opens.
2. Navigate to the desired destination location, preferably within the current Session sub-folder (e.g. the Capture sub-folder), and select **New Folder**. A New Folder naming dialog opens.
3. Name the folder using a logical or descriptive name (this will be used for the system folder and Session Favorite).
4. Select Add/Select Folder (Mac/Windows). The system folder is created and the Session Favorite is added to the Session Favorites collection dialog in the Library.
5. To create additional sub-folders, repeat from step 1.
6. To select the **Capture Folder**, right click on the chosen Favorite and select **Set as Capture Folder** from the menu.



Selecting the capture folder from a Favorite

After adding each new folder as a Session Favorite in the Library, when you're ready, you can nominate it as the next Capture Folder.


- There are several ways to add folders as Session Favorites, choose from the following:
 - From the **Library Tool Tab**, go to **Session Favorites** and click on the (+) button. A Finder/File Explorer (Mac/Windows) dialog opens. Navigate to the new folder and select **Add/Select Folder** (Mac/Windows).
 - Select the session folder from the System Folders in the Library (as detailed above), then right click and select **Add to Favorites...**
 - Create or locate the folders in the Finder/File Explorer (Mac/Windows) and drag them to the **Sessions Favorites** tool.
- When you want to nominate a Session Favorite as the Capture Folder, select it, then right click and choose **Select as Capture Folder** from the menu.
- When moving from a capture folder that's not already saved as a Favorite, a warning dialog opens from the default preferences setting, asking "**Would you like to remember the previous Capture Folder as a Favorite?**". Select "**Yes**" when you want to view those images later from the Library. Note, when "**No**" is selected, you can still view those images later by navigating to the folder from the System Folders and selecting **Add to Favorites**.
- When the capture folder is selected, all future captured images are stored there and a new browser session is started.



Deleting a Session Favorite

When you no longer require a Session Favorite, it can be safely removed without deleting the original images.


- Select the relevant Session Favorite from the list and either, press the minus (-) button, or right-click and select **Remove from Favorites...** from the menu.
- The Session Favorite is removed, however, the folder and contents (i.e., original images) are not deleted.



Saving a folder structure as a Template

When you want to reuse complex folder structures, and preserve Session favorites, albums, and file naming options from the Next Capture Naming tool, you can save them all when you create a document Template. This can then be adopted when creating a new tethered Session.

- From the main menu, select **File > Save as Template...** A dialog opens.
- Give the template a relevant name, and select **Save**.
- The template is stored and can be chosen when creating a New Session.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture

- Tethered Capture Overview
- Capture Naming and Counters
- Capture Location - Sessions
- Capture Location - Catalogs

- Capture Adjustments
- Camera Settings
- Live View
- Working with an Overlay

- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed ▾

- Capture Location - Sessions
- Capture Naming and Counters
- Tethered Capture Overview
- Organizing Photos
- Optimizing Your Workflow



what the world's best photography is made of



Change the Capture Location when using Catalogs

TETHERED SHOOTING // FOLDERS


Capture One can manage the storage of captured images inside a Catalog or you can specify a separate folder instead.

- Changing where to store captured images
- Creating multiple capture folders
- Selecting the capture folder from the Next Capture Location tool
- Adding images to Capture Collections
- Saving a folder structure as a Template

Changing where to store captured images

When using a Catalog for tethered capture, Capture One stores the images INSIDE a folder within the Catalog (name.cocatalog) file. Unless the Catalog location has been changed, both the catalog and captured images will be stored in the **Pictures/My Pictures** folder (Mac/Windows) on the local drive.

While this is fine for small shoots, when large volumes of images are expected, you can select or create a separate folder for the captured images anywhere on your system. Changing the storage location is achieved with the Next Capture Location tool and you can change the location when using new or existing Catalogs at anytime, even during a shoot. Images are then referenced to the catalog, in the same way that you would reference any other images using a catalog.



Note, when creating a new Catalog, the previously chosen location for the Catalog will be recalled. Therefore, it's important to carefully select the storage location of the Catalog file during creation, AND then either verify or amend the storage location for the captured images from the **Next Capture Location** tool.

1. Go to the **Next Capture Location** tool.
2. From the **Destination** fly-out menu, select from the following:
 - o **Inside Catalog** (default) - selecting this option will store the captured images inside the catalog database file (i.e, the images are "managed"). After selecting this option, follow the guide from step 4.
 - o **Choose Folder** - this option allows you to store captured image files in a specified folder (i.e, the images are "referenced") separate from the catalog.
3. When selecting the Choose Folder option, navigate to the new location and select an existing folder, or choose **New Folder** (optional) and name it, then select **Set as Capture Folder**. Future captures will be stored in that folder.
4. Catalogs have a **Collection** option displayed in the Next Capture Location tool. Choose from the following options:
 - o **Recent Captures Only** (default) - select if you do NOT want to use this option to group imported images into an existing Capture Collection (i.e., a designated User Collection).
 - o **Capture Collection** - select this option to add imported images to the current Capture Collection (i.e., a "virtual" album previously setup as a Capture Collection, denoted by a small camera icon.)
5. The **Space Left** field indicates the estimated number of captures available (based on the image file size of the last used tethered camera) and the

capacity of the drive, where the chosen folder was selected or created.

Creating multiple capture folders

When using a Catalog, the Next Capture Location tool can be used to create multiple capture folders including sub-folders, like it can in a Session. Multiple capture folders are useful when you are photographing many different items during the day and want to keep the images separate. By adopting a logical folder structure, this can help organize the most complex shoots. Smaller folders of images can also aid the allocation of system resources, making the catalog more stable and responsive.

As there's no preset folder structure like there is with a Session, it makes sense to adopt the top-level folder or root folder as a shot-folder, and then create capture folders as sub-folders.

With Catalogs you have a choice of using either physical capture folders or virtual folders as capture collections (i.e., albums, projects and groups). You can even combine the two methods. Either way you'll benefit from the advanced search and organizational capabilities of smart albums, but using collections allows for additional control.

For more information, see the section on using Collections when working tethered, below. Note that complex album and folder structures can be saved as a template, for repeated use.

1. To create a new capture folder, choose from the following:
 - o Follow steps 1 to 3 from [Change where to store captured files](#), immediately above. Repeat as necessary.
 - o Create and name a new folder in the Finder/File Explorer (Mac/Windows).
 - o From the Library, go to **Folders** and click on the (+) icon, or right click on **Catalog** and select **Add Folder...** from the menu.
2. To add sub-folders, navigate to an existing folder and repeat the process of adding and naming New Folders where necessary.
3. When the folder structure is complete, return to the **Next Capture Location** tool and from the **Destination** fly-out, select **Choose Folder...**
4. Navigate to your new folder and select **Set as Capture Folder**.
5. Capture folders may now be selected from the **Destination** fly-out menu when required. For more information, see [Select the capture folder from the Next Capture Location tool](#) below.

Selecting the capture folder from the Next Capture Location tool


When you have previously created one or more new capture folders using the **Next Capture Location** tool, the folders are remembered. This allows you to switch between them quickly, without using the Library.

1. Go to the **Next Capture Location** tool.
2. From the **Destination** fly-out menu, simply select the capture folder from the list.
3. Future captures will be stored in the selected folder and (unlike a Session) the browser session continues to display all the previous captures from the various capture folders.

Adding images to Capture Collections

Whether you've left captured images to be managed inside the catalog or you've specified a separate destination folder, the Next Capture Location tool allows the incoming images to be organized into Capture Collections. Collections are virtual albums; the images aren't physically moved once they're in the destination folder but Capture Collections are a useful organizational asset for complex, high-volume shoots, in much the same way as separate physical Capture Folders are.

One benefit over separate Capture Folders however, is the option to quickly isolate and display the captures by Collection. A Catalog typically adopts a single browser session, showing all the images across all the Capture Folders.



While you can work with the Capture Folders individually from the Library and view only their contents, it's arguably more convenient using Albums. You can also micro-manage the advanced search and organizational capabilities of Smart Albums by limiting them to individual Collections, rather than the entire catalog with its constituent Capture Folders.


Before allocating incoming images to a Capture Collection, you must set-up a Collection first in the Library, then nominate it as a Capture Collection. Setting a series of Collections first allows you to switch between them when you've a complex shoot to organize. When adding Albums, it's a good idea to adopt a descriptive and logical name or naming format.

1. Before the shoot begins in earnest, go to the **Library** tool, located under the Library Tool Tab.
2. From the **User Collections** dialog, click on the + icon and add an Album (only Albums can hold images, though Albums may be further organized using Projects or Groups, or a combination of both). A new Collection naming dialog opens.
3. Name the Album using a logical and descriptive format. (Options for Selecting collection after creation and Add selected images after creation can be ignored).
4. Ctrl-click/right-click (Mac/Windows) on the first Album to be used for incoming images, and select **Set as Capture Collection**. A small camera icon will be displayed next to the Album as a visual reminder.
5. Return to the Capture Tool Tab and go to the Next Capture Location tool.
6. From the Collection drop-down, select **Capture Collection**.
7. Captured images coming into Capture One will be now stored in the selected Destination (Capture) folder and organized into the designated Capture Collection.
8. To move to the next Capture Collection, return to the Library, and repeat from step 4.

Saving a folder structure as a Template

When more than one capture folder is required on a regular basis, you can save the folder structure as well as any created User Collections (ie., albums, smart albums, projects, or groups) as a document Template. This template can then be adopted for each new tethered catalog.

1. From the main menu, select File > Save as Template... A dialog opens.
2. Give the template a relevant name, and select **Save**.
3. The template is stored and can be chosen when creating a New Catalog.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture

- Tethered Capture Overview
- Capture Naming and Counters
- Capture Location - Sessions
- Capture Location - Catalogs

Capture Adjustments

- Camera Settings
- Live View
- Working with an Overlay

Capture Pilot (™)

- Editing Photos
- Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

- Capture Location - Catalogs
- Capture Location - Sessions
- Capture Naming and Counters
- Tethered Capture Overview
- Organizing Photos

PHASEONE

what the world's best photography is made of



Apply Capture Adjustments

TETHERED SHOOTING / CUSTOMIZATION // METADATA / PRESETS / STYLES

Capture One can automatically apply a range of adjustments, including ICC profiles, metadata and image settings, as well as built-in or user-defined presets and styles to captured images to help you work faster.

- Adding adjustments automatically
- Selecting an ICC profile
- Setting the orientation of a capture
- Setting the orientation of a capture (Phase One digital backs only)
- Applying auto-alignment (Phase One digital backs only)
- Adding metadata to captures
- Adding image adjustments to captures
- Applying Styles and Presets
- Selecting the appropriate capture preview

Adding adjustments automatically

Keeping track of adjustments made to images can be difficult to monitor when working in the often pressured environment of a tethered shoot. Instead, you can rely on Capture One to assign an ICC profile and certain image adjustments and styles from the application's extensive range of tools made from a few test shots. The option to add adjustments and styles (presets) from Capture One isn't available at the time of creating a new tethered Session, instead they must be selected from the **Next Capture Adjustments** tool.



Selecting an ICC profile

Capture One automatically recognizes the tethered camera and selects the appropriate ICC profile. However some cameras and digital backs, notably those from Phase One, have multiple ICC profiles associated with them. You can use the Next Capture Adjustments tool to override that selection and adopt either a specific ICC profile from the available list or from an earlier capture if necessary. Note this is a specialized function and, unless a specific profile is required, it should be left to the default setting for that camera model.



1. Capture an image as detailed above.
2. Navigate to **Next Capture Adjustments** tool.
3. From the **ICC Profile** fly-out menu, choose from the following:
 - o **Default** (default) - The default or custom default ICC profile is applied. To override the default selection, simply select the ICC profile from the drop-down list. (Note the ICC profile can also be specified in the Base Characteristics tool, however, unless you have saved the selected profile as a new custom default profile for the camera, you would need to capture an image with the new profile and then select Copy from Last.)
 - o **Copy from Last** - select this option to adopt the ICC profile used for the last capture. When switching between profiles during a tethered session, it can be difficult to keep track. After you've decided on the appropriate profile, use this option to select the profile used for the last capture, or use the **Copy from Primary** option to make a selection from a previous image.
 - o **Copy from Primary** - select this option to adopt the ICC profile

used to capture the primary variant (i.e., the thumbnail selected in the browser with a thick white border, as opposed to any others selected that are displayed with a thin white border).

4. The selection is automatically saved and applied.

Setting the orientation of a capture

Select the appropriate setting from the **Next Capture Adjustments** tool when a camera is unable to determine the appropriate image orientation using its built-in internal sensor. For example, when the camera is overhead and pointing downwards, you can use this option to override the camera's setting. This includes Phase One backs that already have their image orientation set by Capture One. (See more below on camera orientation with Phase One backs).

1. Navigate to **Next Capture Adjustments** tool.
2. From the **Orientation** fly-out menu choose from the following:
 - o **Default** (camera's setting)
 - o **0°**
 - o **90°**
 - o **180°**
 - o **270°**
3. After selecting, the image will be oriented as chosen in the Viewer.
4. When using **Live View** with supported cameras, the orientation of the preview in Capture One's Live View window will match that of the Viewer.



Setting the orientation of a capture (Phase One digital backs only)

When capturing images at angles that are not supported by the digital back's integrated image orientation sensor, for example when the camera is facing down and rotated at the same time, you can use Capture One to set the orientation of captures in the Viewer. This option can also be used with earlier models that do not feature an integrated orientation sensor.



It is important to emphasize that use of Capture One's Orientation setting will not only rotate, but it will also overwrite the orientation information in an image. Hence the new orientation data will be kept in the image file when it is moved to another computer running Capture One.

1. From the main menu, choose Camera > Orientation.
2. Set the desired rotation.
3. Select Auto to rotate the capture automatically (Phase One IQ, P and P+ series backs and H-backs made for 645-format only).

Applying auto-alignment (Phase One digital backs only)

When using a tethered Phase One digital back with an integrated orientation sensor (i.e., Phase One IQ, P and P+ series backs and H-backs made for 645-format only) Capture One can apply automatic rotation and keystone correction.

1. Go to the Capture Tool Tab and check mark the **Auto Alignment** option in the Next Capture Adjustments tool.



Adding metadata to captures

You can set up the tethered Session or Catalog to copy certain metadata from image-to-image. This can be useful, for example, when assigning different keywords, instructions or various rights usage terms to images just prior to capture.

1. Select an image in the session or catalog (e.g., the previous capture) and assign metadata where relevant, for example, using the tools located under the **Metadata Tool Tab**.
2. Return to the Capture Tool Tab and go to the **Next Capture Adjustments** tool.



3. From the **Metadata** fly-out menu, select from the following options:
 - o **Defaults** (default) - adds camera EXIF data only. Any metadata already assigned will NOT be copied to the next capture.
 - o **Copy from Last** - copies all assigned metadata from the last captured image.
 - o **Copy from Primary** - copies all assigned metadata from the selected Primary variant (the selected image with the heavy white border).
 - o **Copy from Clipboard** - applies all metadata copied to the Adjustments Clipboard from the last captured image or from the selected Primary variant to the next captured image. This is useful when limiting specific metadata to images.
 - o **Copy specific from Last** - selecting this option opens a Metadata-only clipboard where Ratings, Color Tags, Keywords and other individual IPTC fields can be selected for copying from the last captured image.
 - o **Copy specific from Primary** - selecting this option opens a Metadata only clipboard where Ratings, Color Tags, Keywords and other individual IPTC fields can be selected for copying from the selected Primary Variant (the selected image with the heavy white border).
4. The selection is automatically saved and applied to all future captures.

Adding image adjustments to captures

The option to add image adjustments isn't available when creating a new tethered Session or Catalog, instead they must be selected from the **Next Capture Adjustments** tool.

1. Capture an image and make any required adjustments or edits.
2. Navigate to **Next Capture Adjustments** tool.
3. From the **All Other** fly-out menu, choose from the following (the ICC profile and any metadata selected above will be applied in each case):
 - o **Defaults** - applies Capture One's default settings to the next capture (note, any image adjustments made previously will NOT be applied. Custom defaults saved for specific camera models will be applied, however).
 - o **Copy from Last** (default) - copies adjustment settings that were applied to the last capture. For example, if you made a white balance correction and increased the saturation, every subsequent image would have the same settings applied. This is particularly useful when setting up and fine-tuning adjustments.
 - o **Copy from Primary** - copies adjustments applied to the selected primary variant (i.e., the selected image in the browser with the thick white border), and applies the same adjustments to the next capture. This is similar to Copy from Last but should be used when the image has multiple adjustments and no longer requires further editing. When the image is in need of further fine-tuning, adopt Copy from Last.
 - o **Copy from Clipboard** - this option applies all the adjustments copied to the Adjustments Clipboard from the Primary variant to the next captured image. You can use this option like the others applying all the adjustments, or you can use this selectively, when deciding to apply a mix of metadata and image adjustments.
 - o **Copy specific from Last...** - selecting this option opens the Next Capture Adjustments clipboard where you can select specific image adjustments to copy from the last capture.
 - o **Copy specific from Primary...** - like Copy specific from Last..., you can use this to copy specific image adjustments applied to the selected Primary variant.
4. The selection is automatically saved and the relevant settings applied to all future captures.



Applying Styles and Presets

In the same way that image adjustments can be added, Styles and Presets can be applied to captures.

1. From the Next Capture Adjustments tool.

2. Go to the Styles fly-out menu, choose from the following:
 - o **None** (default)
 - o **Stack Styles**
 - o **User Styles**
 - o **Built-in Styles**
 - o **User Presets**
 - o **Built-in Presets**
3. The selection is automatically saved and the relevant settings applied to all future captures.



Selecting the appropriate capture preview

Capture One can control how previews are updated and displayed in the Viewer during tethered capture.

1. From the main menu, select Camera > Auto Select New Capture..., and choose from the following:
 - o **Never** - will show the chosen primary variant. The viewer is not updated with new captures.
 - o **Immediately** - displays a quickly rendered preview while the adjustments are applied. Select this option if working quickly, for example, during a fast-paced fashion shoot.
 - o **When ready** - displays a high quality preview with the adjustments applied. Select this option, for example, when capturing still life, landscapes and architecture. Note this option is generally slower due to the processing required. If the capture rate is high it can be difficult to keep track of individual images, where the subject could be moving rapidly.
 - o **Auto Pause** - pauses the preview of the selected variant to allow inspection, for example, to check focus accuracy. Files can continue to be captured, but the image preview in the main Viewer isn't updated until **Immediately** or **When ready** is selected.
2. The selection is automatically saved and applied.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture

- Tethered Capture Overview
- Capture Naming and Counters
- Capture Location - Sessions
- Capture Location - Catalogs
- Capture Adjustments
- Camera Settings**

- Live View
- Working with an Overlay

- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed ▾

- Capture Adjustments
- Capture Location - Catalogs
- Capture Location - Sessions
- Capture Naming and Counters
- Tethered Capture Overview

PHASEONE

what the world's best photography is made of



Applying Camera Settings

TETHERED SHOOTING /// CAMERA SYSTEMS / DIGITAL BACKS

When working tethered using a supported camera model, you can alter a wide range of camera settings, as well as adjust focus, initiate live view and trigger the shutter, all directly from within Capture One.

- Attaching a supported camera
- Attaching an unsupported camera
- Reconnecting a camera
- Taking test shots
- Taking test shots using Live View
- Taking test shots in Composition mode
- Adjusting camera settings
- A note on Phase One RAW file options
- Adjusting focus using the camera's AF system
- Exposure evaluation
- Setting white balance
- Capturing images
- Activating the Image Area/SensorFlex function for Nikon/Leaf
- Using an overlay when shooting tethered
- Capturing images wirelessly with Capture Pilot
- Displaying battery status
- Trouble shooting: Digital backs

Attaching a supported camera

Please refer to the camera's instruction manual for details on the appropriate connection method. For example, the Sony ILCE-7M2 (Alpha a7 II) has four menu options for USB connection (Auto (default), Mass Storage, MTP and PC Remote). In this instance, the camera should be set to PC Remote. When the connection has been established all the camera settings that are selected in Capture One are transferred to the camera, and, similarly, the same settings made directly on the camera are transferred to Capture One. Therefore you can choose between operating the camera remotely, or normally with the software running in the background.




1. Connect a **supported camera** to your computer via a FireWire or a USB cable, as appropriate. When successfully connected, the **Camera Settings** and **Camera** tool are populated with settings data from the camera.
2. When a camera or digital back has been disconnected, do not reconnect it until the Camera tool status changes to **No Camera Attached**.

Attaching an unsupported camera

When using an unsupported camera it may still be possible to use Capture One, as long as you have a compatible capture utility for your specific camera model. However, support for Capture One's tethering tools and features is greatly reduced.

Note access to shared folders required for this option may be restricted when running some third-party capture utilities simultaneously with Capture One, therefore the following guide may not be suitable.



Before connecting a camera model that's directly supported by Capture One, deselect the appropriate Provider/Enabled Tethered Support (Mac/Windows) option in the Preferences first then restart the application. Note a shortcut is provided from the Camera tool's action menu (...).

1. Open the third-party utility, and create and name a destination folder for the captures as you would normally when using it. Note it may be possible to select the Capture Folder of the Capture One Session as the destination folder. If so, captured images will then appear in the Session's Capture Folder and no further set-up is required. When access to another folder is required, please follow from step 2.
2. From Capture One's **Library** tool, under **Sessions Favorites**, click on the adjacent (+) button, navigate to the folder and select **Add**. Alternatively, select the folder from Finder/File Explorer (Mac/Windows), and drag it to the Sessions Favorites. The folder will be added automatically.
3. From Capture One's main menu, or from the **Camera** tool's action menu (...), select **Hot Folder Enabled**. Capture One will monitor this folder for image files.
4. Capture images using the third-party app and images will now appear in the Capture One Viewer.

Reconnecting a camera

In the event of a supported DSLR or digital back being disconnected, do not reconnect it until the Camera Settings tool status changes to **No Camera Attached**. When the warning continues to be displayed after reconnecting, check the following:

1. From the **Camera** tool's action menu (...), select **Preferences...**. A dialog opens.
2. Select **Capture** and confirm the appropriate manufacturer is selected under the **Providers/Enabled Tethered Support** (Mac/Windows) option.
3. Deselect other makes to avoid conflicts.
4. Verify cable lengths meet trade association specifications, or recommendations:
 - o **USB 3.0**: 9 Ft/3m recommended maximum for standard A to B cables. (3 Ft/1m recommended maximum for standard A to micro B). Note longer cables may still be usable providing they do not degrade the electrical characteristics of the signal.
 - o **USB 2.0**: 16 Ft/5m maximum for standard A to B cables. (6 Ft/2m maximum for standard A to micro-B).
 - o **FireWire 800**: 14 Ft/4.5m approx.
Use of a powered repeater or hub is recommended above those lengths.
5. Change USB ports on the computer. Note some ports are optimized for low power devices that may not be suitable for tethering.
6. When the camera or digital back is in sleep mode, it may be enough to wake the camera, otherwise it may be necessary to power the camera off and then back on again.

See below for more trouble-shooting options.

Taking test shots

Before the Session starts in earnest, it is advisable to take some test shots with the camera tethered.

1. Capture an image using one of the following options:
 - o Click on the **Capture** button located in the **Camera** tool, next to the movie camera icon.
 - o Click on the Capture button (**Camera** icon) in the main **Toolbar**. When the camera is ready the camera icon will be highlighted (when the camera is asleep, or detached, the icon will be grayed out). You can use this or the following options to continue capture when making image adjustments in Capture One (i.e., when the Capture Tool Tab is no longer open or easily accessible.)
 - o Press the shutter button on the camera body (or attached remote release).
 - o From the main menu, select Camera > Capture, or use Cmd(⌘)+K



(Mac), Ctrl+K (Windows).

2. The captured image will be imported into Capture One and the image displayed in the main Viewer.
3. Verify the exposure using the **Exposure Evaluation** tool. The exposure meter below the histogram provides an estimation of the exposure value of the captured image. This tool can be useful when adopting an ETTR (expose to the right) strategy.
4. Adjust basic camera settings in the **Camera** tool, or more advanced settings in the **Camera Settings** tool (settings available are dependent upon the support provided by the camera maker), and capture additional images to verify the adjustments.
5. Switch to [composition mode](#) while setting up, if you're concerned about unnecessary culling and using disk space. **Warning!** Only the last shot is saved in the composition mode. See below for more information.

Taking test shots using Live View

Capture One Pro's Live View feature can be used to make test shots, when a supported camera is connected.

1. From the **Camera** tool, click on the **Live View** button (movie camera icon).
2. Capture an image using the **Remote Release** button in the **Camera** tool, or alternatively, click on the Remote Release (camera icon) in the main **Toolbar**.
3. The captured image will be imported into Capture One and the image displayed in the main Viewer.
4. Verify the exposure using the **Exposure Evaluation** tool. The exposure meter below the histogram provides an estimation of the exposure value required. This tool can be useful when adopting an ETTR (expose to the right) strategy.
5. Adjust basic camera settings in the **Camera** tool, or more advanced settings in the **Camera Settings** tool (settings available are dependent upon the support provided by the camera maker), and capture additional images to verify the adjustments.
6. Switch to [composition mode](#) while setting up, if you're concerned about unnecessary culling and using disk space. **Warning!** Only the last shot is saved in the composition mode. See below for more information.

Find out more about tethered capture using [Live View](#).



Taking test shots in Composition mode

This mode allows you to shoot multiple test shots without filling up hard drive space. **Warning!** Each new capture taken in Composition mode overwrites the previous one.

1. Choose Camera > Composition Mode or press the Composition mode icon. Note the Composition mode icon can be added to the toolbar. Go to View > Customize Toolbar..., then drag the Composition Mode icon  to the toolbar.
2. The Composition mode is activated as soon as the  icon is displayed on images in the Viewer.
3. Deselect the Composition mode to keep test shot files.



Adjusting camera settings

When a supported camera is connected, the Camera Settings tool allows you to make a number of adjustments to the camera's settings. The following describes the basic instructions for control of a tethered camera. The range of settings available is dependent on the support for the camera model from the manufacturer. Capture One offers the most comprehensive control over the Phase One XF and IQ3 series digital backs, however a wide range of settings can be accessed on the latest pro-oriented cameras from Canon, Nikon and Sony.

1. In the **Camera Settings** tool, select the desired AE Mode from the fly-out



- menu.
- 2. In this example the Manual exposure mode was chosen, which means it is possible to adjust the **Shutter Speed**, **Aperture** and **EV adj.** (Exposure Value adjustment) settings. Click on the the - / + minus icons to make adjustments. A fly-out menu is offered as an option for Aperture, EV adj., and ISO, but compatibility is dependent on the camera model.
- 3. Click on the fly-outs to alter **WB** (White Balance), **File Format**, **Drive** (mode), **Metering Mode** and **AF Mode**.
- 4. The **Camera Settings** tool offers additional functionality depending on the camera model. Click on the disclosure triangles to reveal more settings and then click on the fly-out menus to make selections.

A note on Phase One RAW file options

Phase One digital back users can choose between storing their tethered captures in two different types of compressed RAW files. (The format for the captures can be set using the Camera tool in the Capture tab).

IIQ RAW stands for Intelligent Image Quality RAW. It is an intelligent way of turning the full 16-bit or 14-bit image data captured by the camera into a compact RAW file format.

The IIQ L RAW format is unique because it is completely lossless. IIQ RAW L can be processed into a 16 bit TIFF, even though it is only half the size of a traditional RAW file.

The IIQ S RAW format is also based on the full 16-bit or 14-bit data that is captured by the digital back's sensor. However, unlike IIQ RAW L and the new IIQ RAW L 16-bit format available on the IQ3 100MP, it is not 100% lossless. Most users will not notice any quality difference between the two file formats especially if the IIQ RAW S format capture is well exposed and set on a low ISO rating.



Adjusting focus using the camera's AF system

In Capture One's Live View window, the Camera Focus tool allows auto-focus and powered focus control when working tethered with the Phase One XF system camera and certain supported Canon and Nikon cameras. Sony cameras, where supported, are compatible with the auto-focus control only.


When Capture One's Live View function is enabled, you can control focus from either the Camera Focus tool located in the Capture Tool Tab in the main app or from the Capture Tool Tab in the separate Live View dialog. Note however, that when Live View is disabled, focus control using the Camera Focus tool in the main app's Capture Tool Tab is limited to the Phase One XF system camera (with Firmware Update #3) and certain Sony models (auto-focus only).



1. From the main menu select Window > Live View, or from the Capture Tool Tab, click on the **Live View** (movie camera) icon in the **Camera tool** to open the Live View window.
2. Select the camera's AF mode and active AF point as usual, and focus approximately on the subject using a long-press on the AF button in the **Camera Focus** tool. The image in the Live View window is updated during focusing. An AF indicator light above the button typically replicates the camera's built-in AF indicator.
3. To fine-tune focus after initiating AF, long press on the appropriate Camera Focus tool's arrow buttons, while observing the image in Capture One's Live View Window.
4. Release the arrow button when optimal focus has been achieved. The setting will be locked.

Exposure evaluation

Located under the Capture Tool Tab, the Exposure Evaluation tool displays a histogram of the latest captured image. Note, with the exception of any white balance correction, the histogram will not be updated after any other adjustments have been made as it refers to the original exposure. However, adjustments will be reflected in other histograms, such as those found in the Levels and Curves tools.



An Exposure meter is located directly below the Exposure Evaluation histogram. This meter provides an indication of under/overexposure that is based on a center-weighted measurement, and is displayed with a scale denoting ± 2 EV. This meter is designed to be easily seen at long viewing distances, and to make estimating the exposure easier when shooting tethered in a studio or on location.

Setting white balance

When capturing images you can make a white balance correction on-screen. The correction can be applied to RAW, JPEG and TIFF files.


1. Capture an image using your tethered camera.
2. From Capture Tool Tab, click on the White Balance (eyedropper) icon located in the **Camera** tool, or from the Cursor Tool Bar.
3. Set the White Balance with the eyedropper by clicking on a neutral gray area of the image in the Viewer. When a neutral gray area cannot be found, click on a bright white area with detail, if there is one.
4. The adjustment is saved immediately. Additional selections can be made until the required result is achieved. Both the Kelvin (i.e., color temperature) and Tint settings are available in the **White Balance** tool located in the [Color Tool Tab](#), when further adjustment is required.



Capturing images

When working tethered, Capture One offers a number of options to release the camera shutter.

1. Capture an image using one of the following options:
 - o Click on the **Capture** button located in the **Camera** tool, next to the movie camera icon.
 - o Click on the **Camera** icon in the main [Toolbar](#). When a camera is tethered and powered, the camera icon will be lit (when the camera is asleep, or detached, the icon will be grayed out). You can use this setting or the following options to continue capture when making image adjustments in Capture One (i.e., when the Capture Tool tab is no longer open or accessible.)
 - o Press the shutter button on the camera body (or attached remote release).
 - o From the main menu, select Camera > Capture, or use Cmd(⌘)+K (Mac), Ctrl+K (Windows).
2. The captured image will be imported into Capture One, and the image displayed in the main Viewer.



Activating the Image Area/SensorFlex function for Nikon/Leaf

The Image Area and SensorFlex options feature a number of cropping choices for Leaf Aptus II-12 and II-10 digital backs and Nikon DSLRs. Please note that any selection will crop the sensor and information recorded outside the crop cannot be recovered.

1. Go to the **Camera Settings** tool.
2. Click on the disclosure triangle and unfold the first **Photo Shooting/Digital Back** sub menu for Nikon/Leaf cameras.
3. Select an option from the **Image Area** drop down menu.



Using an overlay when shooting tethered

To aid composition when working tethered you can apply an overlay to a live pre-view or captured image. The overlay tool is compatible with popular file formats that support transparency, such as PSD, DNG, TIFF, GIF and PDF. In addition, Windows users can add BMP to that list.

1. Start a tethered session or catalog. (Choose File > New Session.../New Catalog...)
2. Set up the camera for tethered photography.
3. Initiate Live View (select Window > Live View), or navigate to the Capture Tool Tab, where appropriate.
4. From the **Overlay** tool, insert a draft file into the overlay window by pressing the File browse (...) icon to select a relevant file, or simply drag and drop a file into the specified area.
5. Select the **Composition mode** option to shoot a test shot.
6. Adjust the draft file and/or the test shot to match each other accordingly.
7. To remove the overlay, click on the action menu (...), and select **Clear Overlay**.

Find out more about the [Overlay tool here](#).



Capturing images wirelessly with Capture Pilot

If you have an Apple iOS device with the Capture Pilot app installed (available free to download from the Apple App store) you can use it to wirelessly control and capture images with the camera tethered to a computer running Capture One. When connecting a Phase One camera system the Capture Pilot app's Camera Control function is automatically enabled, otherwise it is available for a nominal fee as an in-app purchase. Please ensure your camera is compatible before purchasing Camera Control.

1. Connect a supported camera (via a FireWire or USB cable as appropriate) to the computer running Capture One Pro.
2. From the **Capture Pilot** dialog located at the bottom of the Capture Tool Tab, select the **Basic** tab, if not already selected.
3. The **Capture** folder is selected by default, however if you have chosen a new capture folder, click on the **Folder** fly-out menu and select the relevant Capture folder from the list.
4. Click on **Start Image Server**.
5. Open the Capture Pilot app on your iOS device, and select the Session or Catalog name displayed under **Local Servers**. When successfully connected, previously captured images from the capture folder will be displayed.
6. Press the **Camera** icon in the bottom left corner of Capture Pilot display on your iOS device. A floating window will appear on screen.
7. Swipe the on-screen aperture, shutter, ISO or EV dials to make adjustments.
8. Depending on the camera model, certain parameters, such as File type, Exposure Program and White Balance can be selected from the display. Select the parameter and choose from the menu.
9. Press the on-screen Shutter button to trigger the shutter and expose an image. Image files are saved to a designated Capture One folder on the computer. Note image files are not saved to the iOS device, only previews.

Discover more about [Capture Pilot](#).



Displaying battery status

Capture One can display the remaining battery power of tethered cameras in the **Camera** tool and as an option in the tool bar, giving you a warning in the event of low power (please see below for a list of supported cameras).

1. The Battery Status tool is not displayed on the toolbar by default, and so must be added using the customize tool bar option.
2. Go to View > Customize Toolbar... (or mouse over the toolbar, then Ctrl/right-click (Mac/Windows) > customize toolbar...) then drag the Battery Status icon to the toolbar.



3. Clicking on the icon will display the remaining power as a percentage.

Support varies by the camera attached:

- o DSLR supported models - body power
- o Phase One IQ, P, P+ and Leaf digital backs - back power only.
- o Phase One IQ3 systems - back, XF body, and shared power (when enabled).

Trouble shooting: Digital backs

Advice for digital back users:

- Ensure that your system can supply at least 10W power via FireWire to a **Phase One** digital back. (This is more than most laptops can supply). Alternatively, activate the Force Battery setting on the back. Use the 4.5m Phase One FireWire cable.
- Ensure that your system can supply at least 12W power via FireWire to a **Leaf** or **Mamiya DM** digital back. (This is more than most laptops can supply). Use a Leaf or Mamiya FireWire cable.
- Do not open the shutter on the camera prior to opening the Live View window. Doing so will generate errors on the digital back after closing the Live View window. The recommended procedure for using live view is to first open the Live View window, then open the shutter on the camera, use live view as desired, when done, close the shutter on the camera, and close the Live View window.
- For Leaf Backs and Mamiya DM systems, the camera body must be selected in the application preferences before connecting the back.
- For Leaf Backs and Mamiya DM systems, in the case of a communication error during firmware upload, please wait 10 minutes before disconnecting the FireWire cable.
- Leaf Aptus II 8 only works with black and white live view.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture

- Tethered Capture Overview
- Capture Naming and Counters
- Capture Location - Sessions
- Capture Location - Catalogs
- Capture Adjustments
- Camera Settings

Live View

- Working with an Overlay

- Capture Pilot (™)

- Editing Photos

- Exporting Photos

- Printing Photos

- Tools Appendix

- Capture One Glossary

- About Phase One

- Contact us

Recently viewed

- Camera Settings
- Capture Adjustments
- Capture Location - Catalogs
- Capture Location - Sessions
- Capture Naming and Counters

PHASEONE

what the world's best photography is made of

Capture One > Tethered Capture > Live View



Live View^{Pro}

TETHERED SHOOTING /// CAMERA SYSTEMS

Accelerate your workflow with Live View for supported medium format and certain Canon, Nikon and Sony cameras.

- Overview of live view interface
- Live view interface: Toolbar
- Live view interface: Cursor tools
- Live view interface: Tool Tabs
- An overview of the workflow using live view
- Adjusting focus using the camera's AF system
- Fine-tuning focus manually (Phase One XF/645DF+ system cameras only)
- Using an Overlay
- Live View: Digital back support
- Live View: Camera support

Overview of live view interface

When a compatible camera is connected (using USB or FireWire), starting Capture One Pro's Live View feature opens a dedicated window that's separate from the main application. The window consists of a high-quality viewer (displaying the live view image) and a mix of tools from the main application, along with several dedicated tools to help accelerate your workflow. As a result, the camera can be controlled independently of the main application. The new window can be used in front of the main application or moved (and resized) to a second monitor if desired. In addition to the window's viewer, the Live View window consists of three main user interface elements; the Toolbar, Cursor Tools, and Tool Tabs.

Live view interface: Toolbar

See Play, Turn Overlay On, Alignment Function, RGB Preferences, DOF/EPV, and Customize icons displayed from left to right.

Play/Pause: Start Live View if paused. Adjust focus while viewing the focus window. When the focus has been suitably adjusted, press the pause button. Note a Play/Pause option is also available on-screen in the Live View window.

Turn Overlay On: Turns Overlay on or off independently of the check mark in the overlay function.

Alignment Function: This function turns the Alignment tool on/off.

RGB: Choose a live view image in color or mono. A mono image may appear grainier compared to a color image.

DOF/EPV: Use this to stop down the lens to the taking aperture on supported Canon cameras only. With certain Nikon DSLR bodies, use the EPV option instead (Capture One automatically switches between the two).

Preferences: Shortcut to preferences. Live View pause settings can be altered from the Capture tab.

Customize: Press this icon to customize the Live View user interface.




Live view interface: Cursor tools

See Hand Cursor Tool, Zoom Cursor Tool and White Balance Cursor Tool icons, displayed from left to right.

Hand Cursor Tool: This tool functions as a standard hand cursor tool. Zoom to 100% by double clicking and move the crop if desired.

Zoom Cursor Tool: This tool functions as a standard zoom cursor tool. Zoom




in by clicking on a specific part of an image. Press alt and click on an image to zoom out.

White Balance Cursor Tool: When White Balance appears incorrect, it is possible to set a new White Balance with this tool by clicking on a gray area in the Live View window. This new White Balance setting only applies to the Live View window

Focus Meter Tool: Initiate the Focus Meter tool using this icon.

Live view interface: Tool Tabs

The availability of certain tools and functions are dependent on the attached camera model. When tools or options are grayed out it means that particular feature or function is not currently supported.



Live View Navigator

Refresh: Refresh the navigation window according to the live view image.

Frame Rate: Shows the actual frame rate of the Live View window. With certain models you can select the frame rate that offers the most convenient image for composition and focusing. Note this option is dependent on the camera model in use.

Live View Controls

Orientation: Orient the live view image to match that of the camera.

Lightness: Adjust the lightness slider if the live view image seems too dark or too bright.

Quality: Adjusts the live view image quality. Higher quality levels will produce a slower rate to update the image.

Start/Pause Live View: Adjust focus while observing the effect in the viewer. When the focus has been suitably adjusted, press the pause button.

DOF/EPV: Use this to stop down the lens to the taking aperture on supported Canon cameras only. With certain Nikon DSLR bodies, use the EPV option instead (Capture One automatically switches between the two). Depending on the model, the EPV feature typically disables auto-gain and simulates the expected exposure result with the current settings.

Camera Focus

Long press on the arrow buttons to remotely adjust focus. Long-press the central AF button to initiate autofocus. An AF indicator light above the button typically replicates the camera's built-in AF indicator. Note, this tool is only compatible with the Phase One XF system camera and certain supported Canon, Nikon and Sony cameras. [See below for more information.](#)

Live View Info

Orientation data from attached Phase One back.

Live View Focus Meter

A visual aid to achieve optimal focus when manually adjusting the focus ring of a lens. Note, this feature is only compatible with Phase One XF/645DF+ cameras and IQ3/2 series backs. [See below for more information.](#)

Overlay

An overlay can help guide image composition. [See below for more information.](#)

An overview of the workflow using live view

Live View is created to work in a studio environment and is fully-integrated into

Capture One Pro. However, the live view image can be overexposed beyond the parameters of the adjustment sliders if Live View is used outdoors or if a camera is pointing directly towards a light source.



1. Open Capture One Pro and start a tethered session or catalog (e.g., choose File>New Session...).
2. Connect a compatible camera via FireWire or USB. (Capture One will automatically recognize the camera or digital back).
3. Activate live view by pressing the movie camera icon in the **Camera** tool, or choose Window>Live View. The Live View window will open.
4. From the Live View Tool Tab (movie camera icon), if not already selected, go to the **Live View Controls** tool and, if necessary, from the **Orientation** tool, adjust the orientation of the live view image to match the orientation of the camera.
5. Adjust Lightness and Quality as desired to set brightness and sharpness of the live view image. To further assist with image assessment, click on the RGB icon in the main Tool bar, to switch between a color or a monochrome live view image. (This does not affect the captured image.)
6. To adjust the camera settings, select the Capture Tool Tab (camera icon), located top left beneath the the main toolbar of the Live View window.
7. From the **Camera Settings** or **Camera** tools, set the aperture and shutter speed. Set the shutter to BULB or TIME function with a medium format/digital back. (The live view image will be displayed as soon as the shutter is opened).
8. Set white balance using the White Balance picker. (Note WB is only to aid live view only.)
9. From the **Overlay** tool add a suitable file to, for example, capture a comparison image, or to help composition in accordance with a specific layout.
10. Adjust the composition and set the focus distance (adjust using the camera's AF system in conjunction with the **Camera Focus** control buttons, or manually with the **Focus Meter**, where supported).
11. Press the capture button located in the **Camera** tool. With certain medium format cameras/digital backs, the Live View window must be closed before setting the correct shutter speed to expose an image.

Adjusting focus using the camera's AF system

In Capture One's Live View window, the Camera Focus tool allows auto-focus and powered focus control when working tethered with the Phase One XF system camera and certain supported Canon and Nikon cameras. Sony cameras, where supported, are compatible with the auto-focus control only.



In addition to an AF activation button, the Camera Focus tool's powered focus control buttons allow fine-tuning of the point of focus. The separate buttons adopt the camera's AF system to focus the lens in steps. Six buttons control focus forward and backwards the single arrow button for ultra-fine adjustment, double arrow button for fine adjustment, and the triple arrow button for larger adjustments.

When Capture One's Live View function is enabled, you can control focus from either the Camera Focus tool located in the Capture Tool Tab in the main app or from the Capture Tool Tab in the separate Live View dialog. Note however, that when Live View is disabled, focus control using the Camera Focus tool in the main app's Capture Tool Tab is limited to the Phase One XF system camera (with Firmware Update #3) and certain Sony models (auto-focus only).

1. From the main menu select Window > Live View, or from the Capture Tool Tab, click on the **Live View** (movie camera) icon in the **Camera tool** to open the Live View window.
2. Select the camera's AF mode and active AF point as usual, and focus approximately on the subject using a long-press on the AF button in the **Camera Focus** tool. The image in the Live View window is updated during focusing. An AF indicator light above the button typically replicates the

- camera's built-in AF indicator.
- To fine-tune focus after initiating AF, long press on the appropriate Camera Focus tool's arrow buttons, while observing the image in Capture One's Live View Window.
 - Release the arrow button when optimal focus has been achieved. The setting will be locked.

Fine-tuning focus manually (Phase One XF/645DF+ system cameras only)

The Focus Meter tool can be used to achieve optimal focus when manually focusing with the Phase One XF/645DF+ cameras in-combination with IQ3/2 series backs. It is not compatible with any other combination of camera body or digital back. Note a high-quality FireWire/USB 3.0 cable is essential for reliable operation.

- Click on the **Live View** (movie camera) icon in the **Camera** tool to open the Live View window.
- Focus approximately on the subject using the focus ring of the lens.
- Activate the Focus Meter tool by clicking on the Focus Meter icon in the **Live View Focus Meter** tool, or from Tool bar.
- To set a focus area, click on the subject in the Live View window's viewer. To check focus simultaneously at different points within the frame, up to three focus areas can be set. Attempting to set a fourth will prompt a message to close or move one of the existing focus areas.
- Adjust the position of the focus area on the subject by either, clicking inside the focus area and dragging, or by clicking and dragging focus area's top-bar.
- For improved accuracy, focus areas may be resized to fit the subject precisely by grabbing the frame at the side, bottom or corner. (To delete a focus area, click on the X icon in the top right corner.)
- Each focus area has an individual focus meter, which appears in the left tool bar. Like other tools, this can be removed from the tool bar, repositioned and resized for convenience.
- Slowly turn the focus ring while observing the meter carefully. The main (white colored) meter peaks at, or occasionally close to, optimal focus, leaving an orange-colored marker at the high point. Located in the main meter's frame, a secondary orange-colored fine-focus meter is used to verify the measurement. Please avoid zooming in or out, resizing, moving a focus point or covering the lens at this stage, as the Focus Meter will be reset.
- Continue to adjust the focusing ring with care, until the secondary fine-focus meter reaches its maximum point. When optimal focus is achieved, the outer orange fine focus meter encloses the main white bar, which then changes color to orange. Note, under certain (i.e. low-contrast) conditions, the main bar will not change color, however, best-possible focus is achieved when both bars no longer continue to rise.
- If both bars fall, the point of maximum focus has passed. Please return to step 8 and repeat.



Using an Overlay

- Start a tethered session or catalog. (Choose File > New Session..., or File > New Catalog...).
- Set up the camera for tethered photography.
- Start **Live View**.
- Insert a draft file into the **Overlay** window by pressing the browse icon to select a relevant file or simply drag and drop a file into the specified area.
- Adjust the subject according to the layout or composition of the chosen draft file. Alternatively, adjust the position of the draft file to your subject.



Find out more information on working with an [Overlay in Live View](#).

Live View: Digital back support

The following Phase One digital backs support Live View out-of-the-box:

- P 20+, P 21+, P 25+, P 30+, P 45+, P 40+, P 65+

- IQ140, IQ160, IQ180, IQ1 100MP
- IQ250, IQ260, IQ280
- IQ3 50MP, IQ3 60MP, IQ3 80MP, IQ3 100MP

The Live View functionality can be purchased for the following digital backs as a hardware upgrade:

- P 21, P 30, P 45

Live View may provide limited options for LEAF or Mamiya digital backs.



Live View: Camera support

Camera body support

The following camera bodies support Live View functionality: Phase One 645DF/DF+, Phase One 645 AF, Hasselblad H series, Hasselblad V series, Mamiya 645AFD and 645AFD II, Mamiya RZ67 Pro II and Pro IID and Contax 645. Focus adjustment in the Live View Controls Tool is not supported by the Phase One DF/DF+ models.

Technical cameras (4x5): Arca Swiss, Cambo 4x5, Rollei X-Act, Linhof M679/4x5, Toyo, Sinar, Plaubel and Horseman.

Wide angle: Horseman SWD, Cambo Wide DS and a range of adapters with 35 mm support.

DSLR: Live View is compatible with a range of Nikon, Canon and Sony cameras. For a list of the currently supported models, please visit the [Phase One website](#).

Shutter Settings

Technical and wide-angle cameras: Use the camera on Full Open or in Stopped Down mode (with the shutter set on the preferred f-stop).

Medium format cameras: Open shutter and keep it in B- or T-mode depending on choice of camera system.

- Hasselblad H: T-mode
- Hasselblad V: B-mode
- Phase One/Mamiya 645: B-mode
- Mamiya RZ67 Pro II and Pro IID: T-mode
- Contax 645: B-mode



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture

- Tethered Capture Overview
- Capture Naming and Counters
- Capture Location - Sessions
- Capture Location - Catalogs
- Capture Adjustments
- Camera Settings
- Live View

Working with an Overlay

- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed ▾

- Live View
- Camera Settings
- Capture Adjustments
- Capture Location - Catalogs
- Capture Location - Sessions

PHASEONE

what the world's best photography is made of



Working with an Overlay^{Pro}

OVERLAY / CROP / COMPOSITION

Use the Overlay tool when working tethered to help capture images for a specific layout or design. The Overlay tool can also be used when working with Live View.

- [An overview of the Overlay tool](#)
- [Using an overlay](#)
- [Adjusting the position using the Overlay Pan tool](#)

An overview of the Overlay tool

The Overlay tool is an advanced composition aid and is commonly used when [shooting tethered](#). This function is often used to capture an image that will match a specific layout. For example, an image could be made for a magazine cover specifically to take into account the space required for a nameplate or masthead and cover lines. The tool is located by default in the Capture Tool Tab, and it is also available to use in the Live View Tool Tab when working with Live View (where supported).

A file with a transparent background layer must be used for an overlay. Capture One's Overlay tool is compatible with the majority of popular file formats that support transparency, such as PSD, DNG, TIFF, GIF and PDF. In addition, Windows users can also use BMP files. This will ensure that the overlay (e.g., the magazine headline and copy, seen in the examples) can be displayed clearly over the image in the Viewer.



Using an overlay


1. Go to the Overlay tool in the [Capture Tool Tab](#) or, when using Live View, the [Live View Tool Tab](#) in the Live View dialog.
2. Drag and drop a suitable transparency file (e.g., with the magazine nameplate and cover lines, or headline and copy, etc.) into the **Overlay** tool's **Drop image here** field.
3. Alternatively, to browse for the file using the Finder/Explorer, click on the **File** Action (...) icon, located below.
4. To confirm you have selected the right file (and path), check mark the **Show** box.
5. Alter the **Opacity**, **Scale** and **Horizontal/Vertical** placement sliders as needed.



Adjusting the position using the Overlay Pan tool

The Move Overlay Pan tool (circled) can be used instead of the Horizontal/Vertical placement sliders to adjust the position of the overlay file.

1. Select the Move Overlay Pan tool (hand-icon), located below right of the image field in the Overlay tool. The icon will turn orange once active.
2. Click on the overlay in the Viewer and drag the transparency file into an appropriate position while observing the effect.
3. Alter the Opacity, Scale sliders as needed.



Did you find this article useful?





- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture

Capture Pilot (™)

Remote Shooting with Capture-Pilot

- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed ▾

- Introduction
- Capture Pilot (™)
- Working with an Overlay
- Live View
- Camera Settings

PHASEONE

what the world's best photography is made of

Capture One > Capture Pilot (™)



Capture Pilot (™) Pro

CAPTURE PILOT / THUMBNAILS / VIEWING PHOTOS

Available as a free download from the Apple App store, Capture Pilot lets you present, rate and capture photos on an iPad, iPhone and iPod touch directly from Capture One Pro software.

Remote capture and adjustment of exposure controls on certain Phase One, Mamiya, Leaf, Canon and Nikon models when tethered to a Mac or Windows computer running Capture One Pro is also possible with optional Capture Control, while wireless control and geotagging is offered with Phase One IQ2-series system cameras.

- Using Capture Pilot with Capture One Pro
- Wireless functionality
- Video tutorial: Setting up Capture Pilot
- Connect your iPad, iPhone or iPod touch to Capture One
- Video tutorial: Capture Pilot
- Browse images in a folder on iPad, iPhone or iPod touch
- Browse images using the controls (iOS device)
- Add Color tag and Star ratings (iOS device)
- Change the Exposure settings and shoot directly from Capture Pilot (iOS device)
- Learn more
- What is the Capture Pilot web function?
- Connect to a web browser
- Browse images using the controls in a web browser
- Web viewing modes: Fullscreen
- Web viewing mode: Capture Pilot classic
- Add Color tag and Star ratings from a web browser

Using Capture Pilot with Capture One Pro

The Capture Pilot tool is located (by default) at the bottom of the Capture Tool Tab. It works in conjunction with the Capture Pilot app on an iOS device. The Capture Pilot app lets you present, rate and capture image files on an iPad, iPod touch and iPhone.


The Capture Pilot tool also has a web function that lets you view, rate and color tag captured images from a web browser on a computer, Android (mobile device) or Windows Phone operating system.



Wireless functionality

Use your iPad, iPhone and iPod touch to wirelessly view, zoom and pan high-res DSLR and medium format RAW, JPEG and TIFF images while you shoot. You can also add star and color ratings, adjust the exposure settings and trigger your camera's shutter.

Before you start: Download Capture Pilot from the Apple App Store. Capture Pilot requires local network Wi-Fi. Ensure your computer and iPad are connected to the same network.



Alternative Connection (Mac)

If you do not have a wireless network setup or you are on location it is possible to setup a connection without an access point by using Internet Sharing.

1. Go to Systems Preferences > Sharing and highlight the Internet Sharing option.
2. Highlight the **Internet Sharing** option (but don't check mark yet) and select the Ethernet option in Share your connection from the drop down menu.
3. In the To computers using box check mark Airport.
4. Click on the **AirPort Options** button (below the box) and check mark the Enable encryption and add a Password if desired.
5. Remember to check mark the Internet Sharing option and press Start.
6. Next click on the Settings (icon) on your iPad/iPhone/iPod touch and select **Wi-Fi**.
7. Now choose the applicable Network and type in your password.

Video tutorial: Setting up Capture Pilot

This video will demonstrate how you setup Capture Pilot by creating a computer to computer network with a MacBook and an iPad.



Connect your iPad, iPhone or iPod touch to Capture One

1. Open Capture Pilot at the bottom of the **Capture Tool Tab** in Capture One Pro.
2. Add a Server Name and choose a Folder from the drop down menu that you want to appear on your iPad/iPhone/iPod touch.
3. Type in the password if applicable.
4. Now open the Capture Pilot app on your iPad/iPhone/iPod touch.
5. Select your named Server from the Server List.



Capture Pilot can connect to multiple running Capture One Pro Servers if these are within WI-FI range. (E.g. you can view images on multiple computers by changing Server in the iPad/iPhone/iPod Server List).


Video tutorial: Capture Pilot

Learn about Capture Pilot in this video tutorial. (Click on the image to the right). You can use Capture One Pro with Capture Pilot to wirelessly and remotely view, zoom, rate, tag, and pan high resolution DSLR and medium format RAW, JPEG and TIFF images while you shoot.



Browse images in a folder on iPad, iPhone or iPod touch

1. Tap any thumbnail to view a full screen image.
2. Zoom in and out of the image by pinching the screen and navigate around to inspect close-up detail up to 200%.
3. Touch-scroll to the next image.



Browse images using the controls (iOS device)

1. Click the forward arrow to inspect next image or backward to inspect previous image.
2. When shooting tethered, press pause to highlight it in orange, to hold the current image on screen. Press the pause icon again (so that it looks white) to automatically see images appear on the screen as they are being

captured.

3. Images that are edited in Capture One Pro will automatically display any amendments in Capture Pilot. (E.g. An image that has been converted to Black and White in Capture One Pro will also be displayed as Black and White on an iPad).



Add Color tag and Star ratings (iOS device)

1. Go to Capture One and select the **Capture** Tool Tab, go to the Capture Pilot tool and select the Mobile tab.
2. Check mark or deselect the Rate images and/or Color tag images option boxes to activate or disable this function.
3. Press the Star icon in the bottom toolbar of the Capture Pilot display on an iPad/iPod touch/iPhone. A window will appear on the screen where color and star ratings can be applied.



Change the Exposure settings and shoot directly from Capture Pilot (iOS device) ^{Pro}

1. Press the Camera icon in the bottom left corner of Capture Pilot display on an iPad/iPod Touch/iPhone.
2. A floating window will appear on screen. Long press the aperture, shutter or ISO numbers to access a menu list of alternative settings. Exposure settings can also be altered by swiping the (virtual) dial, which is located next to the numeric settings.
3. Press the Shutter button to trigger the shutter and expose an image. Files are saved to a designated Capture One folder.



Learn more

- Click the **Back** icon in the top left corner (of an iOS device) to go to the previous view. (e.g. Thumbnail view or Server list).
- Press the Histogram Icon in the toolbar at the bottom of the screen (on an iOS device) to view or remove a floating/movable Histogram.
- Thumbnail size can be adjusted in Capture Pilot (on an iOS device) by pressing the S, M and L letters in the bottom right corner of the screen on a connected iPad/iPhone/iPod Touch.



Note: The Capture Pilot Mobile Tab (in Capture One Pro) enables users to set a port number if you have a special WI-FI setup.

What is the Capture Pilot web function?


The web browser function offers an additional means of viewing and rating images for photographers or clients. This new function means anyone can access Capture Pilot as long as they have a web browser enabled device. This avoids the 'monitor huddle' of multiple people. It could also enable viewing of shooting sessions from remote locations, via the Internet.



Connect to a web browser

1. Open Capture Pilot at the bottom of the **Capture Tool Tab** in Capture One

- Pro.
2. Select the **Basic** tab and press **Start Image Server***. Ensure Mobile and Web are selected in the **Publish To** drop down menu.
 3. Select the **Web** tab, choose a theme from the drop down menu.
 4. Deselect the Rate Images and Color Tag Images to disable this function, if desired.
 5. Select the **Basic** tab and click on the mail icon. (See circled) An email with a link can now be sent to a recipient.



N.B. The web browser feature is designed to work on a local network.

*There will be an alert the first time the web server is started that will require the user's system password.

Browse images using the controls in a web browser

Capture Pilot Classic mode: Click on any thumbnail to view a full screen image. Select the forward arrow (see circled in the top screen shot) to inspect the next image or backward to inspect previous images.



Full-screen Mode: Click on the arrow (see circled in the bottom screen shot) to inspect the next image. To inspect previous images, move your (mouse) cursor to the other side of the image and a backward arrow will appear.

Web viewing modes: Fullscreen

The web browser function offers two primary modes: **Full-screen** and **Capture Pilot Classic**.

Full-screen mode will display a single image in its entirety. Click on the image to display the color tag and star rating as well as a film strip of thumbnails at the bottom of the screen.



Web viewing mode: Capture Pilot classic

Capture Pilot Classic is, in essence, a contact sheet of thumbnail images. Newly captured images will appear as soon as they are shot when shooting tethered. Thumbnail size can be adjusted by pressing the S, M and L letters in the top left corner of the screen.



Add Color tag and Star ratings from a web browser

1. Go to Capture One and select the Capture Tool Tab, go to the Capture Pilot tool and select the Web tab.
2. Check mark or deselect the Rate images and/or Color tag images option boxes to activate this function.
3. Click on a thumbnail in the web browser so that it is displayed in full screen. A window will appear on the screen where color and star ratings can be applied.



Did you find this article useful?



Recently viewed ▾

- [Tethered Capture](#)
- [Organizing Photos](#)
- [Optimizing Your Workflow](#)
- [User Interface](#)
- [Introduction](#)

PHASEONE

what the world's best photography is made of



Remote Shooting with Capture-Pilot

In addition to browsing and rating images served by Capture One Pro via a computer, the Capture Pilot iOS app offers wireless remote control, image browsing and geotagging with Phase One IQ2 and A-series system cameras using Wi-Fi. Wireless streaming of live view is also possible in conjunction with the Phase One IQ250 and the Alpha A250 models. By adopting the Alpha smart device holder, an iOS device can be directly mounted to the A250 camera and used as an electronic viewfinder.

With Phase One IQ2 based system cameras you can capture images, validate exposure, focus and composition and adjust ISO, exposure compensation, shutter speed and aperture value wirelessly from your iOS device. Camera Control is automatically enabled when a Phase One IQ2 digital back is connected to Capture Pilot and is optionally available as an app purchase for other camera models (please be sure to check compatibility first). Only the aforementioned cameras can be operated directly using an iOS device, however, certain other camera models from Phase One, Leaf, Canon and Nikon can still be controlled remotely, providing they're tethered to a Mac or Windows computer running Capture One Pro (version 6.2 or later).

Please note Camera Control has limited functionality with the A-series models due to their manual, mechanical features.

Key Features with Phase One IQ2 system cameras

- Access cameras wirelessly, either over a local network connection, or directly using the camera's ad-hoc mode.
- Remotely adjust aperture, shutter, ISO, and exposure compensation values.
- Stream live view images and adjust and update white balance (IQ250 only).
- Remotely release the shutter.
- Remotely confirm focus, composition and exposure of captured images.
- Record location data and geotag your images, either in real-time wirelessly, or later when connecting the camera to your iOS device after a shoot.

Key Features with A-series system cameras

- Access cameras wirelessly using the camera's ad-hoc mode (local network connection is also an option).
- Stream live view images (A-250 only).
- Remotely confirm focus, composition and exposure of captured images.
- Confirm current selection of A-lens.
- Record location data and geotag your images, either in real-time wirelessly, or later when connecting the camera to your iOS device after a shoot.

Key Features with supported Phase One, Leaf, Canon and Nikon models (tethered to computer running Capture One Pro)

- Access tethered cameras wirelessly, either over a local network connection, or directly using the computer's ad-hoc mode.
- Remotely adjust aperture, shutter, ISO, and exposure compensation values.
- Remotely release the shutter.
- Remotely adjust and update white balance, and confirm focus, composition and exposure of captured images.

Note: Images residing on the iOS device are previews of images on the camera's CF card and are not full size files.

- [Setup a direct \(ad-hoc\) connection with Phase One IQ2 based system camera](#)
- [Setup a local network connection with Phase One IQ2 series system camera](#)
- [Live View using a Phase One IQ250 digital back](#)
- [Shoot remotely from Capture Pilot \(Camera Control\) with Phase One 645DF+ and IQ2-series back](#)
- [Setup a direct \(ad-hoc\) connection with an Alpha A-series system camera](#)
- [Use Capture Pilot as a virtual viewfinder with Alpha A250](#)
- [Browse images in Capture Pilot](#)
- [View Histogram and exposure data](#)
- [Add Color tag and Star ratings](#)
- [Adjust White Balance](#)
- [Geotagging with Capture Pilot app and IQ2-series camera](#)

- Enable access to location data
- Geotagging during capture
- Geotagging after capture
- Adjust Polling interval
- Temporarily disable/enable geotagging
- Save battery power

Setup a direct (ad-hoc) connection with Phase One IQ2 based system camera

Phase One IQ2 system cameras can be operated remotely by an iOS device running Capture Pilot, all without the need to be tethered to a computer and is especially useful on location.

1. From the IQ2 series back, select Menu > WiFi > Mode > Ad-hoc, and return to the top level of the menu.
2. On the iOS device, launch the Settings app and select Settings> Wi-Fi > Choose a Network... This will initiate a scan for the network details. Please wait for the scan to be completed, and for the network name PhaseOne[serial number] to appear under the Choose a Network setting.
3. Select the PhaseOne[serial number] network name to make the server connection. Wait for the name to populate the Wi-Fi setting, complete with checkmark and signal strength indicator.
4. Exit the Settings app of the iOS device.
5. Launch the Capture Pilot app.
6. Select the appropriate network name PhaseOne[serial number] from the Server List page, displayed under Local Servers.
7. Capture a test image using the shutter release or Camera Control in Capture Pilot. An image will be rapidly displayed in the Capture Pilot browser if the connection was successful.

Notes

- Depending on the IQ2 back's permissions settings, two server names (Capture Pilot and Camera Control) may be displayed on the Server List page with the same PhaseOne[serial number] network name.
- The option to capture is available from both the Pilot and Control servers, but the latter mode excludes all browsing and previewing options.
- Only one iOS device may access a server at a time, however dual servers allow independent access. For example, a photographer can remotely control the camera using one iOS device while a client browses the captured images on another iOS device.
- Enable/Disable the second Camera Control server. From the IQ2 back, select Menu > WiFi > Mode >Off>Settings>Capture Pilot>Capture Remote>On/Off.
- Enable/Disable the Camera Control option in the Capture Pilot server. From the IQ2 back, select Menu > WiFi > Mode >Off>Settings>Capture Pilot>Capture>On/Off.

Tips

- You can confirm the network details, signal strength and quality from the WiFi Status option of the IQ2 series back, located on the same page of the WiFi menu (Menu > WiFi > WiFi Status).
- The IQ2 series back automatically chooses the most appropriate channel but if interference is causing slow network connections, the user can select a channel manually. From the IQ2 series back, select Menu > WiFi > Mode >Off>Settings>Adhoc Channel>1,2,3,4... etc.

Setup a local network connection with Phase One IQ2 series system camera

When working in a studio it is possible to connect a Phase One IQ2-series camera wirelessly to an iOS device running Capture Pilot via a router. This will extend the range from approximately 8m/25ft for an adhoc connection to around a maximum of 30m/100ft.

1. From the IQ2 series back, select Menu > WiFi > Mode>On > Select Network, and return to the top level of the menu.
2. If the local network is secured and this is the first attempt to join it, you will be prompted to enter the appropriate username and password (please contact the network's webmaster for the details).
3. If the network has been joined previously, the login details are remembered and the network will be joined automatically once selected.
4. The IQ2 series back will display a graphic when attempting to establish the connection, and then another to confirm when successful.
5. Open the Wi-Fi settings from the iOS device Settings app and connect to the network.
6. Launch the Capture Pilot app and select the appropriate network name PhaseOne [serial number] from the Server List page, displayed under Local Servers.
7. Capture a test image using the shutter release or Camera Control from Capture Pilot.

Notes

- Depending on the IQ2 back's permissions settings, two server names (Capture Pilot and Camera Control) may be displayed on the Server List page with the same PhaseOne[serial number] network name.
- The option to capture is available from both the Pilot and Control servers, but the latter mode excludes all browsing

and previewing options.

- Only one iOS device may access a server at a time, however dual servers allow independent access. For example, a photographer can remotely control the camera using one iOS device while a client browses the captured images on another iOS device.
- Enable/Disable the second Camera Control server. From the IQ2 back, select Menu > WiFi > Mode > Off > Settings > Capture Pilot > Capture Remote > On/Off.
- Enable/Disable the Camera Control option in the Capture Pilot server. From the IQ2 back, select Menu > WiFi > Mode > Off > Settings > Capture Pilot > Capture > On/Off.

Tip

- You can confirm the network details, signal strength and quality from the WiFi Status option of the IQ2 series back, located on the same page of the WiFi menu (Menu > WiFi > WiFi Status).

Live View using a Phase One IQ250 digital back

Wireless Live View is offered via Wi-Fi with an IQ250 back using the Capture Pilot app and iOS device.

1. Establish an ad-hoc connection between iOS device and Phase One IQ2 series digital back.
2. Start Live View from the contextual menu on the IQ250 back. (See IQ2 User Guide for more information). On the Phase One 645DF+ with IQ250 series back, the camera automatically opens the shutter for live view to begin. If the IQ2 back is attached to any other camera, the shutter must be opened manually.
3. Open the Capture Pilot app on your iOS device.
4. Select the appropriate network name PhaseOne[serial number] from the Server List page, displayed under Local Servers.
5. Tap on the movie camera icon at the bottom toolbar of the Capture Pilot app (on an iOS device). The live view image is displayed from the camera. Choose between Low or High Quality (low or high refresh rates), depending on your needs. Tap LQ/HQ to switch between the settings.
6. To check focus and composition, zoom in and out of the image by pinching the screen. You can inspect detail up to 200%. Drag your finger across the screen to navigate around the image.
7. To capture an image, exit live view. The shutter will be closed automatically on the 645DF+. On all other cameras, the shutter must be closed manually.
8. Start Camera Control...

Notes:

1. The Phase One 645DF+ with IQ2 back supports Live View in Manual or Aperture Priority modes only.
2. All IQ2 series backs support live view with Capture Pilot when tethered to a Mac/PC computer running Capture One.

Shoot remotely from Capture Pilot (Camera Control) with Phase One 645DF+ and IQ2-series back

The Camera Control option is automatically available in Capture Pilot when connected to a Phase One 645DF+ camera with IQ2 series digital back. The Alpha A-series system cameras do not support remote operation. For a nominal fee, Camera Control is available as an in-app purchase for certain supported Phase One, Leaf, Canon and Nikon models. Supported cameras can only be operated wirelessly from Capture Pilot if tethered to a computer running Capture One Pro.

1. Press the Camera icon in the bottom left corner of Capture Pilot display on an iOS device.
2. A floating window will appear on screen. Long press the aperture, shutter or ISO values to access a menu list of alternative settings. Exposure settings can also be altered by swiping the (virtual) dial, which is located next to the numeric settings.
3. Press the Shutter button to trigger the shutter and expose an image.

Notes:

- Wireless operation is only available with Phase One IQ2-series system cameras.
- If the camera is tethered, files are saved to a designated Capture One folder.
- Raw files are not stored on the iOS device.

Setup a direct (ad-hoc) connection with an Alpha A-series system camera

With the Alpha A-series system cameras, the Capture Pilot app allows the user to remotely check the current selection of A-lens and confirm focus, composition and exposure of captured images. In addition, the Alpha A250 allows wireless previewing of images for composition and checking focus on an iOS device. By using the new Alpha smart device holder, an iOS device can be mounted directly on the camera and used as an electronic viewfinder.

1. From the IQ2 series back, select Menu > WiFi > Mode > Ad-hoc, and return to the top level of the menu.
2. On the iOS device, launch the Settings app and select Settings > WiFi > Choose a Network... which will initiate a scan for the network details. Please wait for the scan to be completed, and for the network name PhaseOne[serial number] to appear under the Choose Network setting.

3. Select the network name in the menu of the iOS device to make the server connection and wait for the name to populate the WiFi setting, complete with checkmark and signal strength indicator.
4. Exit the Settings app of the iOS device.
5. Start the Capture Pilot app.
6. Select the appropriate network name PhaseOne[serial number] from the Server List page, displayed under Local Servers.
7. Make a test shot to verify the server connection; an image will be rapidly displayed in the Capture Pilot browser if the connection was successful.

Notes:

- If battery power in the IQ2 Series back is very low a connection may not be easily attained.
- The IQ2 series back automatically chooses the most appropriate channel but if interference is causing slow network connections, the user can select a channel manually. Select Menu > WiFi > Mode >Off>Settings>Adhoc Channel>1,2,3,4... etc.
- Camera Control option in Capture Pilot is not supported by the A-series models due to the manual, mechanical features of the camera.

Tip: You can confirm the network details, signal strength and quality from the WiFi Status option of the IQ2 series back, located on the same page of the WiFi menu (Menu > WiFi > WiFi Status).

Use Capture Pilot as a virtual viewfinder with Alpa A250

1. Establish an ad-hoc connection between iOS device and A250 digital back.
2. Open the shutter, and start Live View from the contextual menu on the A250 back. (See IQ2 User Guide for more information).
3. Start the Capture Pilot app.
4. Select the appropriate network name PhaseOne [serial number] from the Server List page, displayed under Local Servers.
5. Click on the Movie camera icon to display a full-screen live view image. Tap LQ/HQ (low or high refresh rates) to switch between the settings.
6. Capture an image using the A250 camera's mechanical shutter release.
7. Tap any thumbnail to view a full screen image. Tap the Histogram icon to view exposure details.
8. Tap the Histogram window to confirm the A-series lens details.
9. To check focus and composition, zoom in and out of the image by pinching the screen. You can inspect detail up to 200%. Drag your finger across the screen to navigate around the image.
10. Touch-scroll to the next image.
11. Tap the Movie icon in Capture Pilot to return to Live View.

Browse images in Capture Pilot

1. Establish a network connection between iOS device and Phase One IQ2 series digital back / Alpa A-series camera (or tethered computer running Capture One Pro, if working with certain supported cameras).
2. Select the primary Capture Pilot server.
3. Capture an image an image using Camera Control (automatically activated with IQ2-series back, or in-app purchase for certain supported cameras).
4. Tap any thumbnail to view a full screen image.
5. Zoom in and out of the image by pinching the screen and navigate around to inspect close-up detail up to 200%.
6. Touch-scroll to the next image, or navigate using the forward or backward arrow at the bottom of the screen.
7. Press the Pause icon to temporarily hold the image for assessment (useful if working in collaboration with a photographer capturing images on the secondary Control server).

Notes:

- Click the Back icon in the top left corner (of an iOS device) to go to the previous view. (e.g. Thumbnail view or Server list).
- Thumbnail size can be adjusted by pressing the S, M and L letters in the bottom right corner of the screen on a connected iOS device.

View Histogram and exposure data

1. Press the Histogram icon in the toolbar at the bottom of the screen (on an iOS device) to view or remove a floating/movable Histogram.
2. In addition to the brightness range, exposure information data (where supported) is also displayed.

Add Color tag and Star ratings

1. Tap any thumbnail to view a full screen image.

2. Press the Star icon at the bottom toolbar of the Capture Pilot display on an iOS device. A window will appear on the screen where color and star ratings can be applied.

Adjust White Balance

You can adjust and update white balance on captured images wirelessly using your iOS device and Phase One IQ2-series system camera or when working tethered with other supported camera systems.

1. Tap any thumbnail to view a full screen image.
2. Press the eye-dropper icon in bottom toolbar of the Capture Pilot display on an iOS device. A circular sight with cross-hairs will appear on the screen.
3. Drag and drop the sight on an area that you know should be white, or a neutral grey. The sight is active (and turns orange) when dragged.
4. The correction is applied when your finger is lifted from the screen.

Note:

- If streaming live view images from the Phase One IQ250, the white balance correction made in Capture Pilot is automatically updated on the camera prior to capture.

Geotagging with Capture Pilot app and IQ2-series camera

Introduction

Capture Pilot can append images with location data from an iOS device at the time of capture and even synchronize the data at regular intervals for convenience on location. Geotagging is performed wirelessly in the ad-hoc mode with Wi-Fi enabled Phase One IQ2 series system cameras. Only IQ2 series digital backs support geotagging with Capture Pilot.

There's no need to be connected to Capture Pilot to tag files with location data. However, the app must be running in the background during capture and the option to tag files must be enabled on the IQ2-series back.

Enable access to location data

After installing the Capture Pilot app, a window will open asking you to grant access to location data. If access is granted, the geotagging feature will be enabled.

To enable or disable access location data

1. Open the iOS device Settings app and select Capture Pilot from the list.
2. Go to Allow Capture Pilot to Access in the menu to confirm access to the location data (even when running in the background). A check mark will be displayed next to the Always option. To disable access, select Never.

Note: In iOS 8.1, this access may also be granted or declined directly from the Capture Pilot app settings page.

Geotagging during capture

1. From the IQ2-series main menu, confirm or select WiFi > Settings > Capture Pilot > Capture Pilot Permissions> Geotag captures > On.
2. Next, confirm or select Geotag CF card > On (also located under Capture Pilot Permissions), if not working tethered to a computer.
3. Establish an ad-hoc connection between iOS device and Phase One IQ2 series digital back.
4. Launch Capture Pilot and confirm geotagging is enabled (the compass needle icon, located top-right is colored orange when enabled). Images captured will be automatically tagged with location data.

Geotagging after capture

Capture Pilot can append images with location data from an iOS device and synchronize the data at regular intervals for convenience on location. Both the iOS device and IQ2-series back must be set to the same time (and time-zone) to achieve accurate results.

1. From the IQ2-series main menu, select WiFi > Settings > Capture Pilot > Capture Pilot Permissions> Geotag captures > On.
2. Next, select Geotag CF card > On (also located under Capture Pilot Permissions), if not working tethered to a computer.
3. Establish an ad-hoc connection between iOS device and Phase One IQ2 series digital back.
4. Launch Capture Pilot and confirm geotagging is enabled (the compass needle icon, located top-right is colored orange). Be sure the Capture Pilot app is running in the background during capture.
5. After shooting, connect the IQ2-series back wirelessly to the iOS device and Capture Pilot will append files on the CF card (if multiple cards have been used, insert cards into the camera in succession).

6. A confirmation dialog will be displayed on the IQ2 back when it has finished tagging the files.

Note: The time on both devices should be set as accurately possible.

Adjust Polling interval

Capture Pilot logs location data every 60 seconds by default. This can be overridden if necessary.

1. Launch the Settings app on the iOS device.
2. Select Capture Pilot > Geo Tagging > Location > Polling Interval and select the interval as required.

Tip: Use a longer interval if you're not expected to change location to a great extent.

Temporarily disable/enable geotagging

Geotagging is enabled by default and operation can be confirmed when the compass needle icon (top-right) in Capture Pilot is colored orange.

To temporarily disable/enable the feature

1. Open Capture Pilot app on your iOS device.
2. To temporarily disable the feature, tap the icon (it will change color from orange to white).
3. Tap again to enable the feature.

Save battery power

Data logging may be turned off after a set period of time to conserve battery power of your iOS device.

1. Open the iOS device Settings app and select Capture Pilot from the list.
2. Confirm access to the location data is enabled (see above).
3. Go to Geo Tagging in the menu and select Turn Geo Tagging Off and then chose the appropriate time period from the options (after an hour / 3 hours / 8 hours / at the end of the day).
4. Select Capture Pilot in the settings (top) to return to the main menu and confirm the change.
5. Open Capture Pilot app, and make sure the geotagging option is in operation (the compass needle icon located top-right in Capture Pilot is colored orange).

Battery power can also be saved when the application is inactive.

1. Return to the iOS device Settings app.
2. Go to Geo Tagging > Location > Save Battery in Background > On.

Note: When the application is inactive the reliability of the location data will be reduced.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)

Editing Photos

- Lens Correction and Composition**
- Working with Colors
- Exposure and contrast
- Details
- Local Adjustment
- Styles and Presets
- Global Auto Adjustments
- External Editing

- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed ▾

- Remote Shooting with Capture-Pilot
- Tethered Capture
- Organizing Photos
- Optimizing Your Workflow
- User Interface



Editing Photos

This section describes all the tools used in the creative process from adjustments to watermarking

Lens Correction and Composition

Use the Lens Tool Tab to address a number of unwanted issues commonly associated with lens distortion and use tools to alter the layout by cropping, rotating and applying keystone correction.

Working with Colors

Capture One provides a number of tools to adjust colors. The tools are designed to support your workflow when handling specific issues like saturation, white balance or skin tone.

Exposure and contrast

Use the Capture One Exposure Tool Tab to adjust exposure, contrast, brightness, saturation, levels and clarity.

Details

The Details Tool Tab includes tools for sharpening, noise reduction, adding film grain, and both moiré and spot removal.

Local Adjustment ^{Pro}

The Local Adjustments Tool Tab allows you to create layers and work on targeted areas of an image.

Styles and Presets

Capture One has a wide range of built-in Styles and Presets that not only allow you to add a visual effect to images but you can also use them to add specific adjustments and metadata to images in your daily workflow. You can also create and apply your own customized Styles and Presets.

Global Auto Adjustments

Global Auto adjustments can correct six parameters including the White Balance, High Dynamic Range, Levels and Rotation.

Using an External Editor

Complementary editing with third-party software, such as Adobe Photoshop, is available using either the Edit With... or Open With... commands.



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

- Lens Correction
- Lens Cast Calibration
- Rotation & Flip
- Crop Tool
- Keystone Correction
- Working with Colors
- Exposure and contrast
- Details
- Local Adjustment
- Styles and Presets
- Global Auto Adjustments
- External Editing

- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed ▾

- Editing Photos
- Remote Shooting with Capture-Pilot
- Tethered Capture
- Organizing Photos
- Optimizing Your Workflow



Lens Correction and Composition

LENS CORRECTION / LCC / GENERIC LENS PROFILE / VIGNETTING

Use the Lens Tool Tab to address a number of unwanted issues commonly associated with lens distortion and use tools to alter the layout by cropping, rotating and applying keystone correction.

Lens Correction

Capture One has numerous tools to deal with lens distortion, including automatic detection and correction using lens profiles.

Lens Cast Calibration

Create a Lens Cast Calibration (LCC) profile if a specific lens model is not supported in the Lens Correction tool.

Rotation & Flip

Learn how to flip, rotate and even straighten a horizon in an image.

Crop Tool

The Crop tool enables freehand and fixed ratio crop options. It is even possible to crop outside the image area.

Keystone Correction ^{Pro}

Find out how to alleviate perspective distortion using keystone correction.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

Lens Correction

Lens Cast Calibration

Rotation & Flip

Crop Tool

Keystone Correction

Working with Colors

Exposure and contrast

Details

Local Adjustment

Styles and Presets

Global Auto Adjustments

External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Lens Correction and Composition
- Editing Photos
- Remote Shooting with Capture-Pilot
- Tethered Capture
- Organizing Photos

PHASEONE

what the world's best photography is made of



Lens Correction

Capture One has numerous tools to deal with lens distortion, including automatic detection and correction using lens profiles.

- Overview of correction profiles
- Apply a specific lens profile
- Apply a generic lens profile
- About chromatic aberration and purple fringing
- Removing chromatic aberration
- Removing purple fringing
- Diffraction correction
- Distortion correction
- Correcting soft corners
- Reduce light falloff
- Lens correction: Movement

Overview of correction profiles

The Lens Correction tool includes predefined corrections or profiles for many popular lenses from major lens manufacturers. The profiles include corrections for distortion, chromatic aberration, diffraction, and both sharpness and light fall-off.

In addition to lens specific profiles, the Generic or Generic Pincushion Distortion profiles available in the Lens Correction tool address the most detrimental issues related to any simple spherical lens. Complex distortion however, can only be fully corrected with the lens specific profiles. Where possible the lens type will be automatically selected in the **Profile** menu. A selection of the most suitable lens correction profiles can be found under the **Recommended Lenses** heading, or you can manually select a lens correction profile from the available list.

If a specific lens model is not supported in the Lens Correction tool, you can create a Lens Cast Calibration (LCC) profile to correct a number of issues. For more details, see the section on [Create a LCC profile](#).

Apply a specific lens profile

When Capture One detects a lens model with a correction profile in the database, the profile is selected and, typically, chromatic aberration and distortion correction adjustments are automatically applied.

If the lens model has not been detected, follow the steps below to locate the profile manually or to select a profile for a similar lens. To manually apply correction, follow the steps under the [Apply a generic lens profile](#) section, below.

1. Go to the Lens Tool Tab and select the **Lens Correction** tool.
2. Select an image from the [browser](#) and choose a specific lens from the **Profile** drop down menu. (A selection of the most suitable lens correction profiles can be found under the Recommended Lenses heading or select one from the available list).
3. Once a lens is selected, a check mark will appear in the **Chromatic Aberration** check-box and Capture One will automatically apply the correction based on the lens profile.



- If the image still shows some chromatic aberration, click the Analyze (...) button to the right to start Capture One's built-in analysis and correction algorithms. This will nearly always result in improved correction of chromatic aberration, as the adjustment is based on the actual lens (and image sensor) used during capture.
- Adjust the Distortion, Sharpness Falloff and Light Falloff sliders as necessary. Diffraction correction may also be necessary, see below for more details.

Apply a generic lens profile

When a lens is not recognized by Capture One, you can either select a profile for a similar lens from the list that will apply corrections automatically (see above), or correct the lens using the following steps.

- Go to the [Lens Tool Tab](#) and select the **Lens Correction** tool.
- Select an image from the [browser](#) and choose the **Generic** option from the **Profile** drop down menu. (All sliders in the tool are reset; there are no default settings for a generic lens).
- Check mark the option boxes, as desired
- Select the **Chromatic Aberration** option to start chromatic aberration analysis and correction on the selected image. Multiple images can be corrected after selecting the Edit All Selected Variants option from the Edit menu or Toolbar.
- Click on the Analyze (...) button to restart the process, if necessary.
- Adjust the Distortion, Sharpness Falloff and Light Falloff sliders to the desired settings. See below for more details.



About chromatic aberration and purple fringing

Chromatic aberration occurs because light of different wavelengths takes different paths through the lens that may not be in focus on the sensor. As most light is a mix of several wavelengths, the lens will focus the colors differently and create color fringes on edges of high contrast areas.

Since chromatic aberration results from colors that have shifted, a white or light color on a dark background will have colors on either side. The most common effects are seen as red/cyan and blue/yellow fringes but others are possible. One of the more unsightly is green/purple but this should not be confused with purple fringing.

Steel, chrome and other metallic products often give rise to extreme contrast that can generate purple fringing. Purple fringing is, like chromatic aberration, an artifact that occurs because a lens interacts differently with light of varying wavelengths. Unlike chromatic aberration, purple fringing will not usually show fringes of different colors. Purple fringing is mostly visible on the edges of very high contrast image areas, such as metallic products or branches on a tree against a bright sky.

Purple fringing is often seen on images that also show chromatic aberration. Wide-angle lenses are more likely to show this artifact.



Removing chromatic aberration

Capture One's chromatic aberration analysis function can be used to remove troublesome fringing from multiple images, not just single photos. This option will override chromatic aberration correction from a lens profile and, as each individual image itself is analyzed, often results in improved correction.

- Go to the **Lens Tool Tab** and select the **Lens Correction** tool.
- Select multiple images from the browser.
- Press the Analyze (...) button to start the correction process.



Removing purple fringing

Capture One features a specifically designed tool to remove purple fringing. It includes a familiar slider allowing control over the intensity, as well as the usual

options to save the resulting setting to the adjustments clipboard or as a preset. Both allow the setting to be applied to multiple images. Although the Purple Fringing tool is offered as a standalone control for global corrections, purple fringing removal can also be applied locally, using an adjustments layer. As a result, the Purple Fringing tool can be found under both the Lens Tool Tab as well as the Local Adjustments Tool Tab.


1. Go the [Lens Tool Tab](#) or [Local Adjustment Tool Tab](#) as necessary, and select the **Purple Fringing** tool.
2. Zoom to at least 100% in an area displaying a fringe with a purple hue along a high contrast edge. Note the inclusion of complementary cyan, magenta or yellow-green fringes usually indicates chromatic aberration.
3. To reduce the intensity of the purple fringing, drag the slider to the right. If the fringing is severe it may not be possible to remove it entirely.
4. The setting can be copied and applied to other image files as a [Style](#) or [Preset](#), if required.



Diffraction correction

Diffraction effects lower the resolution of lenses at small apertures. Selecting this option helps mitigate the effect using a sophisticated deconvolution algorithm to sharpen the image and restore some of the fine detail that was lost during capture. The feature is not enabled automatically, nor dependant on the profile selected, as it is processor intensive and when the time comes to export images it can extend processing times. Enabling this tool and the application of Sharpness Falloff correction can be considered the first stage in capture sharpening.

1. Go to the **Lens Tool Tab** and select the Lens Correction tool.
2. Select an image or multiple images from the browser.
3. Check mark the **Diffraction Correction** check box to apply the process.
4. The setting can be saved as component of a Lens Correction User Preset and applied to multiple images.




Distortion correction

Capture One's Distortion slider can be used to fine-tune either barrel or pincushion distortion correction, depending on the lens profile selected. The slider functionality automatically changes to suit the type of distortion. This is particularly convenient when the profile contains data for both barrel and pincushion distortion such as that found with zoom lenses.

When there is no suitable lens correction profile available, the user must select the Generic profile when barrel distortion is present, or choose the Generic Pincushion profile to remove pincushion distortion. Note, complex or waveform distortion can only be corrected by a lens profile.


1. Navigate to the **Lens Correction** tool, and check the profile for your lens has been selected automatically, otherwise search for a suitable profile from the drop-down menu.
2. Adjust the **Distortion** slider for that profile to 100% to fully correct this issue (if there is one).
3. Alternatively, when there is no suitable profile available, select from either the Generic (i.e., barrel) or Generic pincushion distortion profile, depending on the distortion visible in the selected image.
4. Adjust the **Distortion** slider while observing the effect on the image against the displayed grid in the main viewer.
5. Switching between the two Generic profiles during adjustment will reset the slider to zero.
6. The setting can be saved as component of a Lens Correction User Preset and applied to multiple images.



Correcting soft corners

Soft corners can occur for many reasons and commonly transpire when a wide-angle lens is used. Soft corners are often seen as a desired retro-focus effect. However, with the Sharpness Falloff tool, Capture One can help correct this effect if it is unwanted.

1. Select a variant using the camera and lens combination.
2. In the **Lens Correction** panel, check the profile for your lens has been selected automatically, otherwise from the drop-down menu, search for a similar model or use the generic profile instead.
3. Adjust the **Sharpness Falloff** slider for that profile to 100% to fully correct this issue (if there is one).
4. Alternatively, experiment with the image at 100% to get an appropriate setting. Higher values than 100% are possible and increase the effect of the correction.
5. The setting can be saved as a component of a Lens Correction User Preset and applied to multiple images.



Reduce light falloff

Light falloff arises because an image is exposed more at the center of the frame than at the corners. The distance from the lens to the sensor is longer at the edges than it is at the center and, therefore, less light reaches the sensor from the lens at oblique angles. This effect is most common with wide-angle lenses that are used at the initial aperture (i.e., wide-open).

1. If you have a profile for your lens, set the amount to 100% to result in a completely flat and even-looking image.
2. Alternatively, use a generic profile and manually set the desired amount with care. Higher values than 100% are possible and increase the effect of the correction.
3. The setting can be saved as component of a User Preset and applied to multiple images.



Lens correction: Movement ^{Pro}

1. If you are using a lens or camera system that can have movements applied, go to the **Movement tab** in the Lens Correction tool.
2. If the Focal Length and Aperture can be detected, the values will automatically be shown in the corresponding fields. Otherwise manually enter the information.
3. Enter the shift data for the x and y axis. Changing the shift parameters will have a positive benefit on the distortion and light falloff corrections in particular.



Did you find this article useful?



Lens Correction and Composition

Lens Correction

Lens Cast Calibration

Rotation & Flip

Crop Tool

Keystone Correction

Working with Colors

Exposure and contrast

Details

Local Adjustment

Styles and Presets

Global Auto Adjustments

External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

Lens Correction

Lens Correction and Composition

Editing Photos

Remote Shooting with Capture-Pilot

Tethered Capture



Lens Cast Calibration

Create a Lens Cast Calibration (LCC) profile if a specific lens model is not supported in the Lens Correction tool.

- LCC test shot
- Create and apply a LCC profile
- Save a LCC as preset
- Import LCCs
- LCC options
- Workflow basics

LCC test shot ^{Pro}


Either photograph a LCC (Lens Cast Calibration plate) to create a test shot for an up-to-date LCC profile of a particular lens. To get an exact profile and optimal correction, the LCC test shot should be created with the same lens and shutter setting as the intended corrected images. Tilt and Shift adjustments on a camera must also match for best results.

Alternatively, use a similar LCC test shot if you keep a library of previously captured LCC images. (Phase One does not recommend selecting the Dust Removal check box with this generic approach to lens correction).



Create and apply a LCC profile ^{Pro}

1. Import and select the LCC image from the **browser**. (I.e. the image captured with the white Lens Cast Calibration plate).
2. Go to the **Lens Tool Tab**. Select the **Lens Correction** tool and press the **Create LCC** button.
3. Check mark the **Wide Angle Lens with Movements** box if you are using a technical camera with a wide-angle lens and some degree of movement.
4. Check the **Include Dust Removal Information** to create a map to automatically remove dust. Selecting this option will increase processing time. It also results in larger file sizes than profiles without dust removal data. Only select this option if essential.
5. Press **Create**.
6. Capture One will now analyze the image and create the LCC profile. (When completed, the check box **Color Cast** is selected. The color differences across the image should now be even).
7. The thumbnail will be labeled with **LCC** to help you keep track of your captures.
8. To Apply the LCC to one or more images (that were captured with the same camera) simply select them both in the thumbnail browser, right click, and choose **Apply LCC**.



Tip: Right click on a thumbnail in the browser and select **Create LCC...**

Save a LCC as preset ^{Pro}

1. Click on the **Manage Preset** icon at the top of the LCC tool.
2. Select **Save User Preset...** from the drop down menu.
3. A dialog box will open. Name and save the Preset.



Import LCCs ^{Pro}

A LCC library from Capture One 6 can be imported and converted into presets.

1. Go to the [Lens Tool Tab](#) and open the LCC tool.
2. Click on the action menu icon and select **Import LCC library from Capture One 6**.
3. A dialog box will appear. Press OK.



LCC options ^{Pro}

1. Go to the [Lens Tool Tab](#) and open the LCC tool.
2. Click on the action menu icon and select **Apply LCC Options...**
3. Check mark the **Uniform Light** option box and adjust the slider as desired.
4. Press OK. Now when you [apply the LCC](#), this new Uniform Light setting will override the existing setting.



Workflow basics

- Apply LCCs in bulk by selecting a batch of images that include LCCs. You can also analyze your LCCs in bulk.
- If you have multiple LCCs, Capture One detects whether an LCC should be applied to images following the LCC or before it.
- If you are a photographer who creates an LCC for every frame, you no longer need to add an LCC to your library before applying it.

Did you find this article useful?



Lens Correction and Composition

Lens Correction
Lens Cast Calibration

Rotation & Flip

Crop Tool
Keystone Correction

Working with Colors
Exposure and contrast
Details
Local Adjustment
Styles and Presets
Global Auto Adjustments
External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

Lens Cast Calibration
Lens Correction
Lens Correction and Composition
Editing Photos
Remote Shooting with Capture-Pilot



Rotation & Flip

ROTATION / CROP / KEYSTONE

Learn how to flip, rotate and even straighten a horizon in an image.

- Straighten lines
- Straighten or rotate multiple images
- Rotate freehand
- Flip an image

Straighten lines

1. Go to the [Lens Tool Tab](#).
2. Go to the **Rotation & Flip** tool and select the **Straighten** icon or select the Straighten option from the [Cursor tool menu bar](#).
3. Go to the Viewer and mark-up a horizontal or vertical line in need of correction. (E.g. Click on a point at one end of a horizon then click on the other end).
4. The image will automatically be corrected when the mouse-button is released.
5. Use the **Angle** slider to fine-tune the straightening. (Hover your mouse over the slider and change the setting with your scroll wheel if desired).



Straighten or rotate multiple images

1. Select the image (thumbnail) that you want to copy the crop from in the browser. (The thumbnail will have a thick white border).
2. Press the Edit Select Variants icon.
3. Now select the image thumbnails that you want to apply the crop to. (The thumbnail(s) will have a thin white border in the browser).
4. Go to the **Rotation & Flip** tool and press the small double-ended arrow icon (see circled).
5. A dialog box will appear. Check mark any necessary actions. (E.g. Rotation and Orientation).
6. Press **Apply** at the bottom of the dialog box. The adjustment will be applied to the selected images.



Rotate freehand

1. Go to the [Lens Tool Tab](#).
2. Go to the **Rotation & Flip** tool and alter the orientation by adjusting the **Angle** slider. (Hover your mouse over the slider and change the setting with your scroll wheel if desired).
3. Perpendicular correction can be achieved using the **Left** or **Right** buttons.
4. Alternatively, long press the **Straighten (R)** icon and select the **Rotate Freehand** option from the menu.
5. Once **Rotate Freehand** is selected, go to the Viewer and click and drag the image to the desired angle.



Flip an image

1. Go to the [Lens Tool Tab](#).
2. Go to the **Rotation & Flip** tool and select either **Horizontal** or **Vertical**

- from the **Flip** drop down menu.
3. The image will be instantly flipped over to the chosen option.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

- Lens Correction
- Lens Cast Calibration
- Rotation & Flip
- Crop Tool

Keystone Correction

- Working with Colors
- Exposure and contrast
- Details
- Local Adjustment
- Styles and Presets
- Global Auto Adjustments
- External Editing

- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed ▾

- Rotation & Flip
- Lens Cast Calibration
- Lens Correction
- Lens Correction and Composition
- Editing Photos

PHASEONE

what the world's best photography is made of



Crop Tool

CROP / ROTATION

The Crop tool enables freehand and fixed ratio crop options. It is even possible to crop outside the image area.

- Introduction
- Crop an image
- Add a custom aspect ratio
- Copy and apply a crop to one or more images
- Crop outside the image area
- Grids and Guides
- Add a grid or guide
- Workflow basics

Introduction

With the introduction of Capture One 10, the Crop tool was moved. It is now located in the [Lens Tool Tab](#), however, a shortcut remains in the [Cursor Tool Bar](#). Images can be cropped using an unconstrained or fixed ratio. To apply the crop after selection, simply switch to another cursor tool, such as the Pan or Select tool. Click the **Reset** adjustments button to revert to the un-cropped image.

Holding the shift key while applying a crop will ignore any previous crop. Placing the cursor close to the corner of the crop allows you to rotate the image while cropping, making it easier to compose your images.



Crop an image

1. Go to the [Lens Tool Tab](#), or long-press the crop tool in the [Cursor Tool Bar](#).
2. From the drop down menu, select the aspect ratio required or use the **Unconstrained** ratio, as desired. Note, the Original option maintains the aspect ratio of the initial capture.
3. Drag a crop frame in the Viewer. Depending on your [preference settings](#) there will be a semi-transparent mask over the area that is being cropped.
4. The orange numbers on the sides indicate the size of the cropped image.
5. To **see the applied crop** in its final form, select another cursor tool.



Add a custom aspect ratio


1. Go to the [Lens Tool Tab](#), or long-press the crop tool in the [Cursor Tool Bar](#).
2. Choose **Add Aspect Ratio** from the **Ratio** drop down menu.
3. Add a name and the ratio dimensions needed in the dialog box.
4. Press OK. The new ratio will appear in the **Ratio** drop down menu.



Copy and apply a crop to one or more images

1. Select the image that you want to copy the adjustment from in the [browser](#).

- (The thumbnail will have a thick white border).
- Now select the image thumbnails that you want to apply the adjustment to. (The thumbnail(s) will have a thin white border in the browser).
 - Make sure the **Edit All Selected Variants** is selected in the toolbar, or from the Edit menu.
 - Press the small double-ended arrow icon (see circled). A dialog box will appear.
 - Press Apply at the bottom of the dialog box. The adjustment will be applied to the selected images.



Crop outside the image area

- Go to the [Lens Tool Tab](#).
- In the Crop tool, check mark the **Crop Outside Image** option.
- Now it is possible to adjust the crop area outside the image area.
- When another tool is selected the new crop is shown in the Viewer.



Grids and Guides

As an aid to composition, multiple grids and guides can be displayed when cropping but they are also available on demand at other times. Be sure the settings have been applied in the Preferences (Crop) pane first: grids and guides may be displayed upon dragging only when cropping, or displayed permanently after the Show Grid and Guides option is selected from the main menu. Note, grids and guides can be selected independently in the Preferences pane.



Add a grid or guide

- Make sure the relevant settings for the Grid (**During Drag Only**, or **When Grids and Guides On**) are applied first in the **Preferences (Crop)** pane. Any number up to 59 equally spaced vertical and horizontal lines can be chosen.
- If guide lines are required when cropping, select that option from the same **Preferences** pane, or simply select View > Show Grid and Guides from the main menu.
- Whenever guides are needed after cropping, or for composition at other times, select View>Show Grid and Guides from the main menu. Note, the grid may be used instead, if a fixed pattern is required.
- Multiple guides may be added from the main menu, select View>Add Guide. Guides may be dragged into position using either the Pan (h) or Select (v) cursor tools. To prevent accidental movement of the guide, select View>Lock Guide from the main menu.
- If all of the guides displayed are no longer required, select View>Clear Guides, or if a single guide line needs removing, click and drag the line parallel to the edge of the frame.
- To remove a guide (or a grid) temporarily, select View>Hide Grid and Guides from the main menu. Select the Show Grids and Guides option to restore them.



Workflow basics

- Adjust a crop by dragging the edges of the preview inwards (the cursor will turn into a two-way arrow) until the desired crop has been achieved.
- Click within the crop boundary (where the cursor will turn into a cross) and drag the selection to move the entire selected cropped area.

- Rotate the crop to suit by grabbing just outside the corners of the crop frame (the cursor will change to a curved arrow).
- The original image with the cropping mask is shown in the thumbnails.
- Reselect the **Crop** tool at any time to readjust the crop settings.
- The crop masking can be changed in Preferences. Go to Capture One>Preferences and select the Crop option to change the opacity and brightness of the mask being used.
- Click the **Reset Crop** adjustments button to undo a crop and revert to the original un-cropped image.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

- Lens Correction
- Lens Cast Calibration
- Rotation & Flip
- Crop Tool

Keystone Correction

Working with Colors

- Exposure and contrast
- Details
- Local Adjustment
- Styles and Presets
- Global Auto Adjustments
- External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Crop Tool
- Rotation & Flip
- Lens Cast Calibration
- Lens Correction
- Lens Correction and Composition



Keystone Correction Pro

KEYSTONE / CROP / ROTATION / LENS CORRECTION

Find out how to alleviate perspective distortion using keystone correction.

- Introduction
- Apply keystone correction manually
- Auto keystone correction tool
- Apply horizontal or vertical correction
- Apply automatic vertical and horizontal keystone correction
- Hide distorted edges
- Auto rotate for IQ-series digital back

Introduction

It is not always possible to get the best angle on a subject and eliminate all distortion. Architecture photographers often have to correct perspective distortion of tall buildings. Capture One Pro gives you the ability to apply keystone correction. You can quickly correct any perspective distortion by using the vertical and horizontal sliders or use the cursor markers to pinpoint lines that should be parallel.

The Keystone function can be operated manually by adjusting individual sliders or, when using an Phase One IQ-series digital back, you can use the [Auto](#) option. The Auto Keystone Correction icons can be selected beneath the sliders or in the cursor tools. Choose between the automatic vertical, horizontal or full correction.

To apply the settings to multiple images that need the same correction, you can use the local Copy/Apply functions.



Apply keystone correction manually

1. Go to the [Lens Tool Tab](#).
2. In the **Keystone** tool, adjust the **Vertical** or **Horizontal** sliders.
3. Adjust the **Amount** slider.
4. Fine-tune **Aspect** if necessary.



Auto keystone correction tool

There are three auto **Keystone** correction tools, denoted by the following icons, from left to right: Keystone Vertical, Keystone Horizontal and Keystone. (See circled.) The active icon will turn orange. The auto keystone correction tool can be selected using the keyboard shortcut **k**.



Apply horizontal or vertical correction

1. Go to the Lens Tool Tab.
2. In the **Keystone** tool, select the Keystone Horizontal or the Keystone Vertical icon.
3. Set the four points to mark up the vertical or horizontal lines that need to be aligned.
4. Press the **Apply** button (located in the center of the image in the Viewer).
5. Adjust the **Amount** and **Aspect sliders** as desired.



Apply automatic vertical and horizontal keystone correction

1. Go to the Lens Tool Tab.
2. In the **Keystone** tool, select the **Keystone** icon.
3. Set the four points to mark up the vertical or horizontal lines that need to be aligned.
4. Press the **Apply** button (located in the center of the image in the Viewer).



Hide distorted edges

There may be occasions when you need to hide the distorted edges after applying a keystone correction. In rare situations you might need to crop outside the image. For further information, see the section [To Crop Outside Image Area](#).

1. Go to Lens Tool Tab.
2. Check mark the **Hide Distorted Areas** option in the **Lens Correction tool**.
3. Distorted edges will now be automatically clipped.



Auto rotate for IQ-series digital back

The IQ-series digital backs have an integrated motion sensor that automatically logs the angle of a captured image.

1. Press the **A** icon in the Keystone tool to correct an image so that the horizontal angle is square to the ground. If, for example, an image has been captured looking up at a tall building with any perspective distortion, then the **A** (Auto) function will also correct any converging verticals.
2. Applying a Keystone setting will also adjust the rotation of an image. If you want to undo the Keystone setting and the rotation, remember to press the undo icon for both individual adjustments.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

Working with Colors

- Base Characteristics
- White Balance
- Color Balance
- Color Editor
- Black & White
- Display RGB values
- Migrating the Database
- Processing Engine

Exposure and contrast

Details

Local Adjustment

Styles and Presets

Global Auto Adjustments

External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

- Keystone Correction
- Crop Tool
- Rotation & Flip
- Lens Cast Calibration
- Lens Correction



Working with Colors

Capture One provides a number of tools to adjust colors. The tools are designed to support your workflow when handling specific issues like saturation, white balance or skin tone.

Base Characteristics

Use the Capture One Base Characteristics tool to define the camera's default reproduction of both color and tonal range.

White Balance

Use the Capture One White Balance tool to establish perfect natural colors and neutral grays.

Color Balance ^{Pro}

The redesigned Color Balance tool gives you the opportunity to fine-tune image tones more easily, and offers individual control over the shadow, mid-tone and highlight areas of the image.

Color Editor

The Color Editor enables you to select and adjust a narrow color range without affecting other colors in an image.

Black & White

The Black & White tool enables users to convert images into razor sharp monotone photos.

Display RGB values ^{Pro}

Capture One can display multiple RGB readouts at various points in a photo.

Migrating the Database

Catalogs or sessions produced by earlier versions of Capture One must be updated to use the latest database model.

Processing Engine

The processing method or engine determines the way in which a RAW file is demosaiced, color managed and presented on screen. Changes in engines can dramatically improve how the image is presented. The tools and their adjustments in Capture One can therefore produce different results depending on how they interface with the engines.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

Working with Colors

Base Characteristics

White Balance

Color Balance

Color Editor

Black & White

Display RGB values

Migrating the Database

Processing Engine

Exposure and contrast

Details

Local Adjustment

Styles and Presets

Global Auto Adjustments

External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Capture Pilot
- Enhanced Image Package (EIP)
- Adding a Watermark
- Managing Metadata
- Managing Sharpening

Capture One > Editing Photos > Working with Colors > Base Characteristics



Base Characteristics

Use the Capture One Base Characteristics tool to define the camera's default reproduction of both color and tonal range.

- Introduction
- Change default settings
- Upgrade processing engine

Introduction

Capture One automatically selects the recommended default ICC color profile and appropriate Tone Curve setting for all image files from recognized camera models. These settings define the overall look for the camera or digital back. Note the Auto Curve option is set by default. It does not apply an Auto Curves adjustment. Instead, this feature automatically selects the appropriate film curve characteristics based on the selected ICC color profile, usually the Film Standard where offered.

The **Film Standard** curve has been designed to give a similar look to transparency film, with deep blacks and bright mid-tones and highlights. **Film Extra Shadow** offers similar tone characteristics, with less contrast in the shadows. **Film Contrast** has higher contrast than Film Standard, with deeper shadows and brighter highlights. The **Linear** option has reduced contrast overall and is intended to offer maximum control of tone mapping using the Curves Tool.

Certain camera models also have additional ICC color profiles for different light sources, as well as extra Tone Curve options including **Film Standard V2**, **Portrait** and **Linear Scientific**.

It is possible to reassign these settings and to save the result as a user-defined default setting. Once selected, the new default profile and tone curve setting will be automatically applied to every subsequent file from that specific camera model. This procedure is recommended for advanced users only.



Change default settings

1. Go to the **Color Tool Tab**.
2. In the Base Characteristics tool, change the **ICC profile** to a different recommended profile for the camera, or to a favored camera profile from a different make and model.
3. Go to the **Curve** drop down menu and select a different preference (optional).
4. To save this as a user-defined setting, click on the action menu icon and select the **Save as Default** for the relevant camera model option at the top of the Base Characteristics tool.
5. This default setting will now be applied to every subsequent file from this specific camera make and model.



Upgrade processing engine

Images processed in an earlier version of Capture One can be upgraded to take advantage of the latest image quality advances. Previous adjustments will be permanently upgraded and you will not be able to use the reset or undo options to return to them immediately. However, you can switch between

processing engines, if you wish to reapply adjustments to those image files again to get the same result. Please see the section on selecting the [Processing Engine](#) for more details.

1. Go to the [Color Tool Tab](#).
2. Select the image(s) to be upgraded from the browser. If multiple images are chosen, make sure the **Edit Selected Variants** option in the tool bar is selected.
3. In the Base Characteristics tool, click on the **Upgrade** button.
4. After making the selection, the Upgrade button will no longer be displayed.



Did you find this article useful?



Introduction

User Interface

Optimizing Your Workflow

Organizing Photos

Tethered Capture

Capture Pilot (™)

Editing Photos

Lens Correction and Composition

Working with Colors

Base Characteristics

White Balance

Color Balance

Color Editor

Black & White

Display RGB values

Migrating the Database

Processing Engine

Exposure and contrast

Details

Local Adjustment

Styles and Presets

Global Auto Adjustments

External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us



Recently viewed ▾

Base Characteristics

Capture Pilot

Enhanced Image Package (EIP)

Adding a Watermark

Managing Metadata

PHASEONE

what the world's best photography is made of

Capture One > Editing Photos > Working with Colors > White Balance



White Balance

WHITE BALANCE / COLOR BALANCE / BLACK AND WHITE / SKIN TONE

Use the Capture One White Balance tool to establish perfect natural colors and neutral grays.

- Introduction
- Mode, Kelvin and Tint
- Set a custom white balance
- Set skin tone white balance
- Set user defined skin tone
- Set white balance automatically
- Set white balance 'as shot in camera'

Introduction

The White Balance tool is located within the [Color Tool Tab](#). The tool features two tabs. The Grey tab enables users to adjust the Mode, Kelvin value and Tint. The Skin Tone tab offers an array of options to help attain precise results when shooting portraiture.



Mode, Kelvin and Tint

The **Mode** drop down menu provides a list of different White Balance presets. (E.g. Daylight, Tungsten, and Fluorescent). The menu has a Camera Custom as well as an As Shot choice, which refers to the White Balance used by a camera when the image is shot. Advanced users may prefer to create their own White Balance settings or choose alternative options.



The **Kelvin** slider changes the color temperature of an image within the range 800 to 14000 degrees Kelvin. Move the slider to the right to achieve a warmer (yellow) hue and to the left for a cooler (blue) appearance.

Adjust the **Tint** slider to fine-tune the green/magenta balance. The scale on the slider represents the actual Kelvin value, which is subject to slight variations from camera to camera.

Set a custom white balance

1. Go to the [Color Tool Tab](#).
2. In **White Balance** tool choose the Grey tab.
3. Use the picker (see circled) to set the White Balance.
4. Set White Balance from a grey card or a color neutral area.
5. [Copy and apply](#) this setting to other images.



Find out more about [setting the white balance when shooting tethered](#).

Set skin tone white balance

1. Go to the [Color Tool Tab](#).

2. Choose the **Skin Tone** tab in the **White Balance** tool.
3. Choose the appropriate option in the **Skin tone** in the drop down menu.
4. Alternatively, use the Skin tone picker to define the skin tone color.
5. [Copy and apply](#) this setting to other images.



Set user defined skin tone

1. Go to the Color Tool Tab.
2. Ensure that **White Balance** and **Color Balance** are set accurately.
3. Choose the **Skin Tone** tab in the White Balance tool.
4. Check mark the **Pick to create new** option.
5. Use the Skin tone picker to define the new skin tone color.
6. Name the newly defined Skin Tone.
7. The new skin tone will be stored in the Skin Tones application folder and can be copied to other workstations from this location.
8. The user defined Skin Tone can now be selected or deleted from the Skin tone drop down menu.




Set white balance automatically

1. Go to the Color Tool Tab.
2. Select the image(s) that you want to adjust from the [Browser](#).
3. Press **Auto Adjust (A)** on the top of the **White Balance** tool.



Set white balance 'as shot in camera'

1. Go to the Color Tool Tab.
2. Select the image(s) that you want to adjust from the [Browser](#).
3. From the **Mode** drop down menu select **Shot**.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

Working with Colors

Base Characteristics

White Balance

Color Balance

Color Editor

Black & White

Display RGB values

Migrating the Database

Processing Engine

Exposure and contrast

Details

Local Adjustment

Styles and Presets

Global Auto Adjustments

External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

White Balance

Base Characteristics

Working with Colors

Keystone Correction

Crop Tool

Capture One > Editing Photos > Working with Colors > Color Balance



Color Balance Pro

COLOR BALANCE / WHITE BALANCE / BLACK AND WHITE / SKIN TONE

The redesigned Color Balance tool gives you the opportunity to fine-tune image tones more easily, and offers individual control over the shadow, mid-tone and highlight areas of the image.

- Introduction
- Adjust the color balance globally
- Adjust color balance in the shadow, mid-tone or highlight areas
- Reset the color balance
- Save as a preset
- Manage presets
- Changing the color wheel layout

Introduction

The Color Balance tool enables users to get precise control of colors, hue and saturation within an image. The tool includes a Master color wheel that replicates the original tool in functionality and then options with separate color wheels for Shadow, Mid-tone and Highlight areas.

The 3-Way option displays all three Shadow, Mid-tone and Highlight color wheels for convenience, while separate, larger color wheels may be displayed independently. If space allows, the individual larger color wheels can be displayed simultaneously by tripling the tool in the Toolbar, and each can be removed to float anywhere within the workspace, or even on a second monitor. When floating, the tool can be resized and can even retain a slightly enlarged size when replaced in the Toolbar.


Adjustments using these tools are highly localized, for example, adjustments made to highlight areas will affect mid-tones slightly but will not alter the shadows. In addition, the three new wheels have adjustment sliders for saturation and lightness. The latter slider is used for tinting (lightening) and shading (darkening) hues in the selected color range. Adjustment of Lightness maintains both hue and saturation, while lightening the highlights maintains fine gradations with a gentle roll-off. Although the saturation slider duplicates one of the functions of the color wheel, it has been provided so that it can be adjusted independently of the hue. This allows greater precision and prevents inadvertent hue changes during adjustment.

An accurate [white balance](#) should be set before you get started. Then color adjustments can be applied to create the desired mood for an image. Like other settings in Capture One, these changes can be saved as a [Preset](#) and applied to additional images.

Adjust the color balance globally

In this mode, the tool replicates the previous color balance tool and is compatible with settings made in Capture One 5.0 and later. Note, as a result the lightness slider is deliberately disabled.

1. Go to the [Color Tool Tab](#) and locate the Color Balance tool.
2. Click on the **Master** tab and drag the pointer (the circular orange icon located in the center by default) around Master Color Wheel to set the desired color **hue**. Moving the pointer away from the center increases **saturation**.
3. Fine-tune the **hue** by clicking and dragging the tab on the wheel, and click



and drag the slider tab to the left of the wheel to adjust the **saturation** (the color wheel pointer will be updated automatically).

Adjust color balance in the shadow, mid-tone or highlight areas

Setting the color balance in the shadows, mid-tones and highlights can be achieved using either the individual color wheels in the 3-Way tool, or the single wheels displayed separately under their respective tabs. Functionally, they're the same tools, and adjusting one color wheel in the 3-Way tool will update the corresponding, separate wheel. The smaller 3-Way color wheels are offered for convenience, however the much larger individual color wheels permit greater precision. Note, fine-tuning of saturation and hue can be achieved using either the keyboard arrows, mouse scroll wheel, or by holding the shift key while dragging the circular pointer in the color wheel.



1. Go to the [Color Tool Tab](#) and navigate to the Color Balance tool.
2. Click on the **3-Way** tab to display all three color wheels, or the separate **Shadow, Mid-tone or Highlight** tab to display the individual yet larger color wheels and drag the pointer (the circular orange icon located in the center by default) around the appropriate wheel to set the desired color **hue**. Moving the pointer away from the center increases **saturation**.
3. Fine-tune the **hue** by clicking and dragging the tab on the wheel, and click and drag the slider tab to the left of the wheel to adjust the **saturation** (the color wheel pointer will be updated automatically).
4. Click and drag the tab on Lightness slider downwards to darken the image, or upwards to lighten.

Reset the color balance

- Click on the reset button (curved arrow icon) to remove the adjustments across all the color wheels (Master, 3 Way, Shadow, Mid-tone and Highlight). A warning dialog will be displayed if two or more variants are selected.
- Press the Option (Alt) key and click on the reset button to temporarily switch between the adjusted color and the unmodified setting.
- Cmd-click to reset the selected tab only. Note, the 3-Way tool will be updated to reflect the reset color wheel, however, this shortcut cannot be applied from the 3-Way tab without resetting all the color wheels.
- Double-clicking inside the color wheel resets hue and saturation, while double-clicking on the lightness slider resets that tool.



Save as a preset

1. Move the pointer around the Color Wheel to alter the color balance of an image. Fine-tune the Color Wheel selection using the **Hue**, **Saturation** and **Lightness** sliders (as detailed above).
2. Go to the **Manage Presets** icon to save a Color Balance for later use.

Find out more about [Presets](#).



Manage presets

Color presets are a quick and simple way to apply a color-style or look, however, they are relative to the image they are applied to, not absolute. This means that applying a Preset after setting the **White Balance** may produce unexpected results.

1. Select the Manage [Presets](#) menu and access some useful controls and options:
 - o Access a saved preset, or delete it if unwanted.
 - o Select one of the built-in presets to instantly warm up or cool down the appearance of an image.



Changing the color wheel layout

Capture One's color wheels used in the Color Balance tool can be displayed with the chroma hue reference phase rotated 90-degrees to imitate a Vectorscope layout, as found on high-end video-editing software. Experience with this layout, with red near to the top, should be of benefit to anyone working with video-editing software.

1. Go to Capture One > Preferences (Mac) or Edit > Preferences (Windows).
The Preferences dialog box opens.
2. Click on the Color tool tab.
3. Go to Color Wheels section and select the layout from the two options. Red to the right is the default. Red close to the top imitates a typical Vectorscope layout. The selection is made without the need to restart Capture One.
4. To return to the default selection, repeat from step 1.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

Working with Colors

- Base Characteristics
- White Balance
- Color Balance

Color Editor

- Black & White
- Display RGB values
- Migrating the Database
- Processing Engine

Exposure and contrast

- Details
- Local Adjustment
- Styles and Presets
- Global Auto Adjustments
- External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Color Balance
- White Balance
- Base Characteristics
- Working with Colors
- Keystone Correction



Color Editor

SATURATION / EXPOSURE / RGB-READOUTS / CMYK

The Color Editor enables you to select and adjust a narrow color range without affecting other colors in an image.

- Introduction
- Adjust the color range (Basic)
- Adjust individual colors (Advanced)
- Adjust all but one color
- Save color scheme as ICC profile
- Save color scheme as preset
- Adjusting skin tones
- Changing the color wheel layout

Introduction

Located under the Color Tool tab, the Color Editor is available in three modes: Basic, Advanced and Skin Tone with each mode accessed from the tabs in the tool. All three modes adopt an easy to use Color Picker tool, allowing you to target the color you want to correct. In addition, a 2-D color wheel provides visual feedback with confirmation of the chosen color and a narrow range of related colors.

Using sliders, all three modes allow editing of the selected colors within the HSL (Hue, Saturation and Lightness) color model. Hue (rotation) adjusts color, while Saturation determines the intensity, or purity of the hue. The Lightness slider alters the brightness of the selected color range. A fourth parameter, Smoothness, adjusts the transition between the selected color range and related colors, ensuring that colors get a natural look with smooth transitions between them.

Indicated by a wire frame, the selection, or slice, can be adjusted to make the color range more or less targeted, depending on the desired effect. Handles are incorporated for adjustment and the palette can be dragged away from the dock and expanded for even greater precision and control.

Created for standard editing tasks, the Color Editor's Basic mode permits a maximum of up to only one color edit in each segment (red, green, blue, cyan, magenta, yellow). The Advanced mode provides a much more specialized tool, permitting up to 30 individual colors to be corrected per image. It also has more control over the color and saturation range.

Through the addition of Uniformity sliders, the Skin Tone mode offers more tools to even out, or homogenize, color, and is useful for correcting unwanted color variation, particularly when images have had strong global contrast and high saturation adjustments applied, or when simply correcting patchy skin tones or uneven application of make-up.

To prevent adjustment of similar colors elsewhere in the image, a local adjustment layer can be made using Capture One's masking tool. Find out more information on [Local Adjustments](#).

Adjust the color range (Basic)

Select the color range for adjustment using either the Color Picker tool or by clicking on the range, or slice, in the 2-D color wheel. Up to 6 individual color corrections can be made. Note you can select individual color ranges from the



menu below the sliders instead, or choose the global (small, multi-colored wheel) option when wanting to adjust all the colors at once. After selecting the range, the color is adjusted using the sliders. The Saturation slider is created to adjust up to 80% in both directions.



1. Go to the [Color Tool Tab](#).
2. Choose the **Basic** tab in the **Color Editor** tool.
3. Click on the **Color Picker** (see circled) and select a color from the image in the Viewer that is in need of correction. The targeted color range is displayed on the 2-D color wheel.
4. Check mark **View selected color range** (see circled) to isolate the selected color range by automatically desaturating all other colors in the Viewer.
5. The color wheel's active selection is adjustable. Click and drag the two handles (located on the outer edge of the color slice) to narrow or widen the color range.
6. Adjust the **Smoothness** slider as desired. The range of shading extending beyond the active perimeter of the selection denotes how smooth the transition will be between colors. The wider the range, the smoother the transition.
7. Adjust the **Hue rotation**, **Saturation** and **Lightness** sliders as desired. The color(s) will be adjusted instantly in the Viewer. The correction adjustment can also be assessed in the "before and after" panel swatches at the bottom of the dialog.

Adjust individual colors (Advanced) ^{Pro}

The Advanced mode works in a similar way to that of the Basic mode, however, the color picker's selection range is more targeted and up to 30 individual color range corrections may be made. This mode also offers greater control over the target selection. Note the selection is shown as the wire frame in the 2-D color wheel, along with direction arrows to guide adjustment.



1. Go to the [Color Tool Tab](#).
2. Choose the **Advanced** tab in the Color Editor tool.
3. Use the **Color Picker** (see circled) to select a color from the image in the Viewer that is in need of correction.
4. Check mark **View selected color range** (see circled) range to automatically desaturate all non-selected colors in the Viewer and preview the color range to be adjusted.
5. Pull and push the outer handles to alter the selection range. Fine tune the hue pick point using the inner handle, if necessary.
6. Adjust the chosen color individually using the **Smoothness**, **Hue rotation**, **Saturation** and **Lightness** sliders. The color will be adjusted instantly in the Viewer. The adjustment can also be assessed in the "before and after" panel swatches at the bottom of the dialog.
7. Add more adjustments by making additional selections with the color picker or by pressing the (+) icon.
8. To delete a color edit, first highlight the selection in the list and press the (-) icon.
9. To view the effect of an individual edit, highlight the selection in the list and then toggle the check mark on and off.

Adjust all but one color ^{Pro}

The Color Editor's Advanced mode can be used to adjust all of the colors in the image except one, using the Invert Slice option. This can be useful when, for example, you want to preserve skin tones and need to adjust the color of everything else in the image.

1. Go to the [Color Tool Tab](#).
2. Choose the **Advanced** tab in the **Color Editor** tool.
3. Use the **Color Picker** to select a color from the image in the **Viewer** that is



- in need of correction.
4. Check mark **View Selected Color** range to automatically desaturate all the other colors in the Viewer.
 5. Pull and push the border handles to alter the adjustable area.
 6. Adjust the **Smoothness** slider.
 7. Press the **Invert Slice** icon. (See circled).
 8. Adjust the chosen color(s) using the **Hue rotation**, **Saturation** and **Lightness** sliders. The color(s) will be adjusted instantly in the Viewer.
 9. Add more adjustments by pressing the + icon.

Save color scheme as ICC profile ^{Pro}

You can use the Color Editor tool to create custom ICC profiles for any camera model, and they can be applied to future editing sessions, like presets. ICC profiles created in Capture One can also be transferred to third party applications. This ensures consistent color as the new profile can be adopted throughout the entire workflow.

1. **Adjust all colors**, as desired.
2. Press the presets icon and choose **Save as ICC Profile...**
3. Name the new ICC profile. The new ICC profile is now stored in the Profiles folder.
4. Add the new ICC profile to other images from the **Base Characteristics** tool in the **ICC Profile** drop down menu. The ICC profile is found in the **Other** section.



Save color scheme as preset

Color edits made with the Basic, Advanced and Skin Tone modes can be saved as a preset and applied to other images.

1. **Adjust all colors**, as desired.
2. Press the **Manage Presets** icon and choose **Save User Preset...** from the menu.
3. Check mark the desired preset adjustments and press **Save**.
4. Name the new Color Preset profile. The new Color Preset is now stored in the **Color Editor** folder based in the Capture One Presets folder.
5. Access and apply the new Color Preset to other images from the **Manage Presets** menu. (The new Color Preset can be found under the **User Presets** heading).



Adjusting skin tones ^{Pro}

Like the Basic and Advanced modes, the Color Editor's Skin Tone mode is both intuitive and easy to use. It is also extremely powerful and can be used to make skin tones look brighter, natural and more pleasing but it can also be used to balance patchy areas of skin or the uneven application of make-up.

While the HSL amount sliders in the Skin Tone mode can be used in the same way as the other Color Editor tools, its real power lies in the uniformity sliders. However, the concept behind the uniformity tool works slightly differently to the other modes.

As with the Basic and Advanced color editor workflow, the color to be corrected must be defined to base the adjustments on. Unlike the usual workflow, however, you should aim to pick the color you wish to keep and expand the range using the wire frame to include hues which appear to be unwanted (e.g., for Caucasian skin, pick a neutral tone, and expand the range to the reds and yellows).

The uniformity tool uses this color pick in the hue selection as a reference. As the sliders are moved to the right, the colors in the range encompassed by the wire frame are adjusted towards the reference point, creating a more uniform color. A rough local adjustment mask on the skin tone area can be used to prevent the uniformity adjustment from affecting other areas of the image with the same color.

In addition to the 2-D color wheel's built-in Hue slider, Saturation and Lightness sliders, located left and right respectively, can be used to fine tune the



reference point (e.g., to warm, or to cool down, the skin tone). Note that the hue and saturation range automatically adjust to compensate for the repositioning of the respective reference point.

Note also that while the Skin Tone mode has been optimized for skin tones, it can be used for editing any color.

1. Go to the [Color Tool Tab](#).
2. Choose the **Skin Tone** tab in the **Color Editor** tool.
3. Use the **Color Picker** to select a color from the image in the [Viewer](#) that is in need of correction. (It may help by enlarging an area of the face/skin to a 100% image view).
4. Adjust the **Smoothness** slider as necessary. Adjustment ensures that selectively changed colors get a natural look with smooth transitions.
5. Refine the color range selection in the 2-D color wheel by clicking and dragging the individual components of the wire frame. A smaller selection range is more targeted, however working in larger areas of color will avoid giving an image an unnatural appearance. Note when removed from the dock the Color Editor is scalable for improved precision.
6. Refine the color pick, or reference point, using the 2-D color wheel's Hue, Saturation and Lightness sliders, if necessary. Note the wheel's Hue slider is built-in and adjusted using the center handle.
7. Adjust the chosen color(s) using the **Hue**, **Saturation**, **Lightness Amount** and **Uniformity** sliders. Dragging the **Uniformity** sliders to the right adjusts the Hue, Saturation and Lightness in the selection range closer to that of the picked color. The color(s) will be adjusted instantly in the Viewer.

Changing the color wheel layout

Capture One's color wheels used in the Color Editor tool can be displayed with the chroma hue reference phase rotated 90-degrees to imitate a Vectorscope layout, as found on high-end video-editing software. Experience with this layout, with red near to the top, should be of benefit to anyone working with video-editing software.

1. Go to Capture One > Preferences (Mac) or Edit > Preferences (Windows). The Preferences dialog box opens.
2. Click on the Color tool tab.
3. Go to Color Wheels section and select the layout from the two options. Red to the right is the default. Red close to the top imitates a typical Vectorscope layout. The selection is made without the need to restart Capture One.
4. To return to the default selection, repeat from step 1.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

Working with Colors

- Base Characteristics
- White Balance
- Color Balance
- Color Editor

Black & White

- Display RGB values
- Migrating the Database
- Processing Engine

Exposure and contrast

- Details
- Local Adjustment
- Styles and Presets
- Global Auto Adjustments
- External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

- Color Editor
- Color Balance
- White Balance
- Base Characteristics
- Working with Colors



Black & White

BLACK AND WHITE / BW / RGB-READOUTS / COLOR BALANCE

The Black & White tool enables users to convert images into razor sharp monotone photos.

- [Introduction](#)
- [Video tutorial: Black and White](#)
- [Adjust black and white tones in a color image file](#)
- [Create a split tone image](#)
- [Learn more](#)

Introduction

The Black & White tool can be used to give portraits a classic dramatic look or help create deep contrasts in nature and landscape imagery. It can be found in the [Color Tool Tab](#). If it has been removed or you would prefer it to be located in another tool tab, simply right click on the Tool Tabs tool bar and select Add Tool>Black & White. Alternatively, you can add a dedicated [Black and White Tool Tab](#) that features all the essential tools together to make producing black and white images even easier.




Video tutorial: Black and White

Learn about Black and White conversion in this video tutorial. (Click on the image to the right). Capture One Pro enables you to easily convert your images to black & white with powerful sliders that let you precisely adjust the color channels and create split toning effects when you convert to grayscale.



Adjust black and white tones in a color image file

1. Select the intended image for black and white conversion from the [Browser](#).
2. Go to the **Black & White** tool in the [Color Tool Tab](#).
3. Check mark the **Enable Black & White** box.
4. Adjust the color sliders. Use the Red slider to alter all tones mapped to red in the original image and so on.



Create a split tone image

1. Select the intended split tone image from the [Browser](#).
2. Go to the **Black & White** tool in the [Color Tool Tab](#).
3. Select the **Split Tones** tab
4. Check mark the **Enable Black & White** box.
5. Adjust the Hue/Saturation slider color values for the **Highlights** and **Shadows** as desired.



Learn more

- Add a specific Black and White Tool Tab. Right click on the [Tool Tabs bar](#) and select Add Tool>Black & White. (See image left). This Tool Tab puts all the essential tools in one place to make monotone conversions and image adjustments quick and easy.
- When a desirable look is achieved, save it as a [User Preset](#), in the manage presets menu.



Did you find this article useful?

[Introduction](#)[User Interface](#)[Optimizing Your Workflow](#)[Organizing Photos](#)[Tethered Capture](#)[Capture Pilot \(™\)](#)[Editing Photos](#)**Lens Correction and Composition****Working with Colors**[Base Characteristics](#)[White Balance](#)[Color Balance](#)[Color Editor](#)[Black & White](#)[Display RGB values](#)[Migrating the Database](#)[Processing Engine](#)**Exposure and contrast****Details**[Local Adjustment](#)[Styles and Presets](#)[Global Auto Adjustments](#)[External Editing](#)[Exporting Photos](#)[Printing Photos](#)[Tools Appendix](#)[Capture One Glossary](#)[About Phase One](#)[Contact us](#)**Recently viewed** ▾[Black & White](#)[Color Editor](#)[Color Balance](#)[White Balance](#)[Base Characteristics](#)[Capture One](#) > [Editing Photos](#) > [Working with Colors](#) > [Display RGB values](#)**Display RGB values**^{Pro}


RGB-READOUTS / BLACK AND WHITE / SKIN TONE

Capture One can display multiple RGB readouts at various points in a photo.

- [Set multiple readouts](#)
- [View and delete multiple readouts](#)
- [Learn more](#)

Set multiple readouts

1. Select the intended image thumbnail from the [Browser](#).
2. Choose the **Readout** picker from the [Cursor tools](#).
3. Click anywhere in the image in the [Viewer](#) to set the readout points.

**View and delete multiple readouts**

1. Select the intended image thumbnail from the [Browser](#).
2. Choose the **Readout** picker from the [Cursor tools](#).
3. Click anywhere in the image in the [Viewer](#) to set the readout points.
4. Select **Always Show Color Readouts** from the (picker) [Cursor tool](#) drop down menu. Readouts will now remain on screen even when another tool is selected.
5. Select **Delete Color Readout** from the (picker) [Cursor tool](#) drop down menu. Now click on any Readouts that you want to remove.
6. Alternatively, position the readout cursor tool above the readout and press ALT and click to delete it. Hold down shift while deleting a readout, will remove all readouts at once.

**Learn more**

- Click and drag any readout to move its position.
- Hide readouts by changing to any other cursor tools unless **Always Show Color Readouts** is selected from the (picker) cursor tool drop down menu.
- Readouts are shown with the appropriate channel values depending on what proof profile is selected.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

Working with Colors

- Base Characteristics
- White Balance
- Color Balance
- Color Editor
- Black & White
- Display RGB values

Migrating the Database

Processing Engine

Exposure and contrast

Details

Local Adjustment

Styles and Presets

Global Auto Adjustments

External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us



Migrating the Database

Catalogs or sessions produced by earlier versions of Capture One must be updated to use the latest database model.

- Upgrade earlier catalog or session


Upgrade earlier catalog or session

1. Choose from one of the following to open an earlier version of a document:

- o From the main menu, choose **File>Open...**, and navigate to the relevant document (i.e., with the .cocatalog or .cosession extension) and double click on the file.
- o From the main menu, choose **File>Open Recent...** and select the relevant session or document from the list. Note this menu shows only recently opened documents, and may have been cleared.
- o From the Finder (Mac), or using Windows Explorer (PC), navigate to the relevant document (i.e., with the .cocatalog or .cosession extension) and double click on the file

2. Opening the document will display a warning dialog to Upgrade, or Cancel. Note, only the database is upgraded, the variants are NOT altered and the previous settings and adjustments are preserved from the earlier version of Capture One.

3. Click on **Upgrade**.



Did you find this article useful?

Recently viewed

- Display RGB values
- Black & White
- Color Editor
- Color Balance
- White Balance



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

Working with Colors

- Base Characteristics
- White Balance
- Color Balance
- Color Editor
- Black & White
- Display RGB values
- Migrating the Database

Processing Engine

Exposure and contrast

- Details
- Local Adjustment
- Styles and Presets
- Global Auto Adjustments
- External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Migrating the Database
- Display RGB values
- Black & White
- Color Editor
- Color Balance



Processing Engine

The processing method or engine determines the way in which a RAW file is demosaiced, color managed and presented on screen. Changes in engines can dramatically improve how the image is presented. The tools and their adjustments in Capture One can therefore produce different results depending on how they interface with the engines.

- [Introduction](#)
- [Upgrade variants](#)
- [Change the processing engine](#)

Introduction

The latest version of Capture One uses a revised process method that offers several image quality enhancements. Image variants that were edited and processed in older versions may therefore have a different appearance when upgraded to the latest version's processing engine. Switch to the older process version if you need to reprocess image variants to achieve the same result for output. Access to previous versions of the processing engine is available from the global preferences dialog, see below.



Upgrade variants

Upgrading variants using the latest Capture One processing engine in the updated documents is optional but doing so provides improved image quality and access to the latest tools. Once updated, the settings cannot be reversed, however, individual variants may still be processed using previous versions of Capture One tools and processing engine, available in the global preferences dialog (see below for more details). Note user Presets and Styles may have to be fine-tuned to match the output of previously processed images.



A simple way to test the effect of new processing engines on images is to clone the variant (select image, right-click>Clone Variant) and upgrade the engine on the cloned image. That way you can then compare and contrast the two side-by-side before committing to the updates. See more information on [cloning](#).

1. Select individual images (i.e. variants) or select multiples using the Cmd/Ctrl key (Mac/Windows), or shift key, and clicking on the relevant images.
2. From the [Color Tool Tab](#), go to the **Base Characteristics** tool, and click on the **Upgrade** icon to the right of the Engine text field.
3. A warning dialog opens with Cancel and Upgrade Engine options.
4. Click on **Upgrade Engine**.

Change the processing engine

1. Go to Capture One>Preferences>Image.
2. Navigate to the Default Process Engine fly-out menu and select the earlier version as required. The four previous versions are supported.
3. Remember to switch back to the the latest Capture One version to attain the best results.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

Working with Colors

Exposure and contrast

- Details
- Local Adjustment
- Styles and Presets
- Global Auto Adjustments
- External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Processing Engine
- Migrating the Database
- Display RGB values
- Black & White
- Color Editor

PHASEONE

what the world's best photography is made of



Exposure and contrast


EXPOSURE / LOCAL ADJUSTMENT / BRIGHTNESS / CONTRAST / SATURATION

Use the Capture One Exposure Tool Tab to adjust exposure, contrast, brightness, saturation, levels and clarity.

- Managing exposure
- Adjust exposure
- Adjust contrast, brightness and saturation
- Adjust high dynamic range images
- An overview of the levels tool
- Adjust tonal range using input levels
- Adjust tonal range using shadow and highlight picker (optional)
- An overview of the curve tool
- Adjust exposure and contrast, or color using curves
- Set black and white points using curves (optional)
- An overview of the clarity tool
- Adjust local contrast using clarity
- Applying a vignette
- Adjust saturation

Managing exposure

1. Press the **Exposure Warning** icon (see circled, or View>Show Exposure Warnings) to highlight areas of an image that may be overexposed. A (default) red color will fill any areas that may be burnt out. (Find out how to [change the Exposure warning settings](#)).
2. Use the **High Dynamic Range tool** to help recover loss of detail in highlights and shadow areas. The **Highlight and Shadow** slider will also affect all colors and shades. Start by trying to carefully recover the information (pixels) hidden in the highlights and then gently adjust the shadow tones. The Exposure tool will change the appearance of colors.
3. Use **Local Adjustments** to alter the exposure if there are specific areas of an image that are overexposed.




Tip: The Exposure tool will change the appearance of colors. Tones will often appear over saturated but this can be remedied by reducing the Saturation Slider value appropriately.

Adjust exposure

1. Go to the Exposure tool in the **Exposure Tool Tab**.
2. Use the exposure slider to adjust the value up or down.


Note: This slider is calibrated to provide a range of +/- 4 stops. It adjusts the exposure in a similar way to the controls on a camera.



Adjust contrast, brightness and saturation

1. Go to the **Exposure Tool Tab**.
2. In the Exposure tool, adjust the **Contrast** slider to the right to increase

- contrast throughout the image. Move it to the left to decrease contrast.
- The Exposure tool also incorporates a **Brightness** slider that will primarily affect the mid-tones of an image. Move the slider to the left to increase mid-tone contrast or to the right to lighten shadow areas and reduce contrast.
 - Adjust the **Saturation** slider to increase or decrease the saturation of an image.



Adjust high dynamic range images

- Go to the [Exposure Tool Tab](#).
- In the **High Dynamic Range** tool, use the **Shadow** slider to lighten dark areas and the **Highlight** slider to darken and recover bright and overexposed areas.
- The Auto adjust button (A) will provide a good starting point. (Press the **A** icon).



An overview of the levels tool

The histogram in the Levels Tool plots the brightness and RGB values of an image from the darkest/blackest pixels on the left to the brightest/whitest on the right. As a visual guide the plot can reveal a number of characteristics about the image, such as the range and distribution of shadow, mid-tones and highlights, or tonal range.



In the combined RGB Channel mode the Levels Tool may be used to adjust the contrast and brightness of an image, either manually or automatically using the Auto Levels option. Using the Auto option, Black and White points are mapped to the set output levels (0 and 255 respectively, if left as default). RGB values are re-distributed to avoid color shifts, regardless of manual or Auto point selection.

The color balance can be adjusted using the individual RGB channel mode, however there is no auto-option and care is required to prevent color shifts.

Adjust tonal range using input levels ^{Pro}

- Go to the [Exposure Tool Tab](#).
- In the **Levels** tool, use the **Auto** (A) function or adjust by pulling the shadow and highlight point sliders until they're just touching either ends of the histogram.
- Check Highlight and Shadow warnings to identify any clipped pixels, and adjust as needed.
- Adjust the middle slider to lighten or darken mid-tones as desired.
- Optionally, press Red, Green or Blue tabs to access and adjust separate R, G and B channels using the sliders.
- Levels settings may be saved as a preset and applied to multiple images.



Note: Output levels can be set manually by adjusting the sliders at the top of the histogram, or by entering values in the boxes directly above. The default levels of 0 and 255 may be permanently overridden in the Preferences section, see [here](#) for more details. Exposure preferences can be accessed from the Levels tool's action menu icon. Press the [...] icon and select Preferences.

Adjust tonal range using shadow and highlight picker (optional) ^{Pro}

- Go to the [Exposure Tool Tab](#).
- In the **Levels** tool, select the **Shadow Picker** (see highlighted in orange) and click on a dark area of your image in the [Viewer](#).
- Select the **Highlight Picker** and click on a bright area of your image in the


Viewer.

4. Adjust the middle slider to lighten or darken mid-tones, as desired.



An overview of the curve tool

The Curve adjustment tool is one of the most powerful tools in Capture One. It is used to remap the tonal range of the original image values (represented by the horizontal axis) to the new, modified values (represented by the vertical axis of the graph). The lower left and upper right zones of the graph denotes the shadow and highlight regions of the image respectively, while the area in the middle represents the mid-tones.



Adding control points to the diagonal line and modifying the shape of the curve in the shadow, mid-tone and highlight areas alters the tonality and applies contrast and exposure adjustments by either stretching or compressing tones in the image. Although the Curve tool can be used to set the black and white points, it is usually best to do so with the Levels tool using Curves to make further adjustments to the brightness and contrast. The Curve tool allows greater flexibility and control of shadows and highlights and it is particularly useful when adjusting mid-tones. Note the Curve tool palette can be undocked and expanded for greater precision and control.

Capture One's Curve tool may also be used to adjust the Luma and color balance of the image. Images processed using earlier versions of Capture One Pro must be updated using at least the Capture One 9 engine, before being able to edit images using the Luma curve.

Select the Luma curve to adjust the brightness, or luminance component, and contrast of an image without affecting the color saturation. This tool improves accuracy when adjusting color balance using the individual (Red, Green and Blue) color channels. Use of the Luma tool also prevents banding and abnormal artifacts that are sometimes visible in transitions between colors, even when making more extreme adjustments.

Curves adjustment can be applied locally, see the [local adjustment](#) section for details.

Adjust exposure and contrast, or color using curves ^{Pro}

1. Go to the [Exposure Tool Tab](#).
2. In the **Curve** dialog, make sure the tool is set to RGB to adjust contrast and exposure (tonality). As an option, select individual Luma, Red, Green or Blue channels to adjust the luminance and color balance, respectively.
3. Click directly on the diagonal line to add a control point in the tonal region that you want to adjust. (The upper-right of the diagonal line adjusts highlights, and the center adjusts mid-tones. The bottom or lower-left adjusts the shadows.)
4. Drag a control point up or down to lighten or darken the selected region (RGB and Luma mode only). In channel mode, moving a control point up and to the left adds the chosen color, moving it down removes it.
5. Click and drag the control point to left or right to lower or increase contrast in the chosen region.
6. Add more points to the curve to adjust other areas. (To remove a control point, click and press delete/backspace or drag it off the graph.)
7. As an option, you can also add points by selecting the **Curve Point Picker** and clicking on the area of your image that you want to adjust in the [Viewer](#).



Note: Levels are used to control the overall tonal distribution of an image.

Curves enables users to remap the area within the shadow and highlight limits

that are set by the Levels tool.


Tips

- Press the **Manage Presets icon** and use a Built-in Preset as a starting point.
- When adjusting individual color channels, the Curve tool may be duplicated for each tab. Left click on the tool and select Add Tool > Curve. Repeat for each channel.

Set black and white points using curves (optional) ^{Pro}

The Curve tool has moveable anchor points located in the upper right and lower left corners of the diagonal line. This makes it easy to set black and white points (remap the darkest and lightest values in the tonal range). Note, it may not be necessary to make adjustments to the new anchor points, if the black and white points have previously been set using the [Levels tool](#).

1. Go to the [Exposure Tool Tab](#).
2. In the **Curve Tool**, position the cursor on one of the anchor points – a guideline will be displayed to help with the positioning.
3. Click and hold the anchor point and then drag it to the desired position. For example, to remap the tonal range, move the anchor points horizontally so that the guidelines just touch the edge of the histogram.
4. Repeat the procedure with the second anchor point.



An overview of the clarity tool

The Clarity tool consists of two sliders that can be used to add or remove what is termed collectively as local contrast in images, and is particularly useful for making contrast corrections after using the High Dynamic Range tool. The tool can also be used to diminish the effect of lens diffraction.

Small scale contrast can be adjusted using the Clarity slider. It can be used to reduce the effects of haze in images, for example, but negative values can be selected to lower contrast and smooth out or soften unwanted detail that can be useful in portrait images.

The Structure slider is used to adjust micro-contrast and therefore has a particularly noticeable effect on images that feature complex or small structures, such as fine branches, foliage, grass and textiles.

The Clarity Tool has four styles or methods for applying local contrast: Natural, Punch, Neutral and Classic. The method selected affects both the Clarity and Structure sliders, however the difference on the latter can be particularly subtle depending on the subject content.

- **Natural:** This method applies milder local contrast than either the Punch or Neutral options and avoids false colors and clipped highlights. Low negative values may be used for softening portraits.
- **Punch:** Adds higher values of local contrast than Natural or Classic methods and increases saturation slightly, however if applied heavily some highlight clipping may occur. Positive values using this method work well with landscapes.
- **Neutral:** This method adds the same level of local contrast as Punch, however saturation remains unaltered. When applying heavy contrast corrections the Neutral method usually works best, resulting in a more realistic and pleasing effect.
- **Classic:** The Classic option introduced in Capture One Pro 6 applies the mildest local contrast without increasing saturation. This method preserves highlight detail better than the Punch and Neutral options. Positive values using the Classic setting work well with architecture and on images with a degree of haze. Low negative values of Clarity may be used for softening portraits.



Adjust local contrast using clarity

1. Go to the [Exposure Tool Tab](#).
2. Select the Clarity tool, choose from the Natural, Punch, Neutral or Classic

setting from the Method drop-down menu and adjust the Clarity slider as necessary. (Zoom the image to 100% in the Viewer or the Focus window to help in choosing the preferred Clarity method type and Structure.)

3. Positive values increase mid-tone contrast whereas negative values lower it, producing a progressively softer look.
4. The Structure slider is independent and enhances texture when positive values are applied. Edging the slider to the left into negative values has a more moderate softening effect than the Clarity slider.

Note: The Clarity tool can also be applied as a [Local Adjustment](#).



Applying a vignette

Vignetting is a controlled exposure adjustment that will either darken or brighten the edges and corners of an image. The edges and corners will appear brighter when the EV value is added and darker when it is reduced. Vignetting will be affected by any color tone that is applied to an image, including the Sepia and Blue tone styles. Note this tool is not meant to correct the shortcomings of an optical system. The Light Falloff tool should be adopted for that purpose, in conjunction with either a Generic or Specific Lens Profile.

1. From the [Exposure Tool Tab](#), select the **Vignetting** tool.
2. Select an image from the browser and choose the desired option from the **Method** drop-down menu. The two crop options, circular and elliptic, resize the vignette when cropping an image.
3. Adjust the **Amount** slider to the right to lighten or the left to darken the edges and corners of an image. The amount of exposure can be adjusted over a range of $\pm 4EV$.



Adjust saturation

Decreasing the saturation will ultimately turn an image black and white. This in turn will change the histogram from RGB to monochrome, although the image will remain in a RGB color space as chosen by the output color space. This tool uses "intelligent saturation" so it does more than simply affect normal saturation values. The positive values (attained when the slider is moved to the right) are comparable to what third-party software often refers to as Vibrance. Vibrance is gentler to the skin tones and will be able to enhance, for instance, a blue sky without over-saturating the rest of the image. The negative values represent regular saturation settings.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

- Lens Correction and Composition
- Working with Colors
- Exposure and contrast

Details

- Sharpening
- Noise Reduction
- Moire
- Dust and Spots
- Film Grain

- Local Adjustment
- Styles and Presets
- Global Auto Adjustments
- External Editing

- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed

- Exposure and contrast
- Processing Engine
- Migrating the Database
- Display RGB values
- Black & White



Details

The Details Tool Tab includes tools for sharpening, noise reduction, adding film grain, and both moiré and spot removal.

Sharpening

Check focus and apply sharpening to enhance the image.

Noise Reduction

Remove noise, add grain and avoid Moiré.

Moire

Suppress Moire patterns in Digital images

Dust and Spots

Remove unwanted dust and spots.

Film Grain

Simulate film grain

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

- Lens Correction and Composition
- Working with Colors
- Exposure and contrast
- Details

Sharpening

- Noise Reduction
- Moire
- Dust and Spots
- Film Grain

- Local Adjustment
- Styles and Presets
- Global Auto Adjustments
- External Editing

- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed

- External Editing
- Global Auto Adjustments
- Styles and Presets
- Local Adjustment
- Details

PHASE ONE

what the world's best photography is made of



Sharpening

SHARPENING / NOISE REDUCTION / GRAIN / HIGH ISO

Check focus and apply sharpening to enhance the image.

- Overview of sharpening workflow
- Check focus in the viewer (without using zoom)
- Check focus and sharpness (without zooming into the viewer)
- Adjust sharpening
- Save settings as new defaults
- Save settings as user presets
- Sharpen an image using presets
- Switch between global and selective sharpening

Overview of sharpening workflow

To accommodate various workflows, Capture One's Sharpening tool in the Details Tool Tab is very flexible and can be used for a wide range of capture-sharpening or creative sharpening techniques prior to additional localized creative sharpening and output sharpening. As a part of the default settings applied to image variants, Capture One adds sharpening according to the camera model used. This step is intended to counteract the inherent softness of digital capture, including anti-aliasing, diffraction, and the subsequent interpolation or demosaicing process in Capture One.

Like the optional Diffraction Correction (deconvolution sharpening) and Sharpness Falloff available in the Lens Correction tool, the default sharpening settings can be considered an optional component within the first of a typical three-stage sharpening workflow. Capture sharpening of some form is required for virtually every image, so if you don't use deconvolution sharpening or the sharpness falloff tool, Capture One's Sharpening tool should be used instead. It can be left to the defaults, of course, or fine-tuned manually using the sliders (and saved as a preset or as new default setting), prior to further sharpening later.

The second stage of the sharpening workflow, known as creative sharpening, depends on the image content, and intended use. When you want to apply global sharpening, for example to rescue a soft or slightly mis-focused image, use the Sharpening tool in the Details Tool Tab (this effectively overrides the default capture sharpening settings). Applying sharpening usually increases the visibility of noise, so you will likely have to adjust the noise reduction settings while sharpening the image. Fortunately, it doesn't matter in which order you make the adjustments as, when processing the images for export, Capture One will apply all the settings in the optimal order. When you want to apply sharpening selectively to areas in an image, for example the eyes in a portrait, use the Sharpening tool in the Local Adjustments Tool Tab.

This multi-stage sharpening workflow allows image variants to exist close to an output-ready state, with the third and final stage, Output Sharpening, only being required when printing or sharing images. The settings for output sharpening can be customized (and saved as part of a recipe or preset), taking into account any influence on the final image by the intended output device. Consider the implications to your workflow if just one stage of sharpening is used - you will have to adjust the image variant each time you want to change the output device. For more information on Output Sharpening, please see the section on [Export and Processing](#).

Check focus in the viewer (without using zoom) ^{Pro}

The Focus Mask tool is intended as a means of evaluating the sharpness of an image at the time of capture, particularly when working tethered. However, it is also useful when identifying and selecting properly focused images and attendant depth of field, prior to adding sharpening.

1. Press the **Focus Mask** icon (circled). Sharp areas will be highlighted in a (default) green marking.
2. Go to Capture One>Preferences to adjust the Focus Mask settings. For more information on the settings, please see the [Preferences](#) section.



Check focus and sharpness (without zooming into the viewer)

Capture One's Focus tool has a preview window that can be used to examine a part of an image in detail at up to 400% magnification, without zooming into the Viewer. The Focus tool can also be undocked from the toolbar and placed to float anywhere in the Viewer. For added convenience when sharpening, you can also undock the Sharpening tool from the toolbar and dock-it beneath the floating Focus window.



1. Go to the [Details Tool Tab](#).
2. The **Focus** tool shows a section of the image that can be magnified up to 400%.
3. Use the **Pick Focus Point** icon to select a desired area (in the Viewer) to inspect in detail.
4. Adjust the magnification on the slider below the window, or click on the icons either side to alter the magnification in steps. Sharpness should be assessed at 50% and at 100%.
5. To resize the preview window, click on an edge or corner and drag. Alternatively, click on the Action menu icon (...) and select a sizing option (Medium or Auto Size) from the list.

Adjust sharpening

As a part of the capture sharpening stage, Capture One applies pre-sharpening to images based on the camera model. The default settings are a good place to start when enhancing an image. Note, of course, that adjustments are global and override the default settings. To alter the sharpening parameters using the keyboard as a shortcut, click on the values to highlight the box, then use the up/down arrows to increase/decrease the values by a set amount. To increase by a larger amount, select the shift key first.



1. Go to the [Details Tool Tab](#).
2. Either set the Viewer to 100% and use the Pan cursor tool (H) to navigate to an area in the image, or select an area with the picker in the **Focus** tool.
3. From the **Sharpening** tool, first set the **Amount**. This slider lets you specify how much brightening and darkening you want to apply to the edges. Higher settings apply more contrast. The majority of the sharpening adjustment is performed using this and the radius slider.
4. The **Radius** slider adjusts the width of the brightened and darkened areas at the edges. Typically the radius can be set low at first and increased in combination with the amount, while observing the effect on the edges.
5. The **Threshold** slider controls the difference in brightness between adjacent edge pixels, in effect where the sharpening effect will take place. When set to zero (0), sharpening will be applied to all the edge pixels in an image. High values affect high tonal differences between edge pixels. Typically the threshold is set low, between 0-1.0 is common. However, the threshold can be increased to mitigate sharpened noise (i.e., after adjusting the amount and radius).
6. Adjust the **Halo Suppression** slider when halo artifacts are noticeable, particularly after aggressive sharpening has been applied (i.e., after high values of amount and radius have been applied). Check images on high contrast edges for halos (dark and bright-lines) in the Focus window or Viewer at 100% or more, and drag the slider to the right to reduce or eliminate them.
7. Use the Pan cursor tool to check other areas of the image at both 50% and 100%.

Save settings as new defaults

After adjusting the sharpening sliders, you can save the adjustments as a new default setting for you particular camera. Existing image variants in Capture One will not be affected, however every time you import new images from that camera the new settings will be applied. In addition, you can manually apply the adjustments to existing variants if you want to update them. Note the sharpening settings are global.

1. Select a variant and fine tune the default sharpening settings as desired (as



- described above).
- From the **Sharpening** tool's Action menu (...), select **Save as Defaults for [camera model]**. A dialog will open reminding you that the default adjustments for all new variants will be changed, and existing variants will not.
 - Click **Apply** to save the adjustments to the selected variant (and any new image variants from that camera in the future).
 - To apply the new default adjustments to existing variants, select them in the browser and choose **Apply Defaults** from the Action menu (...).

Save settings as user presets

In addition to saving the sharpening adjustments as new defaults, Capture One allows you to save the adjustments as a user preset. The distinction between the two being that user presets are not automatically applied when importing, and are more likely to be used to apply different sharpening adjustments depending on content and intent.


- Select a variant and fine tune the default sharpening settings as desired (as described above).
- From the **Sharpening** tool's **Manage** menu (three bar icon), select **Save User Preset...** A **Save Preset** dialog opens.
- Verify that the parameters you would like saved are check-marked and click **Save**.
- You will now be prompted to name the preset. Choose a meaningful name and click **Save**.
- If you create a lot of sharpening presets, you can create a dedicated folder for them. First, select **New Folder**, choose a meaningful name and click **Save**, then name the preset and save it to that folder.



Sharpen an image using presets

Capture One has a number of built-in sharpening presets that can be applied to images. Alternatively, if you've previously saved a sharpening user preset, you can select that and apply the settings instead.

- Go to the **Details Tool Tab**.
- Either set Viewer to 100% and use the Pan tool (H) to navigate to an area of interest, or select an area with the picker in the Focus tool.
- Press the **Manage Presets** icon to access a variety of sharpening settings. Select a setting from the list.
- Fine-tune the desired setting using the sliders.
- Use the **Pan** tool (hand icon) to check other areas of the image at both 50% and 100%.
- To remove a built-in preset, return to the manage presets menu and re-select the active preset from the list (indicated by a checkmark). Reselecting will disable the preset (and remove the checkmark).
- When removing a user-preset, select the preset from the list under **Applied Preset**, and click on **Remove** from the menu.



Switch between global and selective sharpening

If you've already created a layer for selective sharpening in the Local Adjustments tool, you can instantly switch between global and local sharpening. Note, the layer must be selected if local sharpening is to be applied, otherwise global sharpening will be applied instead.

- Select the layer (if not already), then click on the **Sharpening** tool's Action menu (...) icon and select **Adjust Selected Layer**.
- A small brush icon next to the tool's name is displayed when sharpening selectively, with the layer.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

- Working with Colors
- Exposure and contrast
- Details

Sharpening

Noise Reduction

Moire

Dust and Spots

Film Grain

Local Adjustment

- Styles and Presets
- Global Auto Adjustments
- External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Sharpening
- External Editing
- Global Auto Adjustments
- Styles and Presets
- Local Adjustment



Noise Reduction

NOISE REDUCTION / HIGH ISO / GRAIN

Remove noise, add grain and avoid Moiré.

Capture One allows the removal of luminance and color noise from images using the Color and Luminance noise reduction sliders. Luminance noise exists in every digital image. Noise is caused by the light sensitive chip, regardless of ISO. Normally this noise is more visible at high ISO values. Higher Noise levels at high ISO values are caused because the signal has been amplified.

Please note that Capture One automatically adds an amount of noise reduction based on individual image evaluation.

- Remove noise from image files
- Luminance
- Color
- Details
- Single pixel slider
- Remove long exposure artifacts and high ISO noise

Remove noise from image files

1. Go to the **Details Tool Tab**.
2. The **Noise Reduction** tool will display the auto adjustment settings.
3. Use the Luminance slider to adjust the level of luminance noise.
4. Use the Color slider to adjust the level of chromatic noise.
5. Adjust the Details slider to smooth the surface of an image.

Learn more about the [Luminance](#), [Color](#), and [Details](#) sliders.



Luminance

This slider removes the pattern-like noise that is often present in shadow areas. The default setting for Luminance is 50. Increase the setting value for images that display displeasing noise levels and check the effect in the Viewer at 100% magnification.



Color

This slider removes color noise from images that are typically noticeable as subtle green/magenta patterns. It is very difficult to recommend specific settings as noise varies from camera to camera, but the program defaults provide a good starting point. The Viewer provides a clear view of the effect of filters on image noise.



Details

Applying heavy chromatic or luminance noise reduction may give an image a

soft appearance. If that's the case, adjust the Details slider to smooth the surface of an image. The default setting of 50 produces an even balance between image detail and noise. Adjust the Details slider to a smaller value to achieve a smoother surface. A large value produces more fine detail with improved edge definition. However, a higher setting can also produce more grain, especially with images captured at a high ISO.



Single pixel slider


Images that are exposed using a long shutter speed may be susceptible to the occasional 'hot-pixel', which is a single white pixel that should appear dark. The Single Pixel slider can be used (in the Noise Reduction tool) to eliminate hot-pixels although it can also affect the rest of the image. The filter will analyze single pixels compared to the surrounding area and correct the errors. But apply adjustments appropriately as the Single Pixel effect is very powerful especially at its maximum 100 setting.



The Single Pixel slider, like many other adjustments tools should always be used with caution and in moderation. Remember to try and check the final result before processing.

Remove long exposure artifacts and high ISO noise ^{Pro}

1. Go to the [Details Tool Tab](#).
2. Go to the **Noise Reduction** tool.
3. Use the **Single Pixel** slider to reduce the artifacts of a long exposure.
4. The higher the number, the harder the tool works.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

- Working with Colors
- Exposure and contrast

Details

- Sharpening
- Noise Reduction

Moire

- Dust and Spots
- Film Grain

Local Adjustment

- Styles and Presets
- Global Auto Adjustments
- External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Noise Reduction
- Sharpening
- External Editing
- Global Auto Adjustments
- Styles and Presets



Moire

Suppress Moire patterns in Digital images

- What is Moiré?
- Supress Moiré

What is Moiré?

In simple terms Moiré can occur when capturing a subject with fine pattern details. An image sensor may reproduce this pattern with a Moiré effect because it lacks resolution. Moiré can be an issue when photographing clothes and can occur in architecture photography.


The simplest way to avoid Moiré is by adjusting the position of a camera by moving it back/forward while photographing and/or changing your aperture setting.

When working with the Moiré tool, check areas that naturally have narrow stripes or a stripe-like pattern; if these have disappeared gradually turn down the Amount and Pattern and re-check the original Moiré issue.



Supress Moiré Pro

1. Go to the [Details Tool Tab](#).
2. Go to the **Moiré** tool.
3. Zoom to 100% in the [Viewer](#) and keep the Moiré area visible.
4. Adjust the **Amount** value first, followed by the **Pattern** value, bit-by-bit in small increments.
5. When the Moiré has disappeared do not increase the **Amount** or **Pattern** values.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

Working with Colors

Exposure and contrast

Details

Sharpening

Noise Reduction

Moire

Dust and Spots

Film Grain

Local Adjustment

Styles and Presets

Global Auto Adjustments

External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

Moire

Noise Reduction

Sharpening

External Editing

Global Auto Adjustments



Dust and Spots

DUST AND SPOTS / SPOT REMOVAL / MOIRÉ

Remove unwanted dust and spots.

- [To remove dust](#)
- [To remove spots](#)
- [Learn more](#)

To remove dust

1. Go to the [Details Tool Tab](#).
2. Open the **Spot Removal** tool.
3. Zoom the image in the [Viewer](#) to 100%.
4. Select **Dust** in the **Type** drop down menu.
5. Click on any dust particles in the Viewer. (Ensure the dust cursor is selected. See the orange circle).
6. Adjust the size of each circle to match the size of the spot by dragging the line at the edge of the circle or by adjusting the Radius slider.
7. The circle is movable. Place the cursor in the centre of the circle and drag and drop to change its position.
8. Repeat steps 5 to 7 to remove more individual dust particles. Switch between the individual circles by using the Spot drop down menu or use the arrow buttons.
9. Remove a spot by pressing the - (minus) button.




To remove spots

1. Go to the [Details Tool Tab](#).
2. Open the **Spot Removal** tool.
3. Zoom the image in the [Viewer](#) to 100%.
4. Select **Dust** in the **Type** drop down menu.
5. Click on any spots in the Viewer. (Ensure the spot cursor is selected. See the orange circle).
6. Adjust the size of each circle to match the size of the spot by dragging the line at the edge of the circle or by adjusting the Radius slider.
7. The circle is movable. Place the cursor in the centre of the circle and drag and drop to change its position.
8. Repeat steps 5 to 7 to remove more spots. Switch between the individual circles by using the **Spot** drop down menu or use the arrow buttons.
9. Remove a spot by pressing the - (minus) button.



Learn more

- Dust can be commonly seen in similar patterns on all images from one session. The dust can appear on the front plate of a digital back; this is why a dust spot will reappear out of focus on sequential following shots. To save time, use the [Global Copy and Apply](#) buttons to alter multiple image files. (See image)
- Alternatively, make a local copy of the dust spots and paste the dust spot setting into the rest of the session. ALWAYS check image files when automatically removing spots.
- The Spot Removal tool is created to find the sharp edges and remove the spot by analyzing the underlying colors and structure.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

Working with Colors

Exposure and contrast

Details

- Sharpening
- Noise Reduction
- Moire
- Dust and Spots

Film Grain

Local Adjustment

Styles and Presets

Global Auto Adjustments

External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Dust and Spots
- Moire
- Noise Reduction
- Sharpening
- External Editing



Film Grain

Simulate film grain

- Film grain
- Add grain

Film grain

The new Grain tool may be used to alter the image aesthetic by adding a realistic interpretation of film grain to digital images. Alternatively, the Grain tool may be used to add texture to digital images that have an excessively smooth or “polished” appearance, possibly after adding too much noise reduction or after adjusting the [negative clarity settings](#). If this is the case, the Grain tool may be used to create a more natural looking image. Increase Impact and Granularity with caution.



Add grain

1. Go to the [Details Tool Tab](#).
2. From the **Film Grain** tool, select Grain type in the Film drop down menu.
3. Select an area of uniform color or an area without texture if possible, in the Viewer or the [Focus](#) window.
4. Adjust the **Impact** slider to the desired amount.
5. The granularity or size of the grain is adjustable. Alter from fine to coarse by dragging the **Granularity** slider to the right. Note, when Fine Grain is selected the Granularity slider is disabled.
6. Settings may be saved as User Preset. A number of built-in Presets are also available.



Note: The Grain Tool is also available as a Local Adjustment.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

- Lens Correction and Composition
- Working with Colors
- Exposure and contrast
- Details

Local Adjustment

- Styles and Presets
- Global Auto Adjustments
- External Editing

Exporting Photos

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Film Grain
- Dust and Spots
- Moire
- Noise Reduction
- Sharpening

PHASEONE

what the world's best photography is made of

Capture One > Editing Photos > Local Adjustment



Local Adjustment^{Pro}

LOCAL ADJUSTMENT / EXPOSURE / COLOR EDITOR / SHARPENING / MOIRÉ

The Local Adjustments Tool Tab allows you to create layers and work on targeted areas of an image.

- Introduction
- Repair layers
- Local adjustment tools
- Add or remove a new adjustment or repair layer
- Draw a mask and apply local adjustments in a layer
- Selection points
- Brush tool controls
- Select and modify brush and/or eraser settings
- Enable pen pressure support
- Quick selections
- Auto mask
- Apply auto mask
- Copy and invert a local adjustment selection
- Fill mask
- Draw local adjustments directly
- Create a gradient mask
- Create mask from color editor
- Create a layer mask for multiple images

Introduction

The Local Adjustments tool lets you create layers that allow you to selectively edit areas of an image non-destructively. There are two kinds of layers, Adjustment layers and Repair layers and there are two main tools used to make selections, the Brush tool and the Gradient Mask.

The Brush tool is used with both layer types and has full access to the range of local adjustment and repair tools. It allows control over color, exposure, contrast, brightness, saturation, sharpening, clarity, curves and more, in targeted areas of your image. Now the most common retouch jobs can be achieved with a few brush strokes.


The Gradient Mask can also be used with all the adjustment tools but it's particularly useful when color and tonal adjustments need to be applied quickly and accurately across a section of an image, rather like a filter. Adjustments using the Brush tool or Gradient Mask can be edited at anytime and are not applied permanently until images are exported.



Repair layers

In addition to the standard Adjustment Layer option, Capture One Pro has two Repair Layer options: Clone and Heal. Each of these two layers have dedicated brush-based local Clone and Heal repair tools. Both look similar initially, however there are some subtle yet important differences between the way the two work.

The Clone tool copies pixels from one area of an image to another and is well suited to either duplicating or removing objects. Brushing over an imperfection in an image using the Clone brush will replace that area with an exact copy of



another part of the image.

The Heal tool works slightly differently. Capture One Pro automatically blends the colors and brightness of the sampled area with the adjacent pixels of the target area. For most repair work, particularly skin blemishes or large expanses of sky with a slight gradient, the Heal tool should be the first choice. Repairs along edges are more suited to the Clone tool.

Local adjustment tools

For details of the individual local adjustment tools including the new additions, please follow the links (below) to the global adjustment tools. They mostly replicate the functionality of the global tools, however, saving a selection using the Purple Fringing tool as a User Preset isn't possible.

- [Exposure](#)
- [White Balance](#)
- [HDR](#)
- [Curves](#)
- [Sharpening](#)
- [Clarity](#)
- [Noise Reduction](#)
- [Moiré](#)
- [Color Editor](#)
- [Purple Fringing](#)



Add or remove a new adjustment or repair layer

1. Go to the [Local Adjustments Tool Tab](#).
2. Click plus/minus icon to create or delete a new **Clone**, **Heal** or **Adjustment** layer. Up to 16 individual layers can be added.
3. Name the **Layer** or press return and it will be named Layer 1,2,3 (Clone/Heal/Adjustment) etc.
4. To switch between the Clone, Heal and Adjustment options without deleting the layer, click the button displaying the current layer type in the Local Adjustments tool and make the selection from the pop-up menu.

Note: A layer that is currently selected is highlighted in orange.



Draw a mask and apply local adjustments in a layer

1. Go to the [Local Adjustments Tool Tab](#).
2. Select a layer in the Local Adjustments tool. (It will turn orange once active).
3. Long press the Mask icon in the Local Adjustments tool, or from the [Cursor tool bar](#), and select **Draw Mask** (b) from the menu. The cursor changes to a (double) ring with a cross-hair indicating the center of the brush. Note the inner ring indicates the diameter of the brush size while the outer ring denotes the outer limit of hardness (i.e., feathering) applied, with the difference between the inner and outer rings being 100-0%, respectively.
4. From the same menu choose between **Always Display Mask**, or **Only Display Mask When Drawing** depending on preference (choosing **Never Display Mask** is not recommended initially).
5. Draw a mask on the image. The selection will appear in semi-transparent red. Remove any unwanted part of the mask by selecting **Erase Mask** (e) and drawing over the semi-transparent red areas.
6. Select an adjustment tool (e.g., Exposure) and adjust by dragging a slider.
7. If selecting the **Heal** or **Clone** option, Capture One Pro automatically selects the source point after drawing. If the appearance of the target area doesn't match the surrounding pixels when using the Heal tool, click on the



- source point and drag it to set your own sampling point. The source point can be moved anywhere within the viewer.
- Remember to select the Background Layer in the Local Adjustments tool to make any global adjustments to the whole image.

Notes on layers

- When using the Clarity tool, select the Method from the Background layer first, as this option is locked when the Adjustment layer is selected.
- Disable a Layer by removing the check mark in the Local Adjustments tool.
- The Background Layer cannot be disabled or deleted.
- Remember to select the Background layer to apply global changes to the whole image.

Selection points

A single Selection point will appear close to the first application of a brush mask in an adjustment layer or source point in a repair layer, regardless of whether it's a series of brush strokes or a single stroke. One Selection point will appear per layer, and will change color from silver to orange when active. Clicking on one will select that layer, making it an efficient way to move between adjustments.

To reposition a brush mask in an adjustment layer

- Select the relevant layer from the Local Adjustments Tool, or click on the relevant selection point in the image viewer. Note, the selection point will change from silver to orange when selected.
- Click the selection point and drag to the desired location. The mask will move with the selection point.
- If Selection Points aren't already selected from the Brush tool menu, command-click on the mask instead and then drag to the new position.

To set a source point and reposition a brush mask in a Clone or Heal layer

- Select the layer from the Local Adjustments Tool.
- Set a source point using option-click.
- Option-click on either point and drag to re-position.

Brush tool controls



Capture One Pro has one-click access to an extensive range of brush and eraser tool settings allowing you to quickly optimize the application of the mask, thereby minimizing the disruption to the workflow.

In addition to the Size, Hardness and Opacity settings, the Flow setting offers greater control of the amount of transparency applied. The Flow option allows the user to draw over the same area with the brush in user-selectable increments (as a percentage). If the Opacity is set to 50% and 10% Flow is selected, for example, the opacity of the mask is built-up in 5% increments per stroke, until the 50% level is reached. Note for the set increment to be applied to the maximum, the mouse button must remain depressed (or if using a pressure-sensitive pen, the nib must remain in contact with the tablet surface).

The Airbrush option allows the opacity and flow to build up over the duration of the mask's application, providing the brush remains stationary (effectively mimicking an airbrush).

Select and modify brush and/or eraser settings

- Select the Brush icon in the Local Adjustments tool or the [Cursor tool bar](#).
- Right click anywhere in the image [Viewer](#) for quick access, or alternatively click on the Brush Settings icon (highlighted in blue).
- The Brush Settings panel will open. Adjust the sliders to set the desired size (i.e., radius) and hardness (i.e., harden/soften edge transition) of the brush.
- Adjust opacity (i.e., amount of transparency) and flow (i.e., rate).




Shortcuts for drawing with the brush tool

- Switch quickly between the Brush and Erase tools by using the keyboard shortcuts (b) and (e) respectively.
- Brush and Eraser settings for Size and Hardness may be linked to prevent a mis-match during correction (check option in Brush panel)
- To draw a perfectly straight line, hold down the shift key and draw.
- To draw a straight line between two points, click on the first point then release and then shift-click (hold down the shift key then click the mouse/pen) on the second.
- Use the keyboard square brackets to quickly adjust the size of the brush. Press [or] to decrease or increase the brush size respectively.
- To move the mask in one piece using the brush tool, select the Cmd/Ctrl key (Mac/Windows) and click on the mask and drag into position.
- To move the mask layer selection point, hold down the Alt key and drag to the chosen position.

Enable pen pressure support

Capture One Pro can detect the pressure applied when using any type of pen and graphics tablet from manufacturers such as Wacom.

1. Select the Brush icon in the Local Adjustments tool or the [Cursor tool bar](#).
2. Right click anywhere in the image [Viewer](#) or click on the Brush Settings (icon circled in blue).
3. A Brush Settings panel will appear.
4. Now check mark the **Use Pen Pressure** option box.



Tip: Use the other end of a Graphics Tablet pen as an eraser.

Quick selections


There are a number of tools and methods to make quick selections of larger areas using the brush tool: Auto Mask, Copy and Invert a selection, Draw a selection directly, Fill Mask, Gradient Mask and Color Editor Mask.

Auto mask

The brush-based Auto Mask tool is ideal for making quick selections inside of defined areas such as the sky in a cityscape image, or a (plain) background in a studio model shoot.

Select Auto Mask

1. Select the **Brush** (b) icon in the Local Adjustments tool, or from the [Cursor tool bar](#).
2. Right click anywhere in the image [Viewer](#), or click on the **Brush Settings** icon. A Brush Settings panel will appear.
3. Check mark the **Auto Mask** option box.



Apply auto mask


1. Follow the steps 1 to 3 above, to select the Auto Mask feature.
2. Select the image in the Viewer, adjust the size of the brush and paint over the desired areas.
3. Enlarge the zoom slider to get a closer view of the edge of your selection; in this case where the sky and monument meet.
4. Notice that the cursor has two circles with a cross in the middle. It is important to ensure that the inner circle only comes into contact with areas that you want included in the selection. Do NOT let the inner circle touch any areas that you want omitted from the selection; in this example, the inner circle should not touch either the monument or the ground.
5. It is considered best practice to apply numerous small selections instead of a single large one. Once you've finished, the (semi-transparent red) mask will snap into place. In this example, only the sky has been selected.
6. When there are unwanted areas of the mask, select the **Erase** (e) brush and draw over them.



- Remove the semi-transparent red mask by selecting the **Never Display Mask** from the drop down menu in the Brush tool.
- Make any necessary adjustments once the selection is complete. Here, the Exposure, Contrast and Saturation sliders have been adjusted.
- Remember to select the Background Layer to make any global adjustments to the whole image.

Copy and invert a local adjustment selection


- Go to the Local Adjustments tool.
- Select a layer with an existing mask.
- Copy the local adjustment selection from one layer to another layer by clicking on the action menu (...) icon and selecting the **Copy Mask From** option.
- Invert a local adjustment by selecting the **Invert Mask** option from the action menu.
- Now apply any desired adjustments to this new selected area.



Fill mask

The Fill Mask option (in the action menu) is ideal to quickly fill in large or intricate areas of a layer mask selection.

- Draw around the edge of the area that you want to select.
- Ensure that the selection joins up. See the example (top) photograph where there is a continuous selection around the water of this aerial coastline image.
- Go to the action menu icon and select **Fill Mask**.
- Now apply any desired adjustments to this selected area.



Draw local adjustments directly

- Go to the [Local Adjustments Tool Tab](#).
- Select a layer in the Local Adjustments tool. (The layer will turn orange once active).
- Long press the **Mask** icon in the Local Adjustments tool or from the Cursor tool bar, and select **Draw Mask** (b) from the menu.
- Select **Never Display Mask** from the drop down menu.
- Select one or more tools and set the slider to a particular value. In this example the Exposure and Contrast sliders were adjusted.
- Draw the local adjustment. In this example the eye (on the left) has been selected.
- If needed, long press the Brush tool and select **Erase Local Adjustments** to remove any unwanted areas of the mask.



Note: An active layer is highlighted with an orange check mark. To deselect the effects, uncheck the adjacent box.

Create a gradient mask


- Go to the [Local Adjustments Tool Tab](#).
- Long press the Brush tool and select **Gradient Mask** (g) from the drop down menu.
- Click and drag the cursor over the desired image area in the Viewer. A new layer will be automatically created.
- The graduation will be denser from where you first click on the Viewer and fade to the point of where you drag and release. If you're not happy with the selection, a new graduation can be made to instantly override the previous section.
- Adjust the sliders in the Color Editor and/or the Exposure, Sharpening, Moiré and Clarity tools as desired.
- A Gradient Mask can be edited by using the **Erase** (e) or **Draw Mask** (b) brush.
- The Gradient Mask adjustment layer can also be [copied and applied](#) to other image files.



Create mask from color editor

The Color Editor tool allows the user to create a mask to apply local adjustments directly from a color edit, or a selection-based color.

1. Pick the sample using any of the color editor tools.
2. With the selection highlighted, from the Color Editor tool's action menu (...), select **Create Masked Layer from Selection**.
3. A new local adjustment layer is generated complete with a corresponding mask for that color.
4. This mask can now be used to make additional enhancements, using any of the local adjustment tools.



Create a layer mask for multiple images

Capture One's ability to automatically create a mask from a color-based selection using the Color Editor tool can be a valuable time saver, particularly when selections for local adjustments are complex. However, as a potentially exceptional time saver, this option can also be used when you have a batch of images that include the same subject. Capture One can create a mask automatically for each based on the same color pick, instead of working through each one, one at a time. The following instructions assume that the Edit All Selected Variants option is selected (if not, click on the multiple thumbnail icon in the Toolbar turning the icon to orange).

1. Select the image variants in the browser that you to create a mask for.
2. From the **Color Tool Tab**, select the color/area intended for local adjustment on the primary variant using the Color Editor tool's color picker (pipette icon).
3. From the Color Editor tool's action menu (...), select **Create Masked Layer from Selection**.
4. A new local adjustment layer is generated complete with a corresponding mask for that color in each of the selected variants.
5. This mask can now be used to make additional enhancements, using any of the local adjustment tools.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Lens Correction and Composition

- Working with Colors
- Exposure and contrast
- Details
- Local Adjustment

Styles and Presets

- Global Auto Adjustments
- External Editing

- Exporting Photos
- Printing Photos
- Tools Appendix

- Capture One Glossary
- About Phase One
- Contact us

Recently viewed

- Details
- Exposure and contrast
- Working with Colors
- Lens Correction and Composition
- Local Adjustment

PHASE ONE

what the world's best photography is made of



Styles and Presets

STYLES / PRESETS / METADATA / VIEWING IMAGES

Capture One has a wide range of built-in Styles and Presets that not only allow you to add a visual effect to images but you can also use them to add specific adjustments and metadata to images in your daily workflow. You can also create and apply your own customized Styles and Presets.

- [An overview of Styles](#)
- [Applying a Style](#)
- [Creating a User Style](#)
- [Stacking Styles and Presets](#)
- [Copying Styles between images](#)
- [Saving adjustments as a Style](#)
- [Removing an applied Style](#)
- [Importing Styles](#)
- [Importing Style Packs](#)
- [Deleting a Style](#)
- [An overview of Presets](#)
- [Creating a User Preset](#)
- [Applying a Preset](#)
- [Removing an applied Preset](#)
- [Deleting a User Preset](#)
- [Saving Presets as a Style](#)

An overview of Styles

Capture One ships with a number of built-in high-quality Styles that can be used to optimize your workflow and save time when you need to modify an image or apply a certain effect or look to images. Styles are the combined settings from multiple tools that are applied to images in a single step. Like Presets (the saved settings from individual tools), Styles are the same kind of adjustment settings that are made in Capture One during a typical round of image editing.

While the Built-in Styles may be used on their own to apply an effect, they can be used as a starting point for further adjustment, or customized and saved as a User Style. Like all of the adjustments in Capture One, they don't alter the source image file, they are simply instructions on how to process the image. You can amend or revise those instructions endlessly, it makes no difference to the source image.

User Styles are not limited by the choice of settings or the number of tools used. For example, a User Style may comprise of a combination of color corrections, as well as settings from the curves, clarity and vignetting tools, adjustments such as cropping or keystone correction, and include values added to the IPTC metadata fields.

Capture One also allows you to stack or combine Styles and you can even save those Stacked Styles as a User Style. You can also add Presets or groups of Presets to User Styles, allowing you to optimize the adjustments for practically every step in your editing workflow (see below for more information on Presets). For example, you could create several User Styles from a number of individual User Presets with unique IPTC data for various clients, switching between them as necessary (according to items such as rights usage terms, contact details and instructions, etc), and apply the appropriate Style on



import. After that you could apply another for Style for Exposure, Curves and Color, and finally another User Preset from a collection of sharpness-based Users Presets.

User Styles can also be shared between users - there are number of sources of free and commercial User Styles available. There's practically no limit to the versatility of Styles and Presets. Styles are accessed from the Styles and Presets tool in the Adjustments Inspector or from the Adjustments menu.

Applying a Style ^{Pro}

Capture One Styles do not dynamically alter adjustments based on the image it's applied to. Each style comprises of a group of fixed settings or values. There is, for example, no automatic adjustment of the Exposure, High Dynamic Range or the Levels tools.

If you want to apply automatic adjustments you should apply those first either at the time of import or from the Adjustments menu > Auto Adjustments, or by clicking on the A icon in the main tool bar (click and hold the A icon to see what tools are are being adjusted).

It is not necessary to make a color correction (i.e., apply a white-balance) before working on an image using a Style. However, in certain circumstances it may be necessary to make a white-balance adjustment after the Style has been applied.

1. Select an image in the browser.
2. Navigate to the **Styles and Presets** tool in the Adjustments Inspector, or from the Adjustments menu. (Alternatively, select the Style tool icon in the main tool bar. Note the Style tool icon is not added by default. For more information, see Customize the Toolbar.)
3. Go to the Built-in-Styles folder (or User Styles folder, if you have created any) and scroll over the list.
4. You can preview the effect of the Style in the Viewer by hovering the cursor over the named Style in the list. The selected Style will be highlighted in the list and, after a short delay, the effect will be previewed on the primary variant or all selected variants and corresponding thumbnails, in the browser.
5. To apply the Style to the image, click-on the desired Style from the list. A small check-mark will appear in front of the selected Style in the list and the image will be updated in the Viewer. (If you select the wrong Style, click-on it again in the list to remove the check-mark. The image will be updated in the Viewer (without the previously applied Style). Adjustments are automatically saved to the image or images, like any other in Capture One.
6. When selected, the Style is listed under the Applied folder (click on the disclosure triangle, if not displayed). All Styles applied to the selected image are listed.



Creating a User Style ^{Pro}

When creating a Style (i.e., a User Style) you should consider carefully whether you want to include the White Balance setting; it is generally not recommended as it's unlikely to give the desired result. It is also usually best to avoid including Exposure and Noise Reduction settings, adding them manually after applying the Style. However, as you can edit the Style before saving it, it is simple to remove that and other unwanted or highly specific settings, such as Color Tags, Keywords, Crop, Keystone correction and more.

Before starting work on an image it may be helpful to compare the original to the altered photo. To make a copy press F2/F7 Mac/Windows) or select Image > New Variant, and then select both (Cmd/Ctrl-click (Mac/Windows)).

Once a Style is saved on your computer it can be imported and shared by other users. The Capture One style format .costyle can be copied to other computers and between platforms.

1. Perform your preferred adjustments to the new image.
2. Navigate to the Adjustments Inspector and go to the **Styles and Presets** tool.



- From the tool's title bar, click on the Action menu icon (...) and select **Save User Style** from the menu. Note the option is also available from the Adjustments menu.
- The Save dialog will open. Uncheck the settings that you do not want to include in the Style. If appropriate, you can use this opportunity to remove highly-specific adjustments or metadata, for example white balance, color tags and ratings, and usage terms.
- Name and save the Style, using an appropriate and meaningful name.
- To verify the new Style (if you have more than image in the Viewer, deselect the Edit Selected Variants option, if enabled), go to Styles and Presets tool and, using the cursor, either hover over or select the Style from the User Styles folder. All of the saved User Styles will be listed there for future use.

Stacking Styles and Presets

You can apply or stack more than one Style (ie. Built-in Style or User Style) to an image (or group of images). Although stacking can be used to apply a bewildering combination of adjustments, it is perhaps best used with a number of custom User Styles or (User Presets) with fewer adjustment settings dedicated to certain steps in the editing workflow.

For example, you could have a User Style for a certain color-balance, a User Preset with certain IPTC metadata and keywords, and another User Preset for a specific sharpening routine. If you have several choices for each type, you can optimize those combinations depending on the image, and even save those stacked-combinations as a new User Style.

Note stacking Styles and Presets is not an additive process. Each Style and Preset is compared and, where they adopt adjustments for the same tools, the last applied Style or Preset overrides the previously applied one. For example, when Style 1 applies a +1 EV exposure adjustment, and Style 2 applies a +1.5 EV exposure adjustment, the adjustment applied will be +1.5 EV.

Capture One allows you to stack Styles and Presets from either the dedicated Styles and Presets tool, or from the Adjustments menu. Note you must enable the Stack Styles option first before attempting to stack them, otherwise the previous one is replaced with the newer one.


For a clearer overview when stacking, it is recommended that the Style and Presets tool is adopted from the Adjustments Inspector instead of the Adjustments menu.

- Navigate to the **Styles and Presets** tool in the Adjustments Inspector and click on the Action menu icon (...). The Action menu dialog opens.
- Select **Stack Styles**, adding a checkmark in front.
- To apply the first Style, follow steps 1 through 6 above, listed under Applying a built-in Style or User Style.
- To add an additional Style, repeat steps 4 and 5 above. The image in the Viewer will be updated with the combined result of the applied Styles. (If you select the wrong Style or want to remove a Style, click on the active Style in the list to remove the checkmark. The image will be updated in the Viewer (without the previously applied Style).
- All Styles applied to the selected image will be displayed under the **Applied** folder (click on the disclosure triangle, if not displayed). The last applied in the group is listed first (and will, therefore, override the other adjustments for the same tools, where relevant).
- When more than three Styles are applied, scroll through the list to see the additional Styles.

Copying Styles between images

Styles can be quickly copied between images using the usual copy and apply commands (i.e., from the contextual menu, the adjustments menu, and from the copy icon in the tool bar). In addition to applying Styles, any individual adjustments made to the primary variant are also copied to the selected images.

Note that although a quick global copy and apply can be used without using the Adjustments Clipboard tool, it is useful when copying Styles to verify the



adjustments. Where too-specific settings for tools such as exposure, white-balance color, crop and certain metadata are included, you can use the Adjustments Clipboard to deselect them if you don't want them.

1. Select an image in the browser with the Style or stacked Styles applied that you want to copy. Note the image can include individual adjustments in addition to Styles.
2. To copy all the adjustments, go to the **Adjustments Clipboard** (which may be either blank initially or showing a list of settings if used recently) and press **Copy**.
3. From the Adjustments Clipboard deselect any adjustments that aren't required, particularly specific items such as white-balance, exposure, noise reduction, ratings, tags and keywords if it's your intention to create a general-purpose User Style.
4. To keep the Styles data separate from other adjustments when copying between images, make sure **Include style layers** box is checked. The Styles remain visible and editable. If unchecked, the Style layers are flattened making subsequent editing or removal of individual Styles impractical.
5. Select the images you want to apply the Styles and any individual adjustments to in the Browser, using the Cmd/Ctrl (Mac/Windows) key.
6. To apply the adjustments from the Adjustments Clipboard, press **Apply**.
7. The selected images will have the Styles and any additional adjustments applied to them.
8. (Optional.) To save the combination as a User Style, from the Adjustments Clipboard click on the Action menu icon (...) in the tool's title bar. The Action menu opens.
9. Select **Save as a Style**. A Save window opens. Give the Style a memorable name and select **Save**.

Saving adjustments as a Style

Any combination of tool settings that are copied to the Adjustments Clipboard can be saved as a User Style. Every tool that can be used to make an image adjustment in Capture One has a copy button (double-headed arrow icon) for copying the settings to its own individual clipboard, and ultimately the Adjustments Clipboard, located in the Adjustments Inspector. However, while this method is perhaps preferred when creating very specific Styles, you can of course simply copy all of the adjustments applied using the global copy command and then copy them to the Adjustments Clipboard. Both options allow you to exclude certain items from the Clipboard before creating the Style. Ultimately which method you choose will likely depend on personal preference.

1. Select the image in the browser and perform your adjustment using your chosen tool.
2. Click on the double-headed arrow icon in the tool's title bar. The tool's individual **Adjustments Clipboard** window opens.
3. Click on **Copy**, to save the adjustment to the Adjustments Clipboard (and in-turn the global Adjustments Clipboard).
4. Repeat steps 1 to 3 for each tool. (Alternatively, you can make adjustments to your image using multiple tools and copy them using any of the global copy commands.)
5. Navigate to the Adjustments Inspector and go to the **Adjustments Clipboard** tool. The Adjustments Clipboard will be enabled, displaying a list of the tools.
6. From the Adjustments Clipboard, select **Copy**.
7. Verify the adjustments have been transferred from the tools to the global Adjustments Clipboard. If they haven't, click on the Action menu (...) in the Adjustments Clipboard tool's title bar and verify the Autoselect Adjusted option is enabled. If not, choose Select Adjusted from the menu. The adjustments will now be displayed in the list.
8. Deselect any adjustments that aren't required.
9. From the Action menu (...), select **Save As Style...** A Save window opens. Give the Style a memorable name and select **Save**.

Removing an applied Style

When you are already working from the Styles list (either in the Style and Presets tool or from the Adjustments menu), you can remove an applied Style



by clicking on it to remove the checkmark. If not, it is usually quicker to remove the Style listed in the Applied folder, located at the top of the Styles and Presets tool or menu. Note the Style (i.e., Built-in Style or User Style) is removed from the selected image, it is not deleted and can therefore be re-applied at anytime.

1. Select the image in the browser with the applied Style you want to remove.
2. Navigate to the **Styles and Presets** tool in the Adjustments Inspector, or go to the Adjustments menu or the optional Styles (brush) icon in the main tool bar and choose between the following two options:
 - o Select the Style from the **Applied** folder, left- or right-click and choose **Remove**.
 - o Scroll through the list of Styles and click on the active Style in the list to remove the checkmark. (Click on **Remove**, when working on the list in the Style and Presets tool, as illustrated.)
3. The image will be updated in the Viewer (without the previously applied Style).



Importing Styles

Capture One allows you to import Styles (i.e., User Styles) that you've either created on another computer or that you've acquired from another source. Besides being able to choose from the growing number of Capture One Styles available to download for free and for purchase on the internet, this option is particularly useful when you want the same Style available on one or more of your computers, and saves time copying the settings between them. Styles are cross-platform compatible and so can be shared between Mac and Windows machines.

Capture One supports the import of single Styles (with a .costyle extension) and multiple Styles arranged in folders as part of a Style Pack (with a .costylepack extension). Note, if Styles are delivered as a Zip file, the package will have to be opened (i.e., unzipped) first before importing.

1. Go to the Styles & Presets tool in the Adjustments Inspector and click on the Action menu icon (...). The Action menu opens. Select Import Styles. Alternatively, go the Adjustments menu > Styles > Import.
2. The system Downloads Folder in the Finder/Windows Explorer opens.
3. Navigate to a single Style, or Style Pack and press **Open**.
4. The Style or Styles (where appropriate) are imported into the User Styles Folder, available from the Styles and Presets tool in either the Adjustments Inspector or the Adjustments menu.




Importing Style Packs

Capture One also supports the importing of Style Packs. These are a compressed Zip-type package with a ".costylepack" file extension, consisting of multiple Styles (and their sidecar files, where specified). They greatly simplify the importing and organizing of Styles within the application. Where multiple Styles have been arranged in folders and sub-folders, the entire directory structure is maintained in the Styles and Presets tool, available from either the Adjustments Inspector or from the Adjustments menu, allowing presets to be grouped by type (e.g. Color, B&W, Grain, Film Speed, etc).

Style Packs can be purchased from Phase One, as well as through official Phase One Ambassadors.

Note, importing Presets from Style Packs is not supported. Presets are stored in separate sub-folders in the application, therefore if there any Presets included in a Style Pack they may not be imported correctly.

1. In addition to using the same means to import a single Style using the Action menu in the Style and Presets tool, see above, Style Packs can also be imported using any one of the following methods:



- Drag and drop the Style Pack file on the Viewer.
 - Double-click on the Style Pack in the Finder/Explorer (Mac/Windows).
 - Drag and drop the Style Pack file on the Capture One icon in the dock (Mac only).
2. The Styles are imported into the User Style Folder available from the Styles and Presets tool from either the Adjustments Inspector or from the Adjustments menu.

Deleting a Style

When you want to delete a User Style that you've created or acquired from another source, Capture One will delete it from the application. Note you can only delete a single Style at a time using this method. **Warning!** The Style is moved to the System Trash. If you've purchased a Style and want to use it in the future, please make sure you either recover it from the Trash before emptying, or that you have another copy that you can access. Note you cannot delete a Built-in Style.

1. Select an image in the Viewer and then select from either:
 - Adjustments menu > Styles > Styles Library > User Presets > Delete User Style > [Name of Style to delete]. Then continue from Step 4.
 - Go to the **Styles and Presets** tool in the **Adjustments** Inspector and head to **User Styles** folder. (If there aren't any displayed you may have to click on the disclosure arrow).
2. Select the User Style that you want to delete in the list, and right-click on it. A menu with two items (Remove/Delete) will open. Note, as confirmation that you have selected the correct Style, the Viewer will be previewed with the Style initially and then after a pause it will be removed.
3. Press **Delete**. A confirmation dialog box will open.
4. Press **OK** to delete the file. **Warning!** The Style is moved to the System Trash, pending permanent deletion.




An overview of Presets

Practically every adjustment tool in the Tool Inspectors has the option to save adjustment settings as a User Preset, and most adjustment tools have a number of Built-in Presets. Each tool has a Manage Preset menu (i.e., three-bar icon) where you can access and apply the corresponding tool's Presets directly.

The Built-in Presets may be useful in their own right or they can be used as an initial setting or starting point for that particular tool, prior to further adjustment. In addition to selecting and applying the Preset to the corresponding tool, individual tool Presets can also be stacked. Although there's no real restriction, in practice this option is likely to be relevant to a small number of tools.

For example, you're unlikely to want to stack a number of sharpening settings, however, you may well have a need to apply different combinations of keywords, and IPTC Photo Metadata properties, such as the Caption/Description writer, Creator's Contact details, Licensor and Instructions.

Both Built-in Presets and customized User Presets can also be accessed from the Presets Library in the Adjustments menu > Styles > Built-in Preset) or from the Styles and Presets tool in the Adjustments Inspector. This option is provided so that you can see every Style and Preset available to you and you can apply each one from there. You can stack Presets by tool, and stack Presets with Styles. Such is the flexibility, you can even create a User Style from a group of Presets or with a mix of Presets and other Styles.




Creating a User Preset

Most adjustment tools in Capture One have a Manage Preset menu where you can save the settings as a User Preset. When using tools where repetitive settings with fixed values are common, such as when sharpening or adding keywords or IPTC metadata, it makes sense to create a number of Presets for


each tool.

1. Select an image to work on in the Viewer.
2. Select the tool you want to make a preset for from the Inspector and make the necessary adjustments.
3. Click on the **Manage Preset** menu (i.e., three horizontal-bar icon) in the title bar at the top of the tool.
4. Select **Save User Preset...** from the drop-down menu. A Save Preset dialog box will open, listing the individual settings. Note in some cases there are a large number of individual settings applied. Either confirm the choices or disable those that aren't required by removing the checkmarks.
5. A Save dialog box will open. Add an appropriate name and save the Preset.



Applying a Preset

Practically every tool that can be used to make image adjustments has a range of Built-in Presets. You can use these as suggestions or use them as a starting point for further adjustment. Any customization of these Presets can themselves be saved as as User Preset, saving you the trouble of repeating the adjustments in future. All User Presets created specifically with the tool will be displayed in the tool's menu (and the Presets Library) and are applied in the same way as the Built-in Presets. You can usually preview the effect on an image in the viewer before applying a Preset.



1. Select an image to work on in the Viewer and choose between:
 - o Select the relevant tool from the Inspector, and click on the **Manage Preset** menu (i.e., three-bar icon) in the title bar at the top of a tool. A **Manage and Apply** menu will open and any Built-in or User Styles applicable to the selected tool will be displayed.
 - o Go to the Adjustments menu > Styles > Styles Library > User Presets/Built-in Presets.
 - o Go to the **Styles and Presets** tool in the **Adjustments** Inspector and head to User Presets/Built-in Presets folder as appropriate. (If there aren't any displayed you may have to click on the disclosure arrow).
2. To see the effect on the image in the Viewer, hover the cursor over the Preset in the list. Note in some cases it may not be possible to observe the effect or application of the settings without referring to the tool itself.
3. To apply the effect to the image, click on the Preset in the list. The image in the Viewer will be updated, if different to the previewed Preset. If you make a mistake, reselect the Preset from the list and click on it a second time. The image will be updated with the Preset removed.

Removing an applied Preset

Removing a Preset removes the Preset's settings from the image that it has been applied to and therefore it can be reapplied at anytime. This action is applicable to both types of Preset - User Presets and Built-in Presets. The Preset can be removed from the Tool it was created in or from the Styles and Presets tool in the Adjustments Inspector or the Adjustments menu.

1. Go to the **Styles and Presets** tool in the Adjustments Inspector and select the Preset to remove from the list in the User Presets or Built-Presets folders, Ctrl-click/right-click (Mac/Windows) to open a two-option menu (Remove/Delete) and select **Remove**. The Preset can also be removed from the Adjustments menu. Select the Preset in the list and click on it to remove the checkmark.
2. Alternatively, navigate to the tool where the User Preset was created.
3. Click on the Manage Preset icon (three horizontal bars) in the title bar at the top of the relevant tool. The Manage and Apply menu opens.
4. Go the **Applied [Tool Name] Folder**, listing the applied Presets for that



- tool.
- 5. Select the Preset from the list and click on **Remove** from the single-option menu.
- 6. The Preset is removed and the image is updated in the Viewer.

Deleting a User Preset

User Presets can be deleted either from the tool they were created in or from the Styles and Presets tool in the Adjustments Inspector. Warning! Presets are moved to the System Trash, pending permanent deletion.

Note in some cases when navigating away from a Session Folders to images in the System Folders and then creating a User Preset, the Delete User Preset option may be unavailable, and displayed grayed out. Should that occur, navigate back to the Session Folders, click on a Session image and then follow the steps listed below.

1. Go to the **Styles and Presets** tool in the Adjustments Inspector and select the User Preset to delete from User Preset folder, Ctrl-click/right-click (Mac/Windows) to open a two-option menu (Remove/Delete) and select Delete.
2. Alternatively, navigate to the tool where the User Preset was created.
3. Click on the Manage Preset icon (three horizontal bars) in the title bar at the top of the relevant tool. The Manage and Apply menu opens.
4. Select **Delete User Preset...**
5. A fly-out menu will open, listing the User Presets for that tool.
6. Select the User Preset to delete. A warning dialog box will open, asking you to confirm the choice.
7. Press **Delete** to remove the Preset permanently. **Warning!** The User Preset is moved to the system trash, pending deletion.



Saving Presets as a Style

Multiple Presets from individual tools can be saved as a User Style.

1. Select an image with all the intended adjustments applied from your chosen Presets and then choose between:
 - o Go to the Adjustments menu > Styles > Manage > Save User Style...
 - o From the Adjustments Inspector, go to the **Styles and Presets** tool, click-on the Action menu (...) icon in the tool's title bar and select **Save User Style...**
2. A Save Style Dialog box opens, showing a list of all of the settings selected by tool for the chosen image.
3. Select **Save**. A Save Style dialog opens.
4. Choose an appropriate name for the Style and select **Save**.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

- Lens Correction and Composition
- Working with Colors
- Exposure and contrast
- Details
- Local Adjustment
- Styles and Presets

Global Auto Adjustments

External Editing

- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed ▾

- Styles and Presets
- Details
- Exposure and contrast
- Working with Colors
- Lens Correction and Composition



A Global Auto Adjustments

EXPOSURE / WHITE BALANCE // ROTATION

Global Auto adjustments can correct six parameters including the White Balance, High Dynamic Range, Levels and Rotation.



- Apply global adjustments

Apply global adjustments

Global Auto adjustments can be applied by pressing the large A icon found in the toolbar. This Auto adjust feature can correct six parameters including the White Balance, High Dynamic Range, Levels, Rotation and Keystone*.

Click and hold the A icon to reveal a drop down menu and checkmark the options that you want to automatically adjust. (These options can also be accessed and selected in the Adjustments>Auto Adjustments menu item).

*Auto Keystone adjustment is only applicable to images captured with a [Phase One IQ series digital back](#).



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

- Lens Correction and Composition
- Working with Colors
- Exposure and contrast
- Details
- Local Adjustment
- Styles and Presets
- Global Auto Adjustments
- External Editing

- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed

- Global Auto Adjustments
- Styles and Presets
- Details
- Exposure and contrast
- Working with Colors

PHASEONE

what the world's best photography is made of



Using an External Editor

OUTPUT / PROCESS IMAGES / TIF / JPEG

Complementary editing with third-party software, such as Adobe Photoshop, is available using either the Edit With... or Open With... commands.

- Using an External Editor
- Making image adjustments with an external editor
- Opening images in an external editor

Using an External Editor

When you need to make highly-specific image modifications, such as advanced retouching, stitching or stacking, you can select an external editor or a standalone plug-in for Capture One to use. The external editor must be selected first to allow Capture One to copy and convert RAW files and apply any adjustments that you've made, using the Edit With... command. Modified images are imported back into Capture One alongside the original image where additional adjustments can be made if necessary.

Although similar to the Edit With... command, the Open With... option in Capture One allows you to open previously processed files (PSD, TIFF or JPEGs) with an external editor. You can also use it to open movie files in a relevant application. This is especially convenient if you have imported a mix of stills and movie clips from a video-enabled DSLR. The Open With... option can also be used to send RAW files to an external editor. Note however, this option is intended primarily to allow additional image modifications to previously processed files. Sending the original RAW source files to an external editor bypasses the file-copying, and subsequent RAW conversion and processing in Capture One. Therefore, please ensure the external application fully supports the camera's RAW files, as attempted editing may result in file corruption.


Making image adjustments with an external editor

With the Edit With... command, you can export images to an external image editor of your choice and are then automatically imported back into Capture One as a new variant. This "round-trip" capability allows you to seamlessly integrate your workflow with editors such as Photoshop or Helicon Focus, for example.

Images are processed by Capture One first, therefore this option is intended primarily for RAW-based variants which can be exchanged as either 8-bit or 16-bit PSD or TIFF files, or 8-bit JPEGs. Typically, 16-bit ProPhotoRGB is recommended for preserving color detail (including mono conversions) using either the PSD or TIFF file format, though bear in mind TIFF is more efficient when updating metadata and is compatible with a wide range of applications.

Note PSD files can contain adjustments, layers, text or smart objects and should be saved with **Maximize Compatibility** enabled, however layers (including text) will be flattened if reprocessed from Capture One using the Edit With... command. TIFF files saved with alpha channel or layers are also supported in Capture One but will be similarly flattened when reprocessing. It is recommended, therefore, to use the Open With... command when additional adjustments are required using an external editor.

1. Select the image variant from the browser to be edited in Photoshop, or other third-party program.
2. Choose File > Edit with... from the main menu (or right click from the browser and select **Edit With...**)
3. From the **Basic** tab of the Edit Recipe dialog that appears beneath the main Toolbar, select the image **Format** to be exchanged.
4. When selecting the PSD or TIFF file format, choose the appropriate bit



depth and optional compression schemes. Note, the JPEG file option is offered for specific solutions, such as quick-proofing, and is not recommended for intensive image editing.

5. A **No Thumbnail** option is set by default, as some third-party programs may inadvertently adopt the thumbnail for editing.
6. Select a working color space from the **ICC Profile** fly-out menu. A color space with a wide gamut should be adopted where possible, such as ProPhotoRGB.
7. **Resolution** and **Scale** options should be left to the default settings, unless the image is to be resized.
8. Choose the external image editing program from the **Open With...** drop down menu. When the appropriate application isn't shown in the list of editing programs available on your Mac or Windows computer, select **Other...** and navigate to your chosen editor.
9. From the **Adjustments** tab, select Disable Sharpening and Ignore Crop options as desired.
10. Click on the **Edit Variant** button to begin the exchange. If not already running, Capture One automatically opens the external editor and converts the image file using the chosen image options applied (above). Note, once configured, Capture One will remember the settings for further exchanges.
11. Make your adjustments in the external editor, and select save.
12. The new image is automatically stored in the same location as the original source file, and a thumbnail will be displayed in the Capture One browser while the image is open in the external editor.
13. Take care not to make edits (particularly local adjustments) to the variant in Capture One before the image is saved in the external editor, as the result is unpredictable. Once saved, adjustments made to the image using the external editor are updated and displayed in Capture One.
14. If you need to make further adjustments later using the external editor, choose the Open With... command, see below.

Opening images in an external editor

The Open With... command allows previously processed images (i.e., PSD, TIFF or JPEG files) to be opened in an external application. This is useful, for example, when you want to return to an application and make additional adjustments to previously exchanged files. Note if you select a RAW-based variant, the external application will attempt to directly open the image, which may not be capable of converting a RAW file. When you want to exchange RAW files and apply any adjustments in Capture One, select the Edit With... command instead (see above for details).



1. Select the image from the Capture One browser to be opened in the external application.
2. Choose **File > Open With...** from the main menu (or right click from the browser and select **Open With...**).
3. Choose the external application from the drop-down menu. If the appropriate app isn't shown in the list of programs available on your Mac/Windows computer, select **Other...** and navigate to your chosen application and select **Open**.
4. The image will open in the nominated application.
5. Make the appropriate changes or edits. If the image is a previously processed file and the **Save** command is available, the image is updated with the adjustments in the Capture One browser, otherwise a **Save As** dialog will open.
6. Choose the location to save the image to. When using a Session you can select one of the Session Folders as the location to save the image to and the image will be displayed in the browser. In a Catalog, the image will have to be re-imported, or synchronized if you selected the same location as the source image.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos

Exporting Photos

- Export Originals and Variants
- Process Variants
- Web Gallery
- File Formats

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us



Export and Processing

This section describes how to export copies of your original images, as well as process and export variants that you have created. Capture One also provides a variety of ways to showcase work. You can print photos, create a slideshow or export to a Web Contact Sheet.

Export Originals and Variants

With Capture One's dedicated Export function, you can export copies of your original files, with or without adjustments, or you can quickly export variants straight from the browser using a single Process Recipe.

Process Variants ^{Pro}

Find out how to output image variants using single or multiple customized Process Recipes to control keywords, add or remove sharpening, and add a watermark to images. You can also find out how to manage the Batch Queue and reprocess images.

Web Gallery

The Web Contact Sheet lets you showcase your work by creating web photo galleries.

File Formats

Find out about the file format options in Capture One when exporting.

 Recently viewed ▾

- Introduction
- Exporting Photos
- External Editing
- Global Auto Adjustments
- Styles and Presets



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos

Export Originals and Variants

- Process Variants
- Web Gallery
- File Formats

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Introduction
- Exporting Photos
- External Editing
- Global Auto Adjustments
- Styles and Presets

PHASEONE

what the world's best photography is made of



Export Originals and Variants


OUTPUT / RAW / JPEG / TIF / EIP

With Capture One's dedicated Export function, you can export copies of your original files, with or without adjustments, or you can quickly export variants straight from the browser using a single Process Recipe.

- Export copies of original images
- Export image variants using a single recipe only

Export copies of original images

Capture One lets you quickly export virtually identical copies of the original RAW, JPEG, PNG or TIFF source files, with or without adjustments, directly from the browser. Note the original source files must be available to Capture One. Most users will likely want to export original image files with the adjustments (contained in a separate folder), as it allows you to send other Capture One users edited image files before processing, thus enabling them to make further amendments when necessary. Note Capture One will not re-compress JPEGs when exported. Although the file quality will not differ with JPEGs, or TIFFs, the file size may increase slightly if extensive metadata has been added.




With Capture One Pro, you can also export RAW files with adjustments as EIP files. Find out more information on the benefits of Capture One Pro's [EIP option](#).

1. Select the image, or images, from the browser that you want to export.
2. From the main menu, go to File (or right click)>Export>Originals... Alternatively, right click on a Session Folder, Session Album or Catalog Collection and select Export>Originals... from the menu options. The Export dialog will appear.
3. From the **Destination** drop down menu in the Location tab, navigate to a desired location to save the exported image files to. Add a folder and name it in the Sub Folder text field. See more about organizing images into folders and using the dynamic locations feature here.
4. Enter a name directly in the **Format** text field, or choose a naming format by clicking on the action button (...) in the Naming tool and adding the appropriate tokens. Type a Job name if applicable, and add the Job Name token in the Format text field to add it on output.
5. Select or deselect any relevant fields in the Options tab. (The **Notify When Completed** option is selected by default).
6. Click on **Export Original** to complete the process. When multiple images are selected, the task is added to the Batch Queue and is executed in the background, enabling users to continue their work during the export process.

Export image variants using a single recipe only

When using the Export Variants option, Capture One makes virtual copies of the originals, applies any adjustments made and saves them as either JPEG, TIFF, PNG, DNG or PSD file formats. In addition, the Export feature offers options to resize, convert color spaces and embed profiles. Note, the original source files must be available to Capture One.

With Capture One Pro you can also add or disable sharpening and include metadata, such as EXIF data, Keywords and other IPTC data. With the



exception of being able to export images with watermarks and using multiple Process Recipes, the processing and naming options are practically identical to those offered under Capture One Pro's dedicated Output Tool Tab, see here for more information.

1. Select the image or images, from the browser that you want to export.
2. From the main menu, go to File (or right click)>Export>Variants...
Alternatively, right click on a Session Folder, Session Album or Catalog Collection and select Export>Variants... from the menu options. The Export Variants dialog box will open.
3. From the **Destination** drop-down menu in the **Location** dialog, navigate to a desired location to save the exported image files to. If desired, add a folder and name it in the optional Sub Folder text field.
4. In the **Naming** dialog, enter a name directly in the **Format** text field, or choose a naming format by clicking on the Action button (...) and adding the appropriate tokens. Type a Job name if applicable, and add the Job Name token in the Format text field to enable it.
5. Go to the **Recipe** dialog and select the file format, quality and other parameters as desired. See more here about Process Recipes.
6. Click on the **Export Variant** button. When multiple images are selected, the task is added to the Batch Queue and is executed in the background, enabling users to continue their work during the export process.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos

Export Originals and Variants

Process Variants

- Using Process Recipes
- Recipe Settings
- Output Settings
- Managing Sharpening
- Managing Metadata
- Adding a Watermark
- Batch Queue

Web Gallery

File Formats

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us



Recently viewed

- Slideshow
- Full Screen Mode
- Focus Checking
- The Browser
- The Viewer



Process Variants^{Pro}

PROCESS IMAGES / PROCESS RECIPE / WATERMARK / TIF / WEB CONTACT SHEET

Find out how to output image variants using single or multiple customized Process Recipes to control keywords, add or remove sharpening, and add a watermark to images. You can also find out how to manage the Batch Queue and reprocess images.

Using Process Recipes

Find out about Process Recipes, how to use them and customize them, or create new ones to suit your needs.

Recipe Settings

View or change the Process Recipe's preconfigured settings for file format, ICC profile and image dimensions from the Basic tab.

Output Settings

Set the destination location for output and create and name folders and sub-folders from the Process Recipe's File tab.

Managing Sharpening

During processing and outputting, you can apply sharpening based on the output device, or disable sharpening completely from the Process Recipe's Adjustments tab.

Managing Keywords and other Metadata

The Process Recipe's Metadata tab is used to manage ratings and color tags, copyright information, GPS and EXIF data and keywords.

Adding a Watermark

Find out how to add a watermark to variants when processing, using the Process Recipe's Watermark tool.

Batch Queue and Processing History

Capture One automatically processes and outputs batches of photos, arranging them in a queue or line as computer resources dictate. A history or record of images that have been previously output is maintained, making it easy to find individual photos for reprocessing.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos

Export Originals and Variants

Process Variants

Using Process Recipes

- Recipe Settings
- Output Settings
- Managing Sharpening
- Managing Metadata
- Adding a Watermark
- Batch Queue

Web Gallery

File Formats

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Process Variants
- Slideshow
- Full Screen Mode
- Focus Checking
- The Browser



Using Process Recipes

Find out about Process Recipes, how to use them and customize them, or create new ones to suit your needs.

- Overview of outputting images with process recipes
- Process image variants using recipes
- Process multiple file formats simultaneously
- Verify recipe settings
- Proofing recipes
- Modify or create process recipes
- Process summary warning

Overview of outputting images with process recipes

To simplify the task of processing and outputting, Capture One Pro has groups of pre-configured process settings called Recipes for various requirements, saved as presets in the Process Recipes tool. If you regularly use specific settings for a certain client, or printing service, you can save the settings as a recipe, instead of repeatedly specifying the settings.

As Capture One works non-destructively, the application never alters the original image files in any way. When images are required in the various sizes, formats and color spaces to send to a client, or to publish on the web or send to a printing service, Capture One creates new files from the originals and applies all the saved settings and adjustments during processing, that you can use time and time again.

You can specify JPEG, TIFF, PNG, DNG or PSD file formats, set new image dimensions, convert color spaces and embed profiles, disable sharpening, add a watermark and include metadata, such as EXIF data, Keywords and IPTC data. Capture One Pro can also rename and group images into a sub folder hierarchy within the export folder using the semi-automated dynamic locations feature.

When multiple copies of images are required in different formats, sizes or color spaces, it is as simple as adding checkmarks to the appropriate recipes, and clicking "Process". Capture One can also export copies of the original files (RAW, JPEG, TIFF, or PNG) with or without any adjustments applied if necessary. Find out more about [exporting originals](#). Note you can export managed images files directly but, with referenced files, Capture One must have access to the originals.



Process image variants using recipes

Capture One is supplied with several presets called Process Recipes for processing and exporting image variants, using common file formats, sizes and profiles. From the Output Tool Tab you can select one or more of the presets from the list in Process Recipes dialog, or specify other settings in the Process Recipe tool, located directly beneath. Note, selecting settings in the Process Recipe tool overrides the selection in the Process Recipes dialog.

1. Go to the [Output Tool Tab](#).
2. Select the image variants for processing from the browser.
3. In **Process Recipes**, checkmark the required recipe(s) for the selected variants. Selecting multiple recipes will simultaneously process and export new files with those recipe settings applied (Capture One Pro only).



4. From the **Process Summary** tool, press **Process**.
5. Processing can be stopped at any time, then edited and re-started from the **Batch Tool Tab**.

Process multiple file formats simultaneously ^{Pro}

Capture One can process and export an image variant or variants in multiple file formats, image sizes and color spaces, with or without a watermark, keywords or sharpening, all at the same time. Each recipe selected will create a new image file with the specified settings applied.

1. Go to **Output Tool Tab**.
2. Select the image variants in need of processing.
3. Go to the **Process Recipes** tool and checkmark the relevant recipes in the list.
4. From the Process Summary tool, click on the **Process** button.



Verify recipe settings

Before exporting images using the recipes displayed in the Process Recipes tool, you can view the settings to check they are suitable for the intended purpose. When using Capture One there are several predefined recipes listed in the Process Recipes dialog. If you suspect they're not all showing, click on the tool's Action menu (...)>Add recipe>and select from the list, or long-click on the + (plus) icon to reveal the list and select the recipe directly. The recipe will be added to the list in the dialog.

1. Click on the desired recipe from the list shown in the Process Recipes tool; the selected recipe will be highlighted with an orange bar (turns silver colored, when clicking outside the dialog).
2. Check the settings below in the **Process Recipe** tool correspond with the highlighted recipe. All the settings apply, including those located under each tab.
3. Verify and amend incorrect settings. For example, the highlighted recipe states JPEG sRGB, yet under the **Basic** tab, the Format field shows TIFF. To update the recipe, alter the Format field to JPEG, set the Quality slider to 100% and confirm the profile selected is sRGB. Settings are automatically saved.



Proofing recipes


Capture One can also soft-proof the selected recipe, thereby revealing any scaling, compression, or sharpening artifacts on-screen prior to output. By adjusting the settings with the proof mode enabled, you can see the real-time effect on-screen of individual selections, such as the effect of down-sampling when resizing images for the Web.

1. Select the image variant in the browser that want you to proof the settings for.
2. Highlight the recipe (or create a new recipe) from the list in the Process Recipes dialog, located under the Output Tool tab.
3. Go the **Process Recipe** tool, and under the various tabs select the processing settings, including the image size, profile, and output sharpening, where applicable.
4. Click on the Show Recipe Proofing (glasses) icon in the main tool bar, or from the main menu, select View>Show Recipe Proofing.
5. All the recipe settings applied to the image variant will be visible on screen for evaluation.



Modify or create process recipes ^{Pro}

Capture One offers a number of predefined process presets, or Process Recipes, when exporting images. However, if the process settings don't meet your needs exactly, you can update the existing recipe or create your own. When you modify an existing recipe, the original is not altered nor can it be permanently deleted. Note, multiple recipes are only available in Capture One Pro or Capture One DB. Only steps 4 to 7 are relevant with Capture One



Express (for Sony).

1. Go to the [Output Tool Tab](#).
2. In Process Recipes tool click on the + (plus) icon using a short press. An untitled recipe will be added to the list. The new recipe is based on the full-size TIFF (Adobe RGB) 8-bit preset. Alternatively, highlight a recipe to copy, click on the tool's Action (...) icon and select **Duplicate Recipe**.
3. Click on the new recipe and rename it. A descriptive name using the format, size and color space is recommended. Warning! Clicking on the - (minus) icon will remove the recipe from the list, and, if it's a newly created recipe, it will be permanently deleted.
4. From the **Process Recipe** tool's **Basic** tab, choose the desired file format from the **Format** drop-down menu. See more on file formats.
5. Select the appropriate output profile from the **ICC Profile** drop-down menu. The choice of color space depends on the final purpose of an image file (e.g. sRGB for Web use, Adobe RGB for print).
6. Specify the required resolution in **Resolution** field and from the **Scale** drop-down menu, either select the default Fixed 100% to use the resolution to resize the image (keeping the native pixel count unchanged), or select the print dimensions independently to resample the image. If not resizing images for the Web or to print, you can leave the setting to the defaults.
7. Select a compatible application from the **Open With** drop-down menu to automatically open and view a processed image. For example, Phase One Media Pro, or Adobe Photoshop. This option is not recommended if multiple images are processed in one batch.
8. From the **File** tab, select the output destination from the **Root Folder** drop-down menu. Select from the original image folder, another folder of your choice, or select Output Location to defer to the Output Location tool.
9. From the **Adjustments** tab, choose from the sharpening options as desired.
10. From the **Metadata** tab checkmark the options for including ratings, copyright, GPS, EXIF data and manage keywords from the drop-down menu.
11. From the **Watermark** tab, choose whether or not add a watermark to exported images.
12. Every setting is saved and will be available next time the recipe is selected.

Process summary warning

The Process Summary dialog provides an overview of all the chosen settings for an image variant, or variants, before processing. This includes the processed image size, file name, file format and predicted file size. Any red highlighted figures are there as a warning that something will not be processed as expected. Check the highlighted figures and make the necessary alterations (e.g. change the dimensions), before pressing the Process button.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos

Export Originals and Variants

Process Variants

Using Process Recipes

Recipe Settings

Output Settings

Managing Sharpening

Managing Metadata

Adding a Watermark

Batch Queue

Web Gallery

File Formats

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

Using Process Recipes

Process Variants

Slideshow

Full Screen Mode

Focus Checking

Capture One > Exporting Photos > Process Variants > Recipe Settings



Recipe Settings

View or change the Process Recipe's preconfigured settings for file format, ICC profile and image dimensions from the Basic tab.

- Modifying recipes
- Specifying file format
- Specifying color space
- Proofing profiles
- Image dimensions and resolution
- Set dimensions only (resize)
- Set dimensions and resolution (resample)
- Open with an external application

Modifying recipes


When adopting one of Capture One's pre-configured process recipes, the settings may require some adjustment to suit your specific needs. When you modify a built-in recipe, the original is not permanently overwritten and can be reselected at any time. Modifying a recipe is simple, each field can be edited and the settings are saved for the next time. However, if it's a group of settings that you are likely to use again, it makes sense to save it as a new recipe. To create a new recipe from one that has been modified is simple, you only have to duplicate it and give it a new name.



Specifying file format

Capture One never alters the original source files, it creates copies instead. You can specify which file format to create during processing.

1. Highlight the recipe (or create a new recipe) to edit from the list in the **Process Recipes** dialog.
2. From **Process Recipe** tool, choose the **Basic** tab and then, from the **Format** drop-down, choose from one of the following options:
 - o **TIFF** - preserves maximum quality. A TIFF is a lossless format. Selecting TIFF enables the option of 16-bit output for higher color accuracy and optimum quality. TIFF files can be compressed; both LZW and ZIP compression options are lossless.
 - o **PSD** - ensures optimum quality and compatibility with Adobe Photoshop, and is highly suited for working with layers. Available with 8-or 16-bit depth color option
 - o **JPEG** - creates a new 8-bit file with lossy compression to attain a smaller sized file (compared to a TIFF) for convenience. The Quality setting determines the amount of compression applied, and therefore file size. The lower the quality, the smaller the file and the greater the loss of information. JPEG compression also adds some noise to an image.
 - o **JPEG QuickProof** - this setting creates images for evaluation purposes. Capture One creates the image file from the proxy and the settings files without additional calculations or filters. JPEG QuickProof should not be considered as a completed file; it is ideal for ultra quick evaluation purposes only.
 - o **JPEG XR** (extended range) - this format supports higher



compression ratios with equivalent quality to the original JPEG format. It is fully compatible with Capture One from version 7 onwards, and certain Microsoft products.

- o **JPEG 2000** - this format offers superior compression and handling of color space profiles. It is available in either 8-or 16-bit color depth.
- o **DNG** - creates a new lossless RAW file based on the Digital Negative specification. There are no options for size or compression with this format. All changes made to the image will be discarded when creating the DNG file.
- o **PNG** - this option supports lossless data compression and is suitable for final distribution, however, while PNG offers good compatibility with web-browsers file sizes are usually larger than JPEG.

Specifying color space

The choice of color space (determined by the ICC Profile) depends on the final purpose of an image file. The sRGB color space should be adopted for all images intended for the web, and the wider color gamut Adobe RGB color space is a common choice for printing. When selecting images for a printing service or client, however, a custom profile may be preferred. While Capture One is supplied with several common profiles, it can access any of the system profiles, including CMYK color space profiles.

1. Highlight the recipe (or create a new recipe) to edit from the list in the Process Recipes dialog, located under the Output Tool Tab.
2. Go to the **ICC Profile** in the Process Recipe tool, under the Basic tab.
3. Click on the ICC Profile fly-out menu and select the relevant profile from the list. (Select Show All to view all the profiles available on system).
4. The selection is saved automatically to the highlighted recipe.



Proofing profiles

Capture One uses a specially adapted color space internally with an extremely wide color gamut for processing calculations and for displaying previews, however Capture One can render previews with a specific ICC color space profile applied. Proofing the output profile on-screen is useful for determining any unexpected color changes, and is a crucial step in a color-managed workflow. For example, prior to sending a file to print, where a mistake will result in the waste of ink, paper and time.

You can specify Capture One to render previews with the output profile applied directly by selecting the desired profile from the Proof Profile option available from the main menu (View>Proof Profile). Note the profiles associated with the original images (i.e. camera profiles) are not altered by Capture One.

1. Select the image variant in the browser that you want to apply the color profile to.
2. From the main menu, select View>Proof Profile, then from the fly-out menu, choose from one of the following:
 - o Under Output Recipe Profiles>Selected Recipe (or one of listed recipes, if desired).
 - o Select the appropriate profile from the list.
3. When choosing one of the Output Recipe Profiles, select the profile from the fly-out menu under **ICC Profile**, listed in the **Basic** tab.
4. Make the final adjustments to the selected image. (It is recommended to make final edits to a cloned variant using the selected profile. Select the image variant, then right click>Clone Variant).
5. Click on the Process button, to apply processing and export the selected variant.




Image dimensions and resolution

When outputting an image for the web or for printing, you can use Capture One to resize images, keeping the total pixel count unchanged while adjusting the resolution to alter the image dimensions, or when resampling, you can specify both the resolution and image dimensions independently.

Resizing, after cropping to the required aspect ratio, is generally considered to deliver the best quality for printing, however as resampling is carried out on the original data (and of the highest quality) it is suitable for any type of use. Capture One can resample images from 10-250%.


Note, as Capture One tags the image with the resolution and the total number of pixels remains unchanged when resizing, it may not be necessary to alter the image dimensions (e.g., to allow a printer driver or third-party application to resample instead).

Like other process settings in Capture One, the combination of print dimensions and resolution (i.e., image size or document size) is saved as a component of a Process Recipe and the settings are applied on output.



Set dimensions only (resize)

1. Highlight the recipe (or, preferably, create a new dedicated recipe) to edit from the list in the Process Recipes dialog.
2. Go to **Resolution** in the Process Recipe tool, under the **Basic** tab and enter the required resolution (e.g., 300 px/in).
3. Set the **Scale** fly out menu to **Fixed 100%**. (Note when any setting other than Fixed (100%) is selected from the Scale fly-out menu, Capture One will resample the image based on the specified resolution and image dimensions.)
4. In the **Process Summary** dialog, verify the dimensions in the **Size** field (e.g., 18.72 x 12.8 in (5616 x 3744 px)).
5. To increase or decrease the dimensions, return to step 2 and enter a lower or higher resolution respectively, and verify the values again in the **Size** field located in the **Process Summary** (click inside the dialog, to update the value).
6. After verifying, click the **Process** button in the Process Summary dialog to output the selected images.



Set dimensions and resolution (resample)

1. Highlight the recipe (or, preferably, create a new dedicated recipe) to edit from the list in the Process Recipes dialog.
2. Go to **Resolution** in the Process Recipe tool, under the **Basic** tab and enter the required figure (e.g., 300 px/in).
3. From the **Scale** fly out menu choose from one of the following options, and with the exception of Fixed, specify the measurement unit and the dimension:
 - o **Fixed** - To resample, specify a percentage other than 100%; less than that value will downsample, any value above will upsample using interpolation to add pixels. (E.g., selecting 200% doubles the dimensions).
 - o **Width** - Use this option when outputting an image or series of images of the same orientation where the width is to be of a fixed value. The height will be scaled automatically. For example, use this when outputting landscape (horizontal) images to the web with a fixed width, or when printing a portrait (vertical) oriented image, with a height that doesn't match standard paper sizes (e.g., when using roll-paper). Note, when cropping with the crop tool set to **Original**, the image's original aspect ratio is maintained.
 - o **Height** - Use this option when outputting an image or series of images of the same orientation where the height is to be of a fixed value. The width will be scaled automatically. Use this option, for example, when printing an landscape (horizontal) oriented image with a wider aspect ratio than standard paper sizes (e.g., when using roll-paper). Note, when cropping with the crop tool set to **Original**, the image's original aspect ratio is maintained.



- o **Dimensions** - When the aspect ratios of the image variant match the intended output settings, this option applies the higher value to the longer edge of the image and the lower value to the shorter edge. When the aspect ratios don't match, set the crop tool to **Output** and crop the image, otherwise Capture One will apply just one value. Use this option, for example, when outputting a mixed orientation of images for printing where both paper dimensions are fixed (i.e., when using sheet paper).
 - o **Width x Height** - This option resizes one dimension to fit within the dimensions specified, retaining the original aspect ratio, and irrespective of orientation. Use this option when outputting images with different aspect ratios, and of mixed orientation where both paper dimensions are fixed (i.e., when using sheet paper).
 - o **Long edge** - Performs a similar function to the Width/Height options but this should be used instead when outputting a mix of portrait (vertical) and landscape (horizontal) images where the long edge is to be of a fixed value.
 - o **Short edge** - Performs a similar function to the Width/Height options but this should be used instead when outputting a mix of portrait (vertical) and landscape (horizontal) images where the short edge is to be of a fixed value.
 - o **Never Upscale** - Select this option to prevent Capture One from upsampling (i.e., enlarging) an image (works with all options except Fixed).
4. Verify the print dimensions in the Process Summary dialog in the Size field (e.g., 23.4 x 16.5 in (7020 x 4950 px)).
 5. To increase or decrease the resolution, return to step 2 and enter a lower or higher resolution respectively, and verify the values in the **Size** field in the **Process Summary** (click inside the dialog to update the value).
 6. After verifying, click the **Process** button in the Process Summary dialog to export the selected images.

Open with an external application

To automatically open a processed file in another application once it has been processed in Capture One, select an option from the **Open With** drop-down menu.



Did you find this article useful?



Export Originals and Variants

Process Variants

Using Process Recipes

Recipe Settings

Output Settings

Managing Sharpening

Managing Metadata

Adding a Watermark

Batch Queue

Web Gallery

File Formats

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

Recipe Settings

Using Process Recipes

Process Variants

Slideshow

Full Screen Mode



Output Settings

Set the destination location for output and create and name folders and sub-folders from the Process Recipe's File tab.

- Overview of the output workflow
- Select output location using root folder
- Name or append variants using the root folder
- Select destination location using output location tool
- Naming or renaming variants on output

Overview of the output workflow

When outputting image variants using one or more process recipes, you have several tools at your disposal that can be used collectively to select the destination location, name and create folders and rename the variants. You can either specify the location and create folders from the File tab of the Process Recipe tool on an ad hoc basis, or you can use the File tab settings in combination with the Output Location tool.

Setting the destination location using the Output Location tool, however, is the recommended workflow, as the Process Recipe dialog (and all the options available under the various tabs) is primarily intended for the creation of individual recipes. In either case, the Output Naming tool should be used to name or rename variants, though the File tab's Sub Name option can be used to append file names with labels, such as color space, format, or resolution.

Select output location using root folder

The Process Recipe's File tab has an option to specify the destination location for the processed variants, or, to simplify the process when more than one recipe is selected, defer to the Output Location tool instead. See below for more details.

1. Go to the Output Tool Tab.
2. Click on a recipe from the Process Recipes dialog to highlight it (i.e., highlighted with an orange or gray bar), or create a new recipe from specific settings and then select it by highlighting it.
3. Select the **File** tab in the **Process Recipe** tool.
4. From the **Root Folder** fly-out menu, choose where to export the processed files for the selected recipe. Select from the following options:
 - o **Output Location** (default) - this defers the placement of processed image variants to the **Output Location** tool, see the section below for more details.
 - o **Image Folder** - this option returns the processed image files back to the folder with the original unprocessed images.
 - o **Select Folder...** - you can select an existing folder, or create a new folder, either locally or on an external drive, flash-disk or network drive. If you select the Desktop as the output location, be sure to create a new folder for the images from the resulting dialog, or add a folder in the **Sub Folder** option. Note, you can verify the folder location using the Arrow-shaped icon, next to the fly-out menu.



Name or append variants using the root folder

The Sub Name text field under the Process Recipe's File tab can be used to name or rename variants. While this is a relatively simple task when processing variants using a single recipe, it is even more straightforward to use the Output Naming tool instead, especially when more than one recipe is selected. In that case, the recommended workflow is to adopt the Sub Name

option to append a label, such as resolution, image size, or color space to the file name selected in the Output Naming tool. For example, when you process a variant with one or more recipes, you can use this to add some useful properties to distinguish between the resulting variants (e.g., DSC1353_AdobeRGB_300dpi and DSC1353_sRGB_1600px).



1. Go to the [Output Tool Tab](#).
2. Click on a recipe from the **Process Recipes** dialog to highlight it (i.e., highlighted with an orange or gray bar), or create a new recipe from specific settings and then select it by highlighting it.
3. Select the **File** tab in the **Process Recipe** tool.
4. From the Sub Name field add a name (e.g. TIFF Adobe RGB), or token (e.g. Recipe Format) from the Process Recipe Sub Name Tokens dialog by clicking on the action button (...).
5. Go to the **Output Naming** tool.
6. From the **Format** action button (...), select the **Sub Name token** from the Naming Format dialog. Note this token should be added to others in this field to append file names, otherwise it will simply rename them.

Select destination location using output location tool

When the Output Location option is selected from the Root Folder fly-out menu of the Process Recipe tool, the destination location for processed variants is determined by the Output Location tool. When processing one recipe, you can use this tool for creating and naming folders instead of the File tab, avoiding repetitive editing of the recipe. However, when two or more recipes are selected, you can use the File tab settings to create a folder for each (e.g., JPEGs in one folder, TIFFs to another), and then use the Output Location tool to output those folders to the same destination folder.



1. Go to the Output Tool Tab.
2. Highlight a recipe from the **Process Recipes** dialog (i.e., the recipe is highlighted with an orange or gray bar), or create a new recipe and then select it by highlighting it.
3. Select the **File** tab in the **Process Recipe** tool.
4. From the **Root Folder** fly-out menu, select, or verify **Output Location** from the list.
5. Go to the **Output Location** tool.
6. From the **Destination** menu, select from one of the following:
 - o **Choose Folder...** and either, select an existing folder and click on **Set as Output Folder**, or create a new folder from the dialog. If you select the Desktop as the output location from the dialog, be sure to have either, created a folder earlier in the **File Tab**'s Sub Folder text field, or create one in the following step.
 - o **Output** (Sessions only) - this option returns the processed variants to the Session Output Folder.
7. As an option to add a folder (or sub folder), in the **Sub Folder** field, either select either a token from the naming dialog accessed via the adjacent icon, or type in a name.
8. Repeat steps 2 through 4 for each required recipe.
9. Check mark the required Process Recipes. (If all of the recipes' settings have been selected under the various Process Recipe tabs, the variants are now ready to be processed and exported.)
10. Select **Process** in the **Process Summary** tool.

Naming or renaming variants on output

Capture One's Output Naming tool provides a wide range of options for naming processed variants on output. Although naming is independent of the process recipe, when two or more recipes are selected, and the

exported image variants share the same destination folder, then they will be differentiated by a numerical value.



1. From the Output Tool Tab, go to the **Output Naming** tool.
2. Enter a name directly in the **Format** text field. Or, select the Naming Format dialog by clicking on the Format action menu (...) icon, and make a selection from the tokens or presets available. A mixture of names and tokens (including counters) can be used. Note a token adopting the original image name is used by default.
3. When a counter token is selected, you can alter the value at which the counter starts along with the increment. You can also reset it. Click on the action menu (...), next to the Help (?) button in the Output Naming tool and make the selection from the relevant options.
4. To append the image name with a custom name, enter it directly in the **Job Name** field. Note the Job Name token must be added to the **Format** field for the name to be applied. You can use underscore (_) to separate the token from the name, if desired.
5. Verify the file name and format in the **Sample** field.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos

Export Originals and Variants

Process Variants

- Using Process Recipes
- Recipe Settings
- Output Settings

Managing Sharpening

Managing Metadata

- Adding a Watermark
- Batch Queue

Web Gallery

File Formats

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

- Output Settings
- Recipe Settings
- Using Process Recipes
- Process Variants
- Slideshow

Capture One > Exporting Photos > Process Variants > Managing Sharpening



Managing Sharpening

During processing and outputting, you can apply sharpening based on the output device, or disable sharpening completely from the Process Recipe's Adjustments tab.

- Overview of output sharpening
- Apply output sharpening (print)
- Apply output sharpening screen (web)
- Apply capture and creative sharpening only
- Disable sharpening
- Disable cropping

Overview of output sharpening

As the third and final stage of a three-part sharpening workflow, Capture One Pro can add sharpening to image variants on output, based on the intended device: Print (inkjet or repro) or Screen (web or email).

Print sharpening relies on several factors, including the print size and resolution, viewing distance, and even the type of printer and paper. Therefore, the output sharpening for print tool differs slightly from the screen sharpening option. It offers the expected amount and threshold sliders, as well as a tool that allows you to set the viewing distance to calculate the radius. This tool is particularly useful when you know the distance that the print will be viewed from (e.g., when displaying prints in an exhibition or gallery). However, if you prefer, you can also use the tool to set the radius based on the diagonal dimension of the print. As a rule, this can be set at either 100% or 150%.


When selecting the Output Sharpening for Screen option, the tab's tools will change to replicate those found in the Sharpening tool under the Details Tool Tab and includes sliders for amount, radius, and threshold. Each slider works in the same way.

Whether you are applying sharpening for print or screen, adjustments should be made after selecting the image variant's size and resolution and with the recipe proofing option enabled. Note Capture One ships with recipes for an A3 300dpi print-ready TIFF and 1600px wide sRGB JPEG, complete with suggested sharpening settings.

Apply output sharpening (print)

When preparing an image variant for printing you will inevitably have to apply additional sharpening over what would normally look sharp on screen (i.e., after input and creative sharpening). When making adjustments, it is essential to specify the image variant's dimensions and resolution under the Basic tab and to soft proof using the proof recipe option.

1. Select the image variant or variants in the browser.
2. Highlight the recipe to edit from the list in the **Process Recipes** dialog (or create a new recipe), located under the Output Tool tab.
3. From the **Basic** tab, set the image size using the **Resolution/Scale** options as desired.
4. Enable **Recipe Proofing**, and set the viewer magnification to 100% initially.
5. Go to the Adjustments tab in the **Process Recipe** tool.
6. From the Sharpening fly-out menu, select **Output Sharpening for Print**. The tab's tools will change and include sliders for Amount, Radius, and options for Distance.
7. Specify the viewing distance, if known, and click on the **Distance** fly-out menu to select units (inches or centimeters), otherwise select **% of Diagonal** and, as a general rule, select 100% or 150%.
8. Set threshold first and increase if noise is visible. Then adjust the amount using the slider or the up/down arrow keys, while looking at the effects on-screen (while soft-proofing) at 100% and then at 50%. When halo artifacts



- or aliasing become visible or distracting, lower the amount and/or threshold in small steps until they're acceptable.
- 9. The settings are automatically saved so they can be used again. However, it is recommended that the settings are saved as a component of a new recipe, so that they're less likely to be accidentally overwritten.

Apply output sharpening screen (web)

After applying capture sharpening and creative sharpening the on-screen image will typically look sharp, however you can use the output sharpening for screen option to counteract any softening effects caused by downsizing images for the web or email.

1. Select the image variant or variants in the browser.
2. Highlight the recipe to edit from the list in the **Process Recipes** dialog (or create a new recipe), located under the Output Tool Tab.
3. From the **Basic** tab, set the image size using the **Resolution/Scale** options as desired.
4. Enable **Recipe Proofing**.
5. Go to the Adjustments tab in the **Process Recipe** tool.
6. From the **Sharpening** fly-out menu, select **Output Sharpening for Screen**.
7. The tab's tools will change to replicate those found under Details Tool Tab and include sliders for **Amount**, **Radius**, and **Threshold**.
8. Adjust the sliders or specify the value and evaluate the effects on-screen (while soft-proofing) at 100%. Set the radius and threshold if necessary, then adjust the amount. When halo artifacts or aliasing become visible or distracting, lower the radius, and/or amount if necessary until they're acceptable.
9. The settings are automatically saved so they can be used again, however, it is recommended that they are saved as a component of a new recipe, so that they are not overwritten accidentally.



Apply capture and creative sharpening only

Select the Disable Output Sharpening option when you want to leave any capture sharpening and creative sharpening applied to the variant in place.

1. Select the image variant or variants in the browser.
2. Highlight the recipe to edit from the list in the Process Recipes dialog (or create a new recipe), located under the Output Tool Tab.
3. Select the **Adjustments** tab in the **Process Recipe** tool.
4. From the Sharpening fly-out menu, select **No Output Sharpening**.
5. When you need to apply the same setting to similar images, this option can be saved as a component of a new recipe.



Disable sharpening

When a client or printing service would prefer to add their own sharpening settings to your images, you can remove any sharpening previously applied in Capture One from your JPEG, PSD or TIFF files on export. Note, this setting disables diffraction correction, lens falloff and selective sharpening applied as a local adjustment, however clarity applied to the variant is not disabled.

1. Go to the Output Tool Tab.
2. Select the Adjustments tab in the Process Recipe tool.
3. From the Sharpening fly-out menu, select **Disable All**.



Disable cropping

Capture One lets you output image variants without cropping, by simply selecting Ignore Crop in the process recipe. For example, this is useful when supplying variants with and without a crop applied, as you can simply create an otherwise identical recipe to disable the crop on one of the variants.

1. Go to the Output Tool Tab.
2. Select the **Adjustments** tab in the **Process Recipe** tool.



3. Checkmark the **Ignore Crop** box to remove any cropping applied.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos

Export Originals and Variants

Process Variants

- Using Process Recipes
- Recipe Settings
- Output Settings
- Managing Sharpening

Managing Metadata

- Adding a Watermark
- Batch Queue

Web Gallery

File Formats

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

- Managing Sharpening
- Output Settings
- Recipe Settings
- Using Process Recipes
- Process Variants



Managing Keywords and other Metadata

The Process Recipe's Metadata tab is used to manage ratings and color tags, copyright information, GPS and EXIF data and keywords.

- [Specifying metadata on export](#)
- [Managing keywords on output](#)

Specifying metadata on export

Capture One has the option of removing or stripping metadata from image variants on export. Like other recipe settings, specifying or controlling metadata is an integral part of each process recipe. Capture One offers the option to remove specific metadata depending on your requirements. You can choose to remove the following: Rating and Color Tag, Copyright, GPS coordinates, Camera (EXIF) metadata, Keywords (see more below) and All Other (IPTC). The default setting includes **All Metadata** information, with the exception of Ratings and Color Tags.

1. Go to the Output Tool Tab.
2. Select the Metadata tab in the Process Recipe tool.
3. Un-check the relevant boxes to remove any metadata associated with the image variants selected for processing and exporting.



Managing keywords on output

When exporting images, Capture One will include any assigned keywords from shared keyword libraries by default. However, you can select specific keyword libraries to assign to images during output. This is particularly useful when you have a controlled vocabulary for a particular use, for example, a news agency or stock library.

1. Select the appropriate recipe from the **Process Recipes** list. The recipe is then highlighted in orange. (Note that if multiple recipes are to be used for output, the following selection will have to be made for each recipe).
2. From the **Process Recipe** tool located under the Output Tool tab, select the Metadata tab.
3. Click on the Text field under Include Keywords and select From selected keyword libraries.
4. Choose the relevant library from the list. (Only shared libraries can be chosen.)



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos

Export Originals and Variants

Process Variants

- Using Process Recipes
- Recipe Settings
- Output Settings
- Managing Sharpening
- Managing Metadata

Adding a Watermark

Batch Queue

Web Gallery

File Formats

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

- Managing Metadata
- Managing Sharpening
- Output Settings
- Recipe Settings
- Using Process Recipes

PHASE ONE

what the world's best photography is made of

Capture One > Exporting Photos > Process Variants > Adding a Watermark



Adding a Watermark

Find out how to add a watermark to variants when processing, using the Process Recipe's Watermark tool.

- [An overview of watermarking](#)
- [Adding a text-based watermark](#)
- [Selecting a Preset](#)
- [Creating a User Preset](#)
- [Deleting a User Preset](#)
- [Adding a graphics-based watermark](#)
- [Resetting the Watermark tool](#)

An overview of watermarking

Capture One allows you to add a watermark to variants when processing to protect your copyright and deter others from unauthorized use of your images. The Process Recipes tool allows the option to create a watermark using the system's fonts, certain tokens, or to import a ready-made graphics file or image with a transparent background. Capture One is compatible with all common graphics and image file formats that support transparency for use as a watermark.



Adding a text-based watermark ^{Pro}

In addition to adding your own text, Capture One allows you to use tokens when creating a watermark on images. This option greatly simplifies the task of adding a high-quality, text-based watermark to images during processing. Tokens leverage Capture One's access to EXIF data as well as Catalog and Session naming paths for naming watermarks, and can therefore be used to dynamically vary the text used.

For example, when the photographer's name has been added to the **Creator** field in the IPTC - Contact section, choosing the Creator token will automatically add that name to the watermark, saving you from typing the name in yourself. What's more, if there are images from multiple photographers in the selection, Capture One will dynamically change the watermark according to the name (in the Creator field).



Note, if the selected token refers to a field that's currently empty, the warning **Empty Name** will be displayed in place of the watermark.

1. Go to the Output Tool Tab.
2. Choose the **Watermark** tab in the **Process Recipe** tool.
3. Select **Text** from the **Kind** drop-down menu, and choose from the following:
 - o Enter the text required for the watermark in the **Text** field, or ...
 - o Click on the adjacent Text Action menu (...) icon to open the **Watermark Tokens** manager dialog box. Select a token or collection of tokens from the list displayed, from the **Group** or **Presets** drop-down menus, or add a combination of text and tokens, as desired, and select **OK**.

The watermark will be visible on the image in the Viewer.

4. Select the **Font** Action menu icon to adjust the font and color of the text.
5. Adjust **Opacity** and **Scale** sliders to the desired level.
6. Adjust the placement of the watermark using the **Horizontal** and **Vertical**

- sliders or by selecting the hand cursor tool (H).
- Once the watermark is created, save it as part of a process recipe using the **Process Recipes** tool so it can be reused whenever it is required. Multiple sizes may be necessary, depending on the output dimensions.

Selecting a Preset


- Go to the Output Tool Tab.
- Choose the **Watermark** tab in the Process Recipe tool.
- Select **Text** from the **Kind** drop-down menu.
- Click on the adjacent Action menu (...) icon. The **Watermark Tokens** manager dialog box opens.
- Go to **Presets** and click in the text field. The **Manage Presets** menu opens.
- Select the preset from the **User Presets** or **Built-in Presets** folder, as appropriate. The preset's contents will be added to **Format** field.
- Verify and add any other text/tokens as required and select **OK**. The contents of the **Format** field will be added to the **Text** field in the Watermark tool and displayed on the image in the Viewer.



Creating a User Preset

Capture One can save a text-based watermark as a User Preset.

- Go to the Output Tool Tab.
- Choose the **Watermark** tab in the Process Recipe tool.
- Select **Text** from the **Kind** drop-down menu.
- Click on the adjacent Action menu (...) icon. The **Watermark Tokens** manager dialog box opens.
- Select a token or collection of tokens from the list displayed, from the **Group** drop-down menu, or add a combination of text and tokens, as desired.
- Go to **Presets** and click in the text field. The **Manage Presets** menu opens.
- Select **Save User Preset...** A save window opens.
- Give the preset a relevant name and click **Save**.



Deleting a User Preset

- Go to the Output Tool Tab.
- Choose the **Watermark** tab in the Process Recipe tool.
- Select **Text** from the **Kind** drop-down menu.
- Click on the adjacent Action menu (...) icon. The **Watermark Tokens** manager dialog box opens.
- Go to **Presets** and click in the text field. The **Manage Presets** menu opens.
- From the **Delete User Preset** folder, click on the preset from the list. The Delete Token Name User Preset window opens ask to confirm the action.
- Select OK or cancel, as appropriate.



Adding a graphics-based watermark ^{Pro}

Before using this feature, it is necessary to create a graphics or image based watermark first. Capture One supports all common image file formats with a transparent background for use as a watermark, such as PSD, DNG, TIFF, GIF and PDF. In addition, Windows users can also use BMP files.


- Go to the Output Tool Tab.
- Choose the **Watermark** tab in the **Process Recipe** tool.
- From the **Kind** drop-down menu, select **Image**.
- Drag and drop a pre-prepared image file with a transparent background in the **Drop image here** field in the tool, or browse for the file by clicking on the File Action menu (...) icon, below right of the Drop image here field.
- Adjust **Opacity** and **Scale** sliders to the desired level.
- Adjust the placement of the watermark using the **Horizontal** and **Vertical** sliders or by selecting the hand cursor tool (H).
- Once the watermark is created, save it as part of a process recipe using the **Process Recipes** tool so it can be reused whenever it is required. Multiple sizes may be necessary, depending on the output dimensions.



Resetting the Watermark tool

You can clear any text- or graphics-based watermarks from the watermark tool using the tool's reset option.

1. Go to the Output Tool Tab.
2. Choose the Watermark tab in the Process Recipe tool.
3. Click-on the Action button (...) icon in the tool's name bar. A two-option menu opens.
4. Click on **Reset Tool**. The Watermark tool is cleared of any text-or graphics-based watermarks. Only the tool on the tab is reset, none of the tools on the other tabs are reset.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos

Export Originals and Variants

Process Variants

- Using Process Recipes
- Recipe Settings
- Output Settings
- Managing Sharpening
- Managing Metadata
- Adding a Watermark

Batch Queue

Web Gallery

File Formats

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed ▾

- Adding a Watermark
- Managing Metadata
- Managing Sharpening
- Output Settings
- Recipe Settings

PHASEONE

what the world's best photography is made of



Batch Queue and Processing History

Capture One automatically processes and outputs batches of photos, arranging them in a queue or line as computer resources dictate. A history or record of images that have been previously output is maintained, making it easy to find individual photos for reprocessing.

- [Edit the batch](#)
- [Process history](#)
- [Reprocess files \(history tab\)](#)

Edit the batch

1. Go to the [Batch Tool Tab](#).
2. Choose the **Queue** tab.
3. A batch of files can be changed and reordered. Simply drag and drop files to the desired order during processing.
4. Highlight a file(s) and press backspace (on your keyboard) to remove it from the Batch Queue at any time.
5. Press the **Stop** or **Start** button (at the bottom of the Batch Tool Tab) to stop or restart the queue at any time.



Process history

The Batch Tool Tab shows a history of all recent files that have been processed. When there is a need for further copies of these images, you can simply reprocess them.



Reprocess files (history tab)

1. Go to the [Batch Tool Tab](#).
2. Select the **History** tab.
3. Highlight any previously processed files and press the **Reprocess Selected** button.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos

Export Originals and Variants

Process Variants

Web Gallery

File Formats

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Batch Queue
- Adding a Watermark
- Managing Metadata
- Managing Sharpening
- Output Settings

PHASE ONE

what the world's best photography is made of

Capture One > Exporting Photos > Web Gallery



Web Gallery

WEB CONTACT SHEET / JPEG

The Web Contact Sheet lets you showcase your work by creating web photo galleries.

Introduction

Create a web gallery from a selection of flexible templates for impressive web based image presentations. You can insert a title, a text description and a copyright and set the image size and quality (N.B. Smaller size files are preferable when e-mailing to a client).



Create a web contact sheet

1. Select the desired thumbnail files in the **Browser**.
2. Select File>Make Web Contact Sheet... The Web Contact Sheet module opens in a window on top of the Capture One window.
3. Select a **Theme**. (A Classic (Dark/Light) theme is similar to a contact sheet featuring thumbnails). In this example the Full screen (Dark) option has been selected.
4. Fill in any TEXT fields. (Title, Description, Copyright and Web-link).
5. Set the desired thumbnail, preview and quality size.
6. Select a **Path** folder in the Web Sheet Output tool.
7. Check mark the **Show after Export** if you want to see the gallery in your web browser.
8. Press the **Export** button in the bottom right corner.



Add an image caption

1. Select the desired thumbnail files in the **Browser**.
2. Select File>Make Web Contact Sheet...
The Web Contact Sheet module opens in a window on top of the Capture One window.
3. Go to the **Images** tool and select one of the options from the **Caption** drop down menu.
4. Check mark the **Show after Export** if you want to see the gallery in your web browser.
5. Press the **Export** button in the bottom right corner.





- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos

- Export Originals and Variants
- Process Variants
- Web Gallery

File Formats

Enhanced Image Package (EIP)

- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed

- Process Variants
- Export Originals and Variants
- Web Gallery
- Batch Queue
- Adding a Watermark



File Formats

Find out about the file format options in Capture One when exporting.

Enhanced Image Package (EIP) Pro

Learn about the benefits of exporting RAW files using Capture One's Enhanced Image Package feature.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos

- Export Originals and Variants
- Process Variants
- Web Gallery
- File Formats

Enhanced Image Package (EIP)

Printing Photos

Tools Appendix

Capture One Glossary

About Phase One

Contact us

Recently viewed

- Adding a Watermark
- Managing Metadata
- Managing Sharpening
- Output Settings
- Recipe Settings

PHASEONE

what the world's best photography is made of



Enhanced Image Package (EIP) Pro

EIP / IIQ / RAW / PROCESS IMAGES / PROCESS RECIPE / OUTPUT NAMING

Learn about the benefits of exporting RAW files using Capture One's Enhanced Image Package feature.

- An overview of an EIP workflow
- Packing images as EIP in Sessions
- Unpacking EIP files in Sessions
- Automatically convert all Phase One digital files to .EIP
- Sharing EIP files
- Exporting images as EIP files

An overview of an EIP workflow

Capture One's Enhanced Image Package (EIP) option offers a reliable and non-destructive method of packing the original RAW file, along with the associated settings in one convenient container suitable for sharing. The image file will be seen exactly as you created it, yet, when unpacked, the RAW file is available for further adjustment like any other. All RAW files supported by Capture One can be packed as EIP.

Packing an EIP file in effect puts a wrapper around the RAW file complete with the settings file, and ICC and LCC profiles, where appropriate. After editing, the file can then be sent to another Mac or PC running Capture One, opened and worked on by another user.

Packing images as EIP in Sessions

1. Select the intended images that will be packed as .EIP
2. From the main menu, choose File>Pack as EIP.
3. The files are now automatically packed and will be named .EIP

Note: EIP is not recommended for use with catalogs.



Unpacking EIP files in Sessions

1. Select the images that need to be unpacked.
2. Choose File > Unpack EIP.
3. The files are now automatically unpacked and will display the original file extension.

Note: An EIP is not recommended for use with Catalogs. Always unpack an EIP before using it in a Catalog.



Automatically convert all Phase One digital files to .EIP

1. Choose Capture One>Preferences.
2. Open the Image tab.
3. Check mark **Pack as EIP** when importing.
4. Check mark **Pack as EIP** when capturing.

The image file is now integrated in the Enhanced Image Package. The .EIP is

simply replacing the image files. The setting files will be removed from the relevant folders and will also be included in the package.

Note: An EIP is not recommended for use with catalogs. Always unpack an EIP before using it in a catalog.



Sharing EIP files

Catalog users can benefit from EIP export for simplified transportation of RAW and settings files and profiles, off system. In the Export originals panel, you will find an option to Export as EIP. Sessions users can also choose to Export originals as EIP files. In both cases this creates a workflow where the original RAW file and adjustments are copied and exported as a single EIP file.

Although EIP files can be imported into a Catalog, with or without any previous adjustments applied like a Session, EIP files cannot be unpacked in a Catalog. It is therefore recommended that EIP files are unpacked before using them in a Catalog or that they continue to be handled in a Session.



Exporting images as EIP files

1. Select the intended images that will be shared as .EIP.
2. From the main menu, choose File > Export Images > Originals.
3. Add any folder and file name information using the Location and Naming tools where necessary, and check mark **Pack As EIP** under the Options palette.
4. Click on Export Original. The files are now automatically packed and the extensions will be renamed .EIP.

Note: JPEG and TIFF files cannot be packed as EIP.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos

Printing Photos

- Tools Appendix
- Capture One Glossary
- About Phase One
- Contact us

Recently viewed

- Enhanced Image Package (EIP)
- File Formats
- Process Variants
- Export Originals and Variants
- Web Gallery

PHASE ONE

what the world's best photography is made of

Capture One > Printing Photos



Printing Photos

PRINT / PRINTING PHOTOS / PROCESS RECIPE / WEB CONTACT SHEET

Print selected images using customized print layouts with watermarks, annotations and color profiles.

- Print images
- Templates
- Manage custom print templates
- Units and guides
- Adjust the Layout
- Adjust the image settings
- The Image Settings tool has three check mark options:
- Add or remove the file name
- Adding a text-based watermark
- Add an image watermark
- Change print page setup
- Change current printer
- Change image appearance

Print images

1. Select images to print in the [Browser](#).
2. Select File>Print to display the dialog box and print sheet.
3. Adjust the page layout using [Templates](#), Margins and [Layout](#) tools.
4. Adjust the image appearance using the Annotation, [Image Settings](#) and [Watermark](#) tools.
5. Use the Printer tool to adjust the Print Settings, Page Setup and the Resolution, Sharpening setting and a Color Profile.
6. Press the Print... button.
7. Choose additional layout options via the Print dialog box.
8. Finally, press Print. Images will be rendered in Capture One (with a progress indication) before they are sent to the printer.



Templates

Use a built-in template or create your own and save it for future use:

1. Select images to print in the [Browser](#).
2. Select File>Print to display the print sheet and dialog box.
3. Go to Templates tool and select one of the built-in options from the drop down menu that best fits your needs.
4. If there are no appropriate Built-in Templates, go to the [Layout](#) tool and adjust the sliders as desired.
5. Once you have the desired layout, you can save it for future use. Go to the Templates tool and select Save User Template...
6. Name the template and press Save.
7. This template can now be accessed via the Template drop down menu under the User Templates heading.



Manage custom print templates

1. Select File>Print to display the print sheet and dialog box.

2. Go to Templates tool and select Manage User Templates... from the drop down menu.
3. A dialog box will appear. Press the minus (-) button in the lower left corner to remove a highlighted template.
4. Double click on a template to rename it.
5. Press **Done** once finished.



Units and guides

Change the units used in the Margins and Layout tools:

1. Go to the **Units and Guides** tool in the Print dialog box.
2. Select one of the five units of measurements from the **Units** drop down menu.

Note: Check mark the Show Guides option box to display the paper guides in the preview window.



Adjust the Layout

The **Prioritize Spacing** and **Prioritize Cell Size** options determine what action Capture One takes when users change Rows/Columns/Margins/Paper size etc.

1. Go to the Layout tool in the Print dialog box.
2. Select **Prioritize Spacing** from the **Resizing** drop down menu the software will do its best not to change the spacing between the cells. (It will instead change the cell size).
3. Select **Prioritize Cell Size** from the **Resizing** drop down menu and the software will do its best not to change the cell width and height. (It will instead change the cell spacing).
4. Adjust the sliders in the Layout tool to get the desired layout.




Adjust the image settings

The **Image Settings** tool has three check mark options:

Zoom to Fill: Use this option to get a postcard effect where all images are cropped to fill the paper.

Rotate to Fill: This option ensures all images have the same layout and are rotated to fit the paper.

Repeat One Image per Page: Each selected images will be repeated on one page according to the layout.



The Image Settings tool has three check mark options:


1. Go to the **Metadata Tool Tab** and fill in the **Description** field in the **IPTC - Content** section.
2. Select File>Print and go to the **Annotation** tool in the Print dialog box.
3. Select **Description** from the **Type** drop down menu.
4. Press the **Font** button to alter the size and font of the description.



Add or remove the file name

1. Select File>Print and go to the **Annotation** tool in the Print dialog box.
2. Select **Filename** or **None** from the **Type** drop down menu.
3. If **Filename** has been selected, press the Font button to alter the size and

font.



Adding a text-based watermark

Capture One can add a high-quality text-based watermark to your printed images, using either your own text or tokens or a combination of the two.

1. Select File > Print and go to the **Watermark** tool in the Print dialog box.
2. Select **Text** from the Kind drop-down menu, and choose from the following:
 - o Enter the text required for the watermark in the **Text** field, or ...
 - o Click on the adjacent Action menu (...) icon to open the Watermark Tokens manager dialog box. Select a token or collection of tokens from the list displayed, from the Group drop-down menu, or add a combination of text and tokens, as desired, and select **OK**.
3. From the **Size** fly-out menu, select between Pixels or Points as a measure of the font size.
4. Click on the **Font** Action menu (...) icon to select the font type and color of the text.
5. Adjust the **Opacity**, **Scale**, **Horizontal** and **Vertical** sliders as desired.



Add an image watermark

1. Select File>Print and go to the **Watermark** tool in the Print dialog box.
2. Select **Image** from the **Kind** drop down menu.
3. Insert an image into the Overlay window by pressing the browse icon to select a relevant file or simply drag and drop a file into the specified area.
4. Adjust the Opacity, Scale, Horizontal and Vertical sliders as desired.




Change print page setup

1. Select File>Print and go to the **Printer** tool in the Print dialog box.
2. Press the Page Setup... button.
3. Change the page attributes and press OK.



Change current printer

1. Select File>Print and go to the **Printer** tool in the Print dialog box.
2. Press the **Print Settings...** button.
3. Change the page attributes and press OK.
4. Choose a different model in the Printer drop down menu (Mac) and press Save. (PC: Double click on the desired printer).



Change image appearance

1. Select File>Print and go to the **Printer** tool in the Print dialog box.
2. Adjust print Resolution and Sharpening.
3. Choose a Color profile from the drop down menu.
4. If a specific Color Profile is chosen, then also choose a rendering intent (Rend. Intent) option and the Black Point Compensation check mark option.



Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos

Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Tools Appendix

This section describes the tools in Capture One and links from the application "?" tips in each tool. Click the Tool Name for more information

Adjustments Clipboard

The Adjustments clipboard controls how adjustments are transferred when copying and pasting adjustments between images.

Base Characteristics

The starting point for RAW conversion. Use this tool to set the color profile and contrast curve for a RAW file.

Batch

Batch controls the order of queued images waiting to be processed.

Black and White

Black and White tool allows you to adjust images without color data. All channels are grey scaled and the sliders allow you to adjust the luminance of the RGB and CMY hues to create contrast - much like Black and White film photography with filters.

Camera

Control the tethered camera attached to the computer. Set Aperture, Shutter, ISO and other properties from the Capture One interface.

Camera Settings

Any property sent by the camera will show in the Camera Settings list. Edit almost any camera setting from this list for quick and easy access to the Camera's hidden custom functions.

Capture Pilot

Capture Pilot allows remote review and rating of any collection via an Apple iPad or iPhone running the Capture Pilot app. Alternatively, web mode can be used to rate images using any browser enabled device (e.g. Android)

Camera Focus

This tool allows the user to adjust focus of the attached tethered Camera from the computer interface

Clarity

Clarity can add punch to other wise dull images. Choose from one of four methods to instantly add extra vibrancy to your pictures. Used negatively, it can reduce contrast for softer skin.

Color Balance

Color balance alters the color and luminance in Shadow, mid-tones and Highlights for creative looks.

Color Editor

Color editor interfaces with the camera ICC profile to subtly adjust colors in the target image. Options for this tool include export ICC profile and mask from color pick

Crop

Crop an image to an alternative ratio to that Captured. Crop outside image allows vacant areas to be included in the image bounds e.g. when using Keystone

Curve

Adjust the tonality of an image by altering the tone curve. Adjustments are available for RGB

Next Capture Location
Next Capture Naming
Noise Reduction
Output Location
Output Naming
Overlay
Print - Printer
Print - Units and guides
Print - Template
Print - Margin
Print - Layout
Print - Image Settings
Print - Annotation
Print - Watermark
Process Recipe
Process Recipes
Process Summary
Purple Fringing
Rotation And Flip
Sharpening
Spot Removal
Styles and presets
Vignetting
Web Contact Sheet - Images
Web Contact Sheet - Layout
Web Contact Sheet - Output
Web Contact Sheet - Text
White Balance

Capture One Glossary

About Phase One

Contact us



Recently viewed

Printing Photos
Enhanced Image Package (EIP)
File Formats
Process Variants
Export Originals and Variants

PHASEONE

what the world's best photography is made of

composite, R,G and B individually or for luminance.

Exposure

Exposure tool can be used to correct Exposure error by up to 4 stops +/- from that taken. A roll off in the highlights protects against blown highlight detail when correcting under exposure.

Exposure Evaluation

A fixed histogram of the RAW data with curve applied (as set in the base characteristics. The meter underneath gives rough guideline as to "good exposure" based on histogram spread and end points.

External Editing

Using either the Edit With... or Open With... commands available from the main menu, or the contextual menu (ctrl-click/right-click Mac/Windows), you can open the image in third-party external editing software, such as Adobe Photoshop. Choose the Edit With... option when you want Capture One to process and export the image as a TIFF (or JPEG) for additional editing, or choose Open With... when working with a previously processed TIFF (or JPEG) file.

Film Grain

A statistical model used to replicate film grains. Choose a grain type in combination with the impact (contrast) and granularity (size of grain) sliders to create a film grain effect.

Filters

Enable a filter with the radio buttons to reduce the visible images in the collection by almost any property. More properties can be added from the contextual menu in the tool bar.

Focus

Used in combination with the "pick focus" tool tip, this is a small swatch rendered at 100% in the final output quality. It is used to check quickly key points of interest in an image for focus confirmation, without rendering the whole file.

High Dynamic Range

Improve the dynamic range of the image by using either highlight or Shadow recovery to recover details otherwise lost at the point of Capture. Best used individually to preserve a natural image, they can be used together for HDR imagery

Histogram

A "final decision" distribution of tonal data (after color space conversion to the profile set in the recipe). Effectively this is what is Exported.

Importer

The import tool consists of several smaller tools which control how photos are ingested into the application.

Keystone

Keystone allows a 4 way correction to correct images with converging vertices or skewed center.

Keywords

Singular terms used to describe the content of an image. Words can also be hierarchical (words about words). Keywords form part of image meta data.

Keyword Library

Controls the list or lists of keywords in the document. Lists can be exported, imported, merged and edited.

LCC

Lens cast calibration used to remove fall off and color cast in an image. The tool requires a calibration file which is generated by taking a second image of the scene, but with a perspex tile over the lens.

Lens Correction

By selecting the appropriate lens model, distortion and chromatic aberration can be removed from images: improving accuracy and sharpness.

Levels

Used to correct tonal values in an image. Contrast, gamma and output intensity are all controlled using the handles top and bottom of the tool.

Library

The library tool gives access to file system and organizational elements of your work. The options available will depend on the document type (session or catalog).

Live View Controls

Control gain, quality and focus position during live view operation.

Live View Focus Meter

Drop panels on to the live view feed to get a contrast feedback for the area in the panel

Live View Info

Orientation info for Phase One backs

Live View Navigator

A thumbnail of the image with a box depicting the current zoom level. It is used to aid navigation when zoomed in during live view.

Live View Overlay

Supports PNG, PDF and other image formats as an overlay bed for testing layout (e.g. Magazine cover).

Local Adjustments

Mask areas of an image and then apply standard adjustments to only the masked area. Tools that work locally are denoted with a small brush in the corner of the tool tab.

Meta Data

Add terms, copyright information and view read only EXIF data. Data can also be synced to XMP sidecar format

Moire

Digital capture of geometric patterns or texture (like fabrics) can often result in odd patterns in the image file. Use the moire tool to suppress the patterning by adjusting amount and pattern in equal amounts until the patterning is removed. Best used in conjunction with local adjustments.

Navigator

A thumbnail of the image with a box depicting the current zoom level. It is used to aid navigation when zoomed in.

Next Capture Adjustments

Determines how adjustments are applied in a tethered workflow

Next Capture Location

Used to set the destination folder in a tethered workflow. Session users can also choose a folder in the Library and "set as Capture" from the file menu or right click menu.

Next Capture Naming

Set the name structure for images in a tethered workflow. Name structure is derived from Tokens.

Noise Reduction

Sliders for suppressing luma, color and single pixel noise.

Output Location

Set the location for processing destination. Session users can also choose a folder in the Library and "set as Output" from the file menu or right click menu.

Output Naming

Changes the naming for the output file. Default is the name of the parent RAW file. Uses Tokens for name structure.

Overlay

Supports PNG, PDF and other image formats as an overlay bed for testing layout (e.g. Magazine cover). Drag drop a RAW file to the overlay window for compositing workflow.

Print - Printer

Choose a printer and color management options

Print - Units and guides

Unit and guide options for the print dialogs

Print - Template

Choose saved layout options

Print - Margin

Set the margin size around the image

Print - Layout

Set the cell size, columns, rows, and padding for contact sheets

Print - Image Settings

Set fill options for the set paper size

Print - Annotation

Set the text under each image in the contact sheet

Print - Watermark

Set an overlay in the print

Process Recipe

Configures the file type, resolution and color space for output for the chosen Recipe.

Process Recipes

User defined output presets. Each recipe can derive a file type, resolution, color space and destination for the processed file.

Process Summary

Gives preview of the Recipe configuration. Any red elements here indicate something is wrong with the recipe.

Purple Fringing

Typically high contrast scenes shot with wide open aperture can exhibit blue halos around edges of contrast. Use this slider to dial in the suppression and remove the unwanted fringing.

Rotation And Flip

Orientation sets the image in 90 degree increments either left or right. Rotation sets the remainder between those increments. Flip allows the variant to be mirrored either horizontally or vertically (useful for compositing).

Sharpening

Adjusts the contrast of edges in an image to improve acuity. Amount sets the contrast in an edge, Radius determines the width of that edge and Threshold sets the minimum contrast between pixels before applying the amount.

Spot Removal

Define the belimish - dust or spot - and apply the circle to remove it from an image

Styles and presets

Saved elements for tools. Presets are saved on a tool by tool basis, where as a style is combination of tool presets.

Vignetting

A creative option for fall off (positive or negative). Follows the crop bounds.

Web Contact Sheet - Images

Create an interactive contact sheet for hosting on the internet

Web Contact Sheet - Layout

Create an interactive contact sheet for hosting on the internet

Web Contact Sheet - Output

Create an interactive contact sheet for hosting on the internet

Web Contact Sheet - Text

Create an interactive contact sheet for hosting on the internet

White Balance

Sets a point in the image as neutral to which all other color is based. For best results, take an image with an 18% grey card in the scene, and balance from the patch.



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

Adjustments Clipboard

- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Adjustments Clipboard

The Adjustments clipboard controls how adjustments are transferred when copying and pasting adjustments between images.

View more information related to the [Adjustments Clipboard](#).

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[User Interface](#)

[Introduction](#)

[Tools Appendix](#)

[Printing Photos](#)

[Enhanced Image Package \(EIP\)](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

Adjustments Clipboard

Base Characteristics

- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Base Characteristics

The starting point for RAW conversion. Use this tool to set the color profile and contrast curve for a RAW file.

View more information related to [Base Characteristics](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Adjustments Clipboard](#)

[User Interface](#)

[Introduction](#)

[Tools Appendix](#)

[Printing Photos](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics

Batch

- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Batch

Batch controls the order of queued images waiting to be processed.

View more information related to [Batch](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Base Characteristics](#)
- [Adjustments Clipboard](#)
- [User Interface](#)
- [Introduction](#)
- [Tools Appendix](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch

Black and White

- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Black and White

Black and White tool allows you to adjust images without color data. All channels are grey scaled and the sliders allow you to adjust the luminance of the RGB and CMY hues to create contrast - much like Black and White film photography with filters.

View more information related to [Black and White](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Batch](#)
- [Base Characteristics](#)
- [Adjustments Clipboard](#)
- [User Interface](#)
- [Introduction](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White

Camera

- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Camera

Control the tethered camera attached to the computer. Set Aperture, Shutter, ISO and other properties from the Capture One interface.

View more information related to [Tethered Shooting](#).

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Black and White](#)
- [Batch](#)
- [Base Characteristics](#)
- [Adjustments Clipboard](#)
- [User Interface](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera

Camera Settings

- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Camera Settings

Any property sent by the camera will show in the Camera Settings list. Edit almost any camera setting from this list for quick and easy access to the Camera's hidden custom functions.

View more information related to [Tethered Shooting](#).

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Camera](#)
- [Black and White](#)
- [Batch](#)
- [Base Characteristics](#)
- [Adjustments Clipboard](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings

Capture Pilot

- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Capture Pilot

Capture Pilot allows remote review and rating of any collection via an Apple iPad or iPhone running the Capture Pilot app. Alternatively, web mode can be used to rate images using any browser enabled device (e.g. Android)

View more information related to [Capture Pilot](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Enhanced Image Package \(EIP\)](#)
- [Adding a Watermark](#)
- [Managing Metadata](#)
- [Managing Sharpening](#)
- [Output Settings](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus**

- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments

[Capture One](#) > [Tools Appendix](#) > [Camera Focus](#)



Camera Focus

This tool allows the user to adjust focus of the attached tethered Camera from the computer interface

View more information related to [Camera Focus](#).

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Camera Settings](#)
- [Camera](#)
- [Black and White](#)
- [Batch](#)
- [Base Characteristics](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus

- Clarity**
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Clarity

Clarity can add punch to other wise dull images. Choose from one of four methods to instantly add extra vibrancy to your pictures. Used negatively, it can reduce contrast for softer skin.

View more information related to [Clarity](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Camera Focus](#)
- [Camera Settings](#)
- [Camera](#)
- [Black and White](#)
- [Batch](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity

- Color Balance**
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments

[Capture One](#) > [Tools Appendix](#) > [Color Balance](#)



Color Balance

Color balance alters the color and luminance in Shadow, mid-tones and Highlights for creative looks.

View more information related to [Color Balance](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Clarity](#)
- [Camera Focus](#)
- [Camera Settings](#)
- [Camera](#)
- [Black and White](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor**

- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Color Editor

Color editor interfaces with the camera ICC profile to subtly adjust colors in the target image. Options for this tool include export ICC profile and mask from color pick

View more information related to [Color Editor](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Color Balance](#)
- [Clarity](#)
- [Camera Focus](#)
- [Camera Settings](#)
- [Camera](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor

- Crop**
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Crop

Crop an image to an alternative ratio to that Captured. Crop outside image allows vacant areas to be included in the image bounds e.g. when using Keystone

View more information related to [Crop](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Color Editor](#)
- [Color Balance](#)
- [Clarity](#)
- [Camera Focus](#)
- [Camera Settings](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop

Curve

- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Curve

Adjust the tonality of an image by altering the tone curve. Adjustments are available for RGB composite, R,G and B individually or for luminance.

View more information related to [Curves](#)

Did you find this article useful?

[Next Capture Location](#)
[Next Capture Naming](#)
[Noise Reduction](#)
[Output Location](#)
[Output Naming](#)
[Overlay](#)
[Print - Printer](#)
[Print - Units and guides](#)
[Print - Template](#)
[Print - Margin](#)
[Print - Layout](#)
[Print - Image Settings](#)
[Print - Annotation](#)
[Print - Watermark](#)
[Process Recipe](#)
[Process Recipes](#)
[Process Summary](#)
[Purple Fringing](#)
[Rotation And Flip](#)
[Sharpening](#)
[Spot Removal](#)
[Styles and presets](#)
[Vignetting](#)
[Web Contact Sheet - Images](#)
[Web Contact Sheet - Layout](#)
[Web Contact Sheet - Output](#)
[Web Contact Sheet - Text](#)
[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Crop](#)
[Color Editor](#)
[Color Balance](#)
[Clarity](#)
[Camera Focus](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve

Exposure

- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Exposure

Exposure tool can be used to correct Exposure error by up to 4 stops +/- from that taken. A roll off in the highlights protects against blown highlight detail when correcting under exposure.

View more information related to [Exposure](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Curve](#)
- [Crop](#)
- [Color Editor](#)
- [Color Balance](#)
- [Clarity](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure

Exposure Evaluation

- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Exposure Evaluation

A fixed histogram of the RAW data with curve applied (as set in the base characteristics. The meter underneath gives rough guideline as to "good exposure" based on histogram spread and end points.

View more information related to [Exposure Evaluation](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Exposure](#)
- [Curve](#)
- [Crop](#)
- [Color Editor](#)
- [Color Balance](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation

External Editing

- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



External Editing

Using either the Edit With... or Open With... commands available from the main menu, or the contextual menu (ctrl-click/right-click Mac/Windows), you can open the image in third-party external editing software, such as Adobe Photoshop.

Choose the Edit With... option when you want Capture One to process and export the image as a TIFF (or JPEG) for additional editing, or choose Open With... when working with a previously processed TIFF (or JPEG) file.

View more information related to [External Editing](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Exposure Evaluation](#)
- [Exposure](#)
- [Curve](#)
- [Crop](#)
- [Color Editor](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing

Film Grain

- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Film Grain

A statistical model used to replicate film grains. Choose a grain type in combination with the impact (contrast) and granularity (size of grain) sliders to create a film grain effect.

View more information related to [Film Grain](#)

Did you find this article useful?

[Next Capture Location](#)
[Next Capture Naming](#)
[Noise Reduction](#)
[Output Location](#)
[Output Naming](#)
[Overlay](#)
[Print - Printer](#)
[Print - Units and guides](#)
[Print - Template](#)
[Print - Margin](#)
[Print - Layout](#)
[Print - Image Settings](#)
[Print - Annotation](#)
[Print - Watermark](#)
[Process Recipe](#)
[Process Recipes](#)
[Process Summary](#)
[Purple Fringing](#)
[Rotation And Flip](#)
[Sharpening](#)
[Spot Removal](#)
[Styles and presets](#)
[Vignetting](#)
[Web Contact Sheet - Images](#)
[Web Contact Sheet - Layout](#)
[Web Contact Sheet - Output](#)
[Web Contact Sheet - Text](#)
[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[External Editing](#)
[Exposure Evaluation](#)
[Exposure](#)
[Curve](#)
[Crop](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain

Filters

- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Filters

Enable a filter with the radio buttons to reduce the visible images in the collection by almost any property. More properties can be added from the contextual menu in the tool bar.

View more information related to [Filters](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Film Grain](#)
- [External Editing](#)
- [Exposure Evaluation](#)
- [Exposure](#)
- [Curve](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters

Focus

- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Focus

Used in combination with the "pick focus" tool tip, this is a small swatch rendered at 100% in the final output quality. It is used to check quickly key points of interest in an image for focus confirmation, without rendering the whole file.

View more information related to [Focus Checking](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Filters](#)
- [Film Grain](#)
- [External Editing](#)
- [Exposure Evaluation](#)
- [Exposure](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus

High Dynamic Range

- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



High Dynamic Range

Improve the dynamic range of the image by using either highlight or Shadow recovery to recover details otherwise lost at the point of Capture. Best used individually to preserve a natural image, they can be used together for HDR imagery

View more information related to [High Dynamic Range](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Focus](#)
- [Filters](#)
- [Film Grain](#)
- [External Editing](#)
- [Exposure Evaluation](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range

Histogram

- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Histogram

A "final decision" distribution of tonal data (after color space conversion to the profile set in the recipe). Effectively this is what is Exported.

View more information related to [Histogram](#)

[Next Capture Location](#)
[Next Capture Naming](#)
[Noise Reduction](#)
[Output Location](#)
[Output Naming](#)
[Overlay](#)
[Print - Printer](#)
[Print - Units and guides](#)
[Print - Template](#)
[Print - Margin](#)
[Print - Layout](#)
[Print - Image Settings](#)
[Print - Annotation](#)
[Print - Watermark](#)
[Process Recipe](#)
[Process Recipes](#)
[Process Summary](#)
[Purple Fringing](#)
[Rotation And Flip](#)
[Sharpening](#)
[Spot Removal](#)
[Styles and presets](#)
[Vignetting](#)
[Web Contact Sheet - Images](#)
[Web Contact Sheet - Layout](#)
[Web Contact Sheet - Output](#)
[Web Contact Sheet - Text](#)
[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[High Dynamic Range](#)

[Focus](#)

[Filters](#)

[Film Grain](#)

[External Editing](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram

- Importer**
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Importer

The import tool consists of several smaller tools which control how photos are ingested into the application.

View more information related to the Importer in [Sessions](#), or when working in a [Catalog](#).

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Histogram](#)
- [High Dynamic Range](#)
- [Focus](#)
- [Filters](#)
- [Film Grain](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer

Keystone

- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Keystone

Keystone allows a 4 way correction to correct images with converging vertices or skewed center.

View more information related to [Keystone](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Importer](#)
- [Histogram](#)
- [High Dynamic Range](#)
- [Focus](#)
- [Filters](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone

Keywords

- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Keywords

Singular terms used to describe the content of an image. Words can also be hierarchical (words about words). Keywords form part of image meta data.

View more information related to [Keywords](#)

Did you find this article useful?

[Next Capture Location](#)
[Next Capture Naming](#)
[Noise Reduction](#)
[Output Location](#)
[Output Naming](#)
[Overlay](#)
[Print - Printer](#)
[Print - Units and guides](#)
[Print - Template](#)
[Print - Margin](#)
[Print - Layout](#)
[Print - Image Settings](#)
[Print - Annotation](#)
[Print - Watermark](#)
[Process Recipe](#)
[Process Recipes](#)
[Process Summary](#)
[Purple Fringing](#)
[Rotation And Flip](#)
[Sharpening](#)
[Spot Removal](#)
[Styles and presets](#)
[Vignetting](#)
[Web Contact Sheet - Images](#)
[Web Contact Sheet - Layout](#)
[Web Contact Sheet - Output](#)
[Web Contact Sheet - Text](#)
[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Keystone](#)

[Importer](#)

[Histogram](#)

[High Dynamic Range](#)

[Focus](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords

Keyword Library

- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Keyword Library

Controls the list or lists of keywords in the document. Lists can be exported, imported, merged and edited.

View more information related to [Keyword Libraries](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Keywords](#)

[Keystone](#)

[Importer](#)

[Histogram](#)

[High Dynamic Range](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library

LCC

- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



LCC

Lens cast calibration used to remove fall off and color cast in an image. The tool requires a calibration file which is generated by taking a second image of the scene, but with a perspex tile over the lens.

View more information related to [LCC](#)

Did you find this article useful?

[Next Capture Location](#)
[Next Capture Naming](#)
[Noise Reduction](#)
[Output Location](#)
[Output Naming](#)
[Overlay](#)
[Print - Printer](#)
[Print - Units and guides](#)
[Print - Template](#)
[Print - Margin](#)
[Print - Layout](#)
[Print - Image Settings](#)
[Print - Annotation](#)
[Print - Watermark](#)
[Process Recipe](#)
[Process Recipes](#)
[Process Summary](#)
[Purple Fringing](#)
[Rotation And Flip](#)
[Sharpening](#)
[Spot Removal](#)
[Styles and presets](#)
[Vignetting](#)
[Web Contact Sheet - Images](#)
[Web Contact Sheet - Layout](#)
[Web Contact Sheet - Output](#)
[Web Contact Sheet - Text](#)
[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed ▼

[Keyword Library](#)
[Keywords](#)
[Keystone](#)
[Importer](#)
[Histogram](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC

Lens Correction

- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Lens Correction

By selecting the appropriate lens model, distortion and chromatic aberration can be removed from images: improving accuracy and sharpness.

View more information related to [Lens Correction](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[LCC](#)

[Keyword Library](#)

[Keywords](#)

[Keystone](#)

[Importer](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction

Levels

- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Levels

Used to correct tonal values in an image. Contrast, gamma and output intensity are all controlled using the handles top and bottom of the tool.

View more information related to [Levels](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Lens Correction](#)
- [LCC](#)
- [Keyword Library](#)
- [Keywords](#)
- [Keystone](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels

Library

- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Library

The library tool gives access to file system and organizational elements of your work. The options available will depend on the document type (session or catalog).

View more information related to [Library](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Levels](#)
- [Lens Correction](#)
- [LCC](#)
- [Keyword Library](#)
- [Keywords](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library

Live View Controls

- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Live View Controls

Control gain, quality and focus position during live view operation.

View more information related to [Live View](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Library](#)

[Levels](#)

[Lens Correction](#)

[LCC](#)

[Keyword Library](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter**
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments

[Capture One](#) > [Tools Appendix](#) > [Live View Focus Meter](#)



Live View Focus Meter

Drop panels on to the live view feed to get a contrast feedback for the area in the panel

View more information related to [Live View](#)

Did you find this article useful?

- Next Capture Location
- Next Capture Naming
- Noise Reduction
- Output Location
- Output Naming
- Overlay
- Print - Printer
- Print - Units and guides
- Print - Template
- Print - Margin
- Print - Layout
- Print - Image Settings
- Print - Annotation
- Print - Watermark
- Process Recipe
- Process Recipes
- Process Summary
- Purple Fringing
- Rotation And Flip
- Sharpening
- Spot Removal
- Styles and presets
- Vignetting
- Web Contact Sheet - Images
- Web Contact Sheet - Layout
- Web Contact Sheet - Output
- Web Contact Sheet - Text
- White Balance

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Live View Controls](#)
- [Library](#)
- [Levels](#)
- [Lens Correction](#)
- [LCC](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info**
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments

Capture One > Tools Appendix > Live View Info



Live View Info

Orientation info for Phase One backs

View more information related to [Live View](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Live View Focus Meter](#)
- [Live View Controls](#)
- [Library](#)
- [Levels](#)
- [Lens Correction](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator**
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Live View Navigator

A thumbnail of the image with a box depicting the current zoom level. It is used to aid navigation when zoomed in during live view.

View more information related to [Live View](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Live View Info](#)

[Live View Focus Meter](#)

[Live View Controls](#)

[Library](#)

[Levels](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay**
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments

Capture One > Tools Appendix > Live View Overlay



Live View Overlay

Supports PNG, PDF and other image formats as an overlay bed for testing layout (e.g. Magazine cover).

View more information related to [Overlay](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Live View Navigator](#)
- [Live View Info](#)
- [Live View Focus Meter](#)
- [Live View Controls](#)
- [Library](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments**
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Local Adjustments

Mask areas of an image and then apply standard adjustments to only the masked area. Tools that work locally are denoted with a small brush in the corner of the tool tab.

View more information related to [Local Adjustments](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Live View Overlay](#)
- [Live View Navigator](#)
- [Live View Info](#)
- [Live View Focus Meter](#)
- [Live View Controls](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data**
- Moire
- Navigator
- Next Capture Adjustments



Meta Data

Add terms, copyright information and view read only EXIF data. Data can also be synced to XMP sidecar format

View more information related to [Meta Data](#)

Did you find this article useful?

[Next Capture Location](#)
[Next Capture Naming](#)
[Noise Reduction](#)
[Output Location](#)
[Output Naming](#)
[Overlay](#)
[Print - Printer](#)
[Print - Units and guides](#)
[Print - Template](#)
[Print - Margin](#)
[Print - Layout](#)
[Print - Image Settings](#)
[Print - Annotation](#)
[Print - Watermark](#)
[Process Recipe](#)
[Process Recipes](#)
[Process Summary](#)
[Purple Fringing](#)
[Rotation And Flip](#)
[Sharpening](#)
[Spot Removal](#)
[Styles and presets](#)
[Vignetting](#)
[Web Contact Sheet - Images](#)
[Web Contact Sheet - Layout](#)
[Web Contact Sheet - Output](#)
[Web Contact Sheet - Text](#)
[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Local Adjustments](#)
[Live View Overlay](#)
[Live View Navigator](#)
[Live View Info](#)
[Live View Focus Meter](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire**
- Navigator
- Next Capture Adjustments



Moire

Digital capture of geometric patterns or texture (like fabrics) can often result in odd patterns in the image file. Use the moire tool to suppress the patterning by adjusting amount and pattern in equal amounts until the patterning is removed. Best used in conjunction with local adjustments.

View more information related to [Moire](#)

Did you find this article useful?

[Next Capture Location](#)
[Next Capture Naming](#)
[Noise Reduction](#)
[Output Location](#)
[Output Naming](#)
[Overlay](#)
[Print - Printer](#)
[Print - Units and guides](#)
[Print - Template](#)
[Print - Margin](#)
[Print - Layout](#)
[Print - Image Settings](#)
[Print - Annotation](#)
[Print - Watermark](#)
[Process Recipe](#)
[Process Recipes](#)
[Process Summary](#)
[Purple Fringing](#)
[Rotation And Flip](#)
[Sharpening](#)
[Spot Removal](#)
[Styles and presets](#)
[Vignetting](#)
[Web Contact Sheet - Images](#)
[Web Contact Sheet - Layout](#)
[Web Contact Sheet - Output](#)
[Web Contact Sheet - Text](#)
[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Meta Data](#)
[Local Adjustments](#)
[Live View Overlay](#)
[Live View Navigator](#)
[Live View Info](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator**
- Next Capture Adjustments



Navigator

A thumbnail of the image with a box depicting the current zoom level. It is used to aid navigation when zoomed in.

View more information related to [Navigator](#).

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Moire](#)
- [Meta Data](#)
- [Local Adjustments](#)
- [Live View Overlay](#)
- [Live View Navigator](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator

Next Capture Adjustments



Next Capture Adjustments

Determines how adjustments are applied in a tethered workflow

View more information related to [Next Capture Adjustments](#).

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Navigator](#)
- [Moire](#)
- [Meta Data](#)
- [Local Adjustments](#)
- [Live View Overlay](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments

[Capture One](#) > [Tools Appendix](#) > Next Capture Location



Next Capture Location

Used to set the destination folder in a tethered workflow. Session users can also choose a folder in the Library and "set as Capture" from the file menu or right click menu.

View more information related to the Capture Location in [Sessions](#), or when working in [Catalogs](#).

Did you find this article useful?

[Next Capture Location](#)

[Next Capture Naming](#)

[Noise Reduction](#)

[Output Location](#)

[Output Naming](#)

[Overlay](#)

[Print - Printer](#)

[Print - Units and guides](#)

[Print - Template](#)

[Print - Margin](#)

[Print - Layout](#)

[Print - Image Settings](#)

[Print - Annotation](#)

[Print - Watermark](#)

[Process Recipe](#)

[Process Recipes](#)

[Process Summary](#)

[Purple Fringing](#)

[Rotation And Flip](#)

[Sharpening](#)

[Spot Removal](#)

[Styles and presets](#)

[Vignetting](#)

[Web Contact Sheet - Images](#)

[Web Contact Sheet - Layout](#)

[Web Contact Sheet - Output](#)

[Web Contact Sheet - Text](#)

[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Adjustment Controls](#)

[Next Capture Adjustments](#)

[Navigator](#)

[Moire](#)

[Meta Data](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Next Capture Naming

Set the name structure for images in a tethered workflow. Name structure is derived from Tokens.

View more information related to [Next Capture Naming](#).

Did you find this article useful?

[Next Capture Location](#)

[Next Capture Naming](#)

[Noise Reduction](#)

[Output Location](#)

[Output Naming](#)

[Overlay](#)

[Print - Printer](#)

[Print - Units and guides](#)

[Print - Template](#)

[Print - Margin](#)

[Print - Layout](#)

[Print - Image Settings](#)

[Print - Annotation](#)

[Print - Watermark](#)

[Process Recipe](#)

[Process Recipes](#)

[Process Summary](#)

[Purple Fringing](#)

[Rotation And Flip](#)

[Sharpening](#)

[Spot Removal](#)

[Styles and presets](#)

[Vignetting](#)

[Web Contact Sheet - Images](#)

[Web Contact Sheet - Layout](#)

[Web Contact Sheet - Output](#)

[Web Contact Sheet - Text](#)

[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Next Capture Location](#)

[Adjustment Controls](#)

[Next Capture Adjustments](#)

[Navigator](#)

[Moire](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Noise Reduction

Sliders for suppressing luma, color and single pixel noise.

View more information related to [Noise Reduction](#)

Did you find this article useful?

[Next Capture Location](#)

[Next Capture Naming](#)

[Noise Reduction](#)

[Output Location](#)

[Output Naming](#)

[Overlay](#)

[Print - Printer](#)

[Print - Units and guides](#)

[Print - Template](#)

[Print - Margin](#)

[Print - Layout](#)

[Print - Image Settings](#)

[Print - Annotation](#)

[Print - Watermark](#)

[Process Recipe](#)

[Process Recipes](#)

[Process Summary](#)

[Purple Fringing](#)

[Rotation And Flip](#)

[Sharpening](#)

[Spot Removal](#)

[Styles and presets](#)

[Vignetting](#)

[Web Contact Sheet - Images](#)

[Web Contact Sheet - Layout](#)

[Web Contact Sheet - Output](#)

[Web Contact Sheet - Text](#)

[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Next Capture Naming](#)

[Next Capture Location](#)

[Adjustment Controls](#)

[Next Capture Adjustments](#)

[Navigator](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Output Location

Set the location for processing destination. Session users can also choose a folder in the Library and "set as Output" from the file menu or right click menu.

View more information related to [Output Location](#)

Did you find this article useful?

[Next Capture Location](#)

[Next Capture Naming](#)

[Noise Reduction](#)

[Output Location](#)

[Output Naming](#)

[Overlay](#)

[Print - Printer](#)

[Print - Units and guides](#)

[Print - Template](#)

[Print - Margin](#)

[Print - Layout](#)

[Print - Image Settings](#)

[Print - Annotation](#)

[Print - Watermark](#)

[Process Recipe](#)

[Process Recipes](#)

[Process Summary](#)

[Purple Fringing](#)

[Rotation And Flip](#)

[Sharpening](#)

[Spot Removal](#)

[Styles and presets](#)

[Vignetting](#)

[Web Contact Sheet - Images](#)

[Web Contact Sheet - Layout](#)

[Web Contact Sheet - Output](#)

[Web Contact Sheet - Text](#)

[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Noise Reduction](#)

[Next Capture Naming](#)

[Next Capture Location](#)

[Adjustment Controls](#)

[Next Capture Adjustments](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Output Naming

Changes the naming for the output file. Default is the name of the parent RAW file. Uses Tokens for name structure.

View more information related to [Output Location](#)

Did you find this article useful?

[Next Capture Location](#)

[Next Capture Naming](#)

[Noise Reduction](#)

[Output Location](#)

[Output Naming](#)

[Overlay](#)

[Print - Printer](#)

[Print - Units and guides](#)

[Print - Template](#)

[Print - Margin](#)

[Print - Layout](#)

[Print - Image Settings](#)

[Print - Annotation](#)

[Print - Watermark](#)

[Process Recipe](#)

[Process Recipes](#)

[Process Summary](#)

[Purple Fringing](#)

[Rotation And Flip](#)

[Sharpening](#)

[Spot Removal](#)

[Styles and presets](#)

[Vignetting](#)

[Web Contact Sheet - Images](#)

[Web Contact Sheet - Layout](#)

[Web Contact Sheet - Output](#)

[Web Contact Sheet - Text](#)

[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Output Location](#)

[Noise Reduction](#)

[Next Capture Naming](#)

[Next Capture Location](#)

[Adjustment Controls](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments

Capture One > Tools Appendix > Overlay



Overlay

Supports PNG, PDF and other image formats as an overlay bed for testing layout (e.g. Magazine cover). Drag drop a RAW file to the overlay window for compositing workflow.

View more information related to [Overlay](#).

Did you find this article useful?

[Next Capture Location](#)

[Next Capture Naming](#)

[Noise Reduction](#)

[Output Location](#)

[Output Naming](#)

[Overlay](#)

[Print - Printer](#)

[Print - Units and guides](#)

[Print - Template](#)

[Print - Margin](#)

[Print - Layout](#)

[Print - Image Settings](#)

[Print - Annotation](#)

[Print - Watermark](#)

[Process Recipe](#)

[Process Recipes](#)

[Process Summary](#)

[Purple Fringing](#)

[Rotation And Flip](#)

[Sharpening](#)

[Spot Removal](#)

[Styles and presets](#)

[Vignetting](#)

[Web Contact Sheet - Images](#)

[Web Contact Sheet - Layout](#)

[Web Contact Sheet - Output](#)

[Web Contact Sheet - Text](#)

[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Output Naming](#)

[Output Location](#)

[Noise Reduction](#)

[Next Capture Naming](#)

[Next Capture Location](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments

Capture One > Tools Appendix > Print - Printer



Print - Printer

Choose a printer and color management options

View more information related to [Print](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)

Print - Printer

- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed

- [Overlay](#)
- [Output Naming](#)
- [Output Location](#)
- [Noise Reduction](#)
- [Next Capture Naming](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments

[Capture One](#) > [Tools Appendix](#) > [Print - Units and guides](#)



Print - Units and guides

Unit and guide options for the print dialogs

View more information related to [Print](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)

Print - Units and guides

- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed

- [Print - Printer](#)
- [Overlay](#)
- [Output Naming](#)
- [Output Location](#)
- [Noise Reduction](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments

[Capture One](#) > [Tools Appendix](#) > [Print - Template](#)



Print - Template

Choose saved layout options

View more information related to [Print](#)

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)

Print - Template

- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed

- [Print - Units and guides](#)
- [Print - Printer](#)
- [Overlay](#)
- [Output Naming](#)
- [Output Location](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments

Capture One > Tools Appendix > Print - Margin



Print - Margin

Set the margin size around the image

View more information related to [Print](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)

[Print - Margin](#)

- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Print - Template](#)
- [Print - Units and guides](#)
- [Print - Printer](#)
- [Overlay](#)
- [Output Naming](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments

Capture One > Tools Appendix > Print - Layout



Print - Layout

Set the cell size, columns, rows, and padding for contact sheets

View more information related to [Print](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)

[Print - Layout](#)

- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed

- [Print - Margin](#)
- [Print - Template](#)
- [Print - Units and guides](#)
- [Print - Printer](#)
- [Overlay](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Print - Image Settings

Set fill options for the set paper size

View more information related to [Print](#)

Did you find this article useful?

[Next Capture Location](#)

[Next Capture Naming](#)

[Noise Reduction](#)

[Output Location](#)

[Output Naming](#)

[Overlay](#)

[Print - Printer](#)

[Print - Units and guides](#)

[Print - Template](#)

[Print - Margin](#)

[Print - Layout](#)

[Print - Image Settings](#)

[Print - Annotation](#)

[Print - Watermark](#)

[Process Recipe](#)

[Process Recipes](#)

[Process Summary](#)

[Purple Fringing](#)

[Rotation And Flip](#)

[Sharpening](#)

[Spot Removal](#)

[Styles and presets](#)

[Vignetting](#)

[Web Contact Sheet - Images](#)

[Web Contact Sheet - Layout](#)

[Web Contact Sheet - Output](#)

[Web Contact Sheet - Text](#)

[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Print - Layout](#)

[Print - Margin](#)

[Print - Template](#)

[Print - Units and guides](#)

[Print - Printer](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Print - Annotation

Set the text under each image in the contact sheet

View more information related to [Print](#)

Did you find this article useful?

[Next Capture Location](#)

[Next Capture Naming](#)

[Noise Reduction](#)

[Output Location](#)

[Output Naming](#)

[Overlay](#)

[Print - Printer](#)

[Print - Units and guides](#)

[Print - Template](#)

[Print - Margin](#)

[Print - Layout](#)

[Print - Image Settings](#)

[Print - Annotation](#)

[Print - Watermark](#)

[Process Recipe](#)

[Process Recipes](#)

[Process Summary](#)

[Purple Fringing](#)

[Rotation And Flip](#)

[Sharpening](#)

[Spot Removal](#)

[Styles and presets](#)

[Vignetting](#)

[Web Contact Sheet - Images](#)

[Web Contact Sheet - Layout](#)

[Web Contact Sheet - Output](#)

[Web Contact Sheet - Text](#)

[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Print - Image Settings](#)

[Print - Layout](#)

[Print - Margin](#)

[Print - Template](#)

[Print - Units and guides](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Print - Watermark

Set an overlay in the print

View more information related to [Print](#).

Did you find this article useful?

[Next Capture Location](#)

[Next Capture Naming](#)

[Noise Reduction](#)

[Output Location](#)

[Output Naming](#)

[Overlay](#)

[Print - Printer](#)

[Print - Units and guides](#)

[Print - Template](#)

[Print - Margin](#)

[Print - Layout](#)

[Print - Image Settings](#)

[Print - Annotation](#)

[Print - Watermark](#)

[Process Recipe](#)

[Process Recipes](#)

[Process Summary](#)

[Purple Fringing](#)

[Rotation And Flip](#)

[Sharpening](#)

[Spot Removal](#)

[Styles and presets](#)

[Vignetting](#)

[Web Contact Sheet - Images](#)

[Web Contact Sheet - Layout](#)

[Web Contact Sheet - Output](#)

[Web Contact Sheet - Text](#)

[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Print - Annotation](#)

[Print - Image Settings](#)

[Print - Layout](#)

[Print - Margin](#)

[Print - Template](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Process Recipe

Configures the file type, resolution and color space for output for the chosen Recipe.

View more information related to [Process Recipe](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)

Process Recipe

- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Print - Watermark](#)
- [Print - Annotation](#)
- [Print - Image Settings](#)
- [Print - Layout](#)
- [Print - Margin](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Process Recipes

User defined output presets. Each recipe can derive a file type, resolution, color space and destination for the processed file.

View more information related to [Process Recipes](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)

Process Recipes

- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed

- [Process Recipe](#)
- [Print - Watermark](#)
- [Print - Annotation](#)
- [Print - Image Settings](#)
- [Print - Layout](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Process Summary

Gives preview of the Recipe configuration. Any red elements here indicate something is wrong with the recipe.

View more information related to [Process Summary](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)

Process Summary

- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed

- [Process Recipes](#)
- [Process Recipe](#)
- [Print - Watermark](#)
- [Print - Annotation](#)
- [Print - Image Settings](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Purple Fringing

Typically high contrast scenes shot with wide open aperture can exhibit blue halos around edges of contrast. Use this slider to dial in the suppression and remove the unwanted fringing.

View more information related to [Purple Fringing](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)

Purple Fringing

- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed

- [Process Summary](#)
- [Process Recipes](#)
- [Process Recipe](#)
- [Print - Watermark](#)
- [Print - Annotation](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Rotation And Flip

Orientation sets the image in 90 degree increments either left or right. Rotation sets the remainder between those increments. Flip allows the variant to be mirrored either horizontally or vertically (useful for compositing).

View more information related to [Rotation and Flip](#)

Did you find this article useful?

[Next Capture Location](#)

[Next Capture Naming](#)

[Noise Reduction](#)

[Output Location](#)

[Output Naming](#)

[Overlay](#)

[Print - Printer](#)

[Print - Units and guides](#)

[Print - Template](#)

[Print - Margin](#)

[Print - Layout](#)

[Print - Image Settings](#)

[Print - Annotation](#)

[Print - Watermark](#)

[Process Recipe](#)

[Process Recipes](#)

[Process Summary](#)

[Purple Fringing](#)

[Rotation And Flip](#)

[Sharpening](#)

[Spot Removal](#)

[Styles and presets](#)

[Vignetting](#)

[Web Contact Sheet - Images](#)

[Web Contact Sheet - Layout](#)

[Web Contact Sheet - Output](#)

[Web Contact Sheet - Text](#)

[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Purple Fringing](#)

[Process Summary](#)

[Process Recipes](#)

[Process Recipe](#)

[Print - Watermark](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Sharpening

Adjusts the contrast of edges in an image to improve acuity. Amount sets the contrast in an edge, Radius determines the width of that edge and Threshold sets the minimum contrast between pixels before applying the amount.

View more information related to [Sharpening](#)

Did you find this article useful?

[Next Capture Location](#)

[Next Capture Naming](#)

[Noise Reduction](#)

[Output Location](#)

[Output Naming](#)

[Overlay](#)

[Print - Printer](#)

[Print - Units and guides](#)

[Print - Template](#)

[Print - Margin](#)

[Print - Layout](#)

[Print - Image Settings](#)

[Print - Annotation](#)

[Print - Watermark](#)

[Process Recipe](#)

[Process Recipes](#)

[Process Summary](#)

[Purple Fringing](#)

[Rotation And Flip](#)

[Sharpening](#)

[Spot Removal](#)

[Styles and presets](#)

[Vignetting](#)

[Web Contact Sheet - Images](#)

[Web Contact Sheet - Layout](#)

[Web Contact Sheet - Output](#)

[Web Contact Sheet - Text](#)

[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Rotation And Flip](#)

[Purple Fringing](#)

[Process Summary](#)

[Process Recipes](#)

[Process Recipe](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Spot Removal

Define the belimish - dust or spot - and apply the circle to remove it from an image

View more information related to [Spot Removal](#)

Did you find this article useful?

[Next Capture Location](#)

[Next Capture Naming](#)

[Noise Reduction](#)

[Output Location](#)

[Output Naming](#)

[Overlay](#)

[Print - Printer](#)

[Print - Units and guides](#)

[Print - Template](#)

[Print - Margin](#)

[Print - Layout](#)

[Print - Image Settings](#)

[Print - Annotation](#)

[Print - Watermark](#)

[Process Recipe](#)

[Process Recipes](#)

[Process Summary](#)

[Purple Fringing](#)

[Rotation And Flip](#)

[Sharpening](#)

[Spot Removal](#)

[Styles and presets](#)

[Vignetting](#)

[Web Contact Sheet - Images](#)

[Web Contact Sheet - Layout](#)

[Web Contact Sheet - Output](#)

[Web Contact Sheet - Text](#)

[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



[Sharpening](#)

[Rotation And Flip](#)

[Purple Fringing](#)

[Process Summary](#)

[Process Recipes](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Styles and presets

Saved elements for tools. Presets are saved on a tool by tool basis, where as a style is combination of tool presets.

View more information related to [Styles and Presets](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)

Styles and presets

- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed

- [Spot Removal](#)
- [Sharpening](#)
- [Rotation And Flip](#)
- [Purple Fringing](#)
- [Process Summary](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Vignetting

A creative option for fall off (positive or negative). Follows the crop bounds.

View more information related to [Vignetting](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)

Vignetting

- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed

- [Styles and presets](#)
- [Spot Removal](#)
- [Sharpening](#)
- [Rotation And Flip](#)
- [Purple Fringing](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Web Contact Sheet - Images

Create an interactive contact sheet for hosting on the internet

View more information related to [Web Contact Sheet](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)

[Web Contact Sheet - Images](#)

- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed

- [Vignetting](#)
- [Styles and presets](#)
- [Spot Removal](#)
- [Sharpening](#)
- [Rotation And Flip](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments

Capture One > Tools Appendix > Web Contact Sheet - Layout



Web Contact Sheet - Layout

Create an interactive contact sheet for hosting on the internet

View more information related to [Web Contact Sheet](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Text](#)
- [White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Web Contact Sheet - Images](#)
- [Vignetting](#)
- [Styles and presets](#)
- [Spot Removal](#)
- [Sharpening](#)

PHASE ONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Web Contact Sheet - Output

Create an interactive contact sheet for hosting on the internet

View more information related to [Web Contact Sheet](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)

[Web Contact Sheet - Output](#)

[Web Contact Sheet - Text](#)

[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed



- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Images](#)
- [Vignetting](#)
- [Styles and presets](#)
- [Spot Removal](#)

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments



Web Contact Sheet - Text

Create an interactive contact sheet for hosting on the internet

View more information related to [Web Contact Sheet](#)

Did you find this article useful?

- [Next Capture Location](#)
- [Next Capture Naming](#)
- [Noise Reduction](#)
- [Output Location](#)
- [Output Naming](#)
- [Overlay](#)
- [Print - Printer](#)
- [Print - Units and guides](#)
- [Print - Template](#)
- [Print - Margin](#)
- [Print - Layout](#)
- [Print - Image Settings](#)
- [Print - Annotation](#)
- [Print - Watermark](#)
- [Process Recipe](#)
- [Process Recipes](#)
- [Process Summary](#)
- [Purple Fringing](#)
- [Rotation And Flip](#)
- [Sharpening](#)
- [Spot Removal](#)
- [Styles and presets](#)
- [Vignetting](#)
- [Web Contact Sheet - Images](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Output](#)

Web Contact Sheet - Text

[White Balance](#)

[Capture One Glossary](#)

[About Phase One](#)

[Contact us](#)



Recently viewed

- [Web Contact Sheet - Output](#)
- [Web Contact Sheet - Layout](#)
- [Web Contact Sheet - Images](#)
- [Vignetting](#)
- [Styles and presets](#)

PHASE ONE

what the world's best photography is made of

- Next Capture Location
- Next Capture Naming
- Noise Reduction
- Output Location
- Output Naming
- Overlay
- Print - Printer
- Print - Units and guides
- Print - Template
- Print - Margin
- Print - Layout
- Print - Image Settings
- Print - Annotation
- Print - Watermark
- Process Recipe
- Process Recipes
- Process Summary
- Purple Fringing
- Rotation And Flip
- Sharpening
- Spot Removal
- Styles and presets
- Vignetting
- Web Contact Sheet - Images
- Web Contact Sheet - Layout
- Web Contact Sheet - Output
- Web Contact Sheet - Text

White Balance

- Capture One Glossary
- About Phase One
- Contact us



Recently viewed

- Web Contact Sheet - Text
- Web Contact Sheet - Output
- Web Contact Sheet - Layout
- Web Contact Sheet - Images
- Vignetting

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

- Adjustments Clipboard
- Base Characteristics
- Batch
- Black and White
- Camera
- Camera Settings
- Capture Pilot
- Camera Focus
- Clarity
- Color Balance
- Color Editor
- Crop
- Curve
- Exposure
- Exposure Evaluation
- External Editing
- Film Grain
- Filters
- Focus
- High Dynamic Range
- Histogram
- Importer
- Keystone
- Keywords
- Keyword Library
- LCC
- Lens Correction
- Levels
- Library
- Live View Controls
- Live View Focus Meter
- Live View Info
- Live View Navigator
- Live View Overlay
- Local Adjustments
- Meta Data
- Moire
- Navigator
- Next Capture Adjustments

[Capture One](#) > [Tools Appendix](#) > [White Balance](#)



White Balance

Sets a point in the image as neutral to which all other color is based. For best results, take an image with an 18% grey card in the scene, and balance from the patch.

View more information related to [White Balance](#)

Did you find this article useful?

- Next Capture Location
- Next Capture Naming
- Noise Reduction
- Output Location
- Output Naming
- Overlay
- Print - Printer
- Print - Units and guides
- Print - Template
- Print - Margin
- Print - Layout
- Print - Image Settings
- Print - Annotation
- Print - Watermark
- Process Recipe
- Process Recipes
- Process Summary
- Purple Fringing
- Rotation And Flip
- Sharpening
- Spot Removal
- Styles and presets
- Vignetting
- Web Contact Sheet - Images
- Web Contact Sheet - Layout
- Web Contact Sheet - Output
- Web Contact Sheet - Text

White Balance

- Capture One Glossary
- About Phase One
- Contact us



Recently viewed

- Web Contact Sheet - Text
- Web Contact Sheet - Output
- Web Contact Sheet - Layout
- Web Contact Sheet - Images
- Vignetting

PHASEONE

what the world's best photography is made of



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix

Capture One Glossary

- Catalog Users Glossary
- Session Users Glossary

- About Phase One
- Contact us

 Recently viewed ▾

- White Balance
- Web Contact Sheet - Text
- Web Contact Sheet - Output
- Web Contact Sheet - Layout
- Web Contact Sheet - Images



Capture One Glossary

The glossary contains an Alphabetical list of terms used in the application and their definition. This glossary is divided in two (as some terms are only relevant depending on your workflow. Choose either Session or Catalog Glossary from the links to view a list of technical terms:

[Click for Catalog Users Glossary](#)

[Click for Session Users Glossary](#)



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary

Catalog Users Glossary

Session Users Glossary

- About Phase One
- Contact us

Recently viewed ▾

- Introduction
- Capture One Glossary
- White Balance
- Web Contact Sheet - Text
- Web Contact Sheet - Output

PHASE ONE

what the world's best photography is made of




Click for Catalog Users Glossary

- Album
- Catalog
- Export
- Groups
- Hot folder
- Processing
- Projects
- Smart album
- Selects collection
- Tethered
- Tokens
- Variant

Album

An album allows the user arbitrarily create collections of images. Drag and drop images into an album from the [Browser](#). Albums are virtual, meaning they only contain references back to the file. Therefore the same image can exist in many albums.

Albums are typically used to create collections of favorite images, cull from larger groups or create subsets for further filtering. Any edits applied to an image in one album will be reflected in all other albums that contain the same image.




Catalog

A catalog is a method of file organization and viewing in Capture One Pro. It uses a centralized system of storing settings and previews inside a single catalog file.

The location of the actual image files can be on any disc location but can also be placed inside the catalog file itself. It is also possible to shoot directly into a catalog from a supported tethered camera. There are many ways to implement Catalogs in your workflow, giving you the freedom of choice to create the image library for your needs.

Once image files are imported to a catalog, further organization takes place using user defined elements: Projects, Albums, Smart Albums and Groups. The folders section is used as an overview as to the location of the original image files in the file system registered in the catalog.



Export

Export converts the variant to a final file (e.g. Tiff or Jpeg). It has, ultimately, the same function as "Processing". For Express users, Export is the only option to convert to final file. Pro users can use either method.

Groups

A Group is a organizing item used within a catalog. It can not show images on its own. It can contain other Groups, Projects, Albums, and Smart albums.



Hot folder

If Capture One does not provide tethered support for a camera, it is possible to shoot tethered using a camera's proprietary software and a Hot Folder. A Hot Folder, in essence, will make Capture One auto select the newest images added to a (capture) folder.




Processing

The term Processing is inherited from the days of exposing photographic paper and chemically processing the image in a darkroom. It is used in this context to describe the conversion process from the "negative" (RAW) to a "print" (e.g a Tiff or Jpeg). For the purposes of comparison it is the equivalent to Export. Processing, however, is more powerful than Export, and with a number of unique features.

Projects

A project (like a group) is an organizational element for catalog users. It can exist on its own or inside a group. It can not show images. The main difference between a Project and a Group is that it is search limited for contained smart albums. A Smart album in a Project can only search other Albums within it, whereas a Smart album within a Group can search the entire catalog.



Smart album

A Smart Album is populated with images based on set search criteria. It is a virtual album, meaning it is only referencing images from other collections that meet that criteria. A Smart Album can (for example), search for all 5 star images in the catalog or session. Its contents will change if you add or remove 5 star images from images in the search. In a Session, all folders that are Favorites will be searched by Smart Albums. When in a Catalog, Smart Albums will search the entire catalog, unless nested in a Project.



Selects collection

The Selects Collection is used within a catalog. It functions in the same way as a Selects Folder although it is worth noting that when images are moved to the Selects Collection it does not need to move them on disk.

It is possible to assign any folder to make it a Selects Collection when you want to quickly transfer images from one folder to another. The Selects Collection function can come in particularly useful when you want to edit and move your best images into a different folder whilst browsing through multiple other image collections.



Tethered

Attaching a camera to the computer via a cable and shooting images directly to the hard drive instead of memory card. Images are shown on screen as soon as they are on the hard drive.

Tokens

Tokens (also referred to as Dynamic locations when used with import and output) are variables which extract some metadata from the file and use it to make up the naming structures of elements in the workflow.

Depending on the tool used Tokens can be used to automate folder structures or name images.

Variant

A variant is used to describe an image in the browser that is somewhere between the RAW file and the final processed file. As Capture One is a non-destructive editor what is shown on screen is effectively a preview/render of the RAW plus adjustments before conversion to the final file.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary

Catalog Users Glossary

Session Users Glossary

About Phase One

Contact us

Recently viewed ▾

Catalog Users Glossary

Introduction

Capture One Glossary

White Balance

Web Contact Sheet - Text

Capture One > Capture One Glossary > Session Users Glossary




Click for Session Users Glossary

- Album
- Export
- Favorite
- Hot folder
- Processing
- Selects
- Session
- Smart album
- Session folders
- Tethered
- Tokens
- Variant

Album

An album allows the user arbitrarily create collections of images. Drag and drop images into an album from the [Browser](#). Albums are virtual, meaning they only contain references back to the file. Therefore the same image can exist in many albums.

Albums are typically used to create collections of favorite images, cull from larger groups or create subsets for further filtering. Any edits applied to an image in one album will be reflected in all other albums that contain the same image.



Export

Export converts the variant to a final file (e.g. Tiff or Jpeg). It has, ultimately, the same function as "Processing". For Express users, Export is the only option to convert to final file. Pro users can use either method.

Favorite

A Favorite is a marker for a folder in a Session workflow. It enables quick and easy access to that folder via the Favorites area of the Library and tells Capture One to include the contents of that folder when searching.

Unlike a Catalog, a Session needs to know which folders to search when using Smart Albums. By marking a folder favorite you also make the contents available to the Smart albums (and only these folders).



Hot folder

If Capture One does not provide tethered support for a camera, it is possible to shoot tethered using a camera's proprietary software and a Hot Folder. A Hot Folder, in essence, will make Capture One auto select the newest images added to a (capture) folder.




Processing

The term Processing is inherited from the days of exposing photographic paper and chemically processing the image in a darkroom. It is used in this context to describe the conversion process from the "negative" (RAW) to a "print" (e.g a Tiff or Jpeg). For the purposes of comparison it is the equivalent to Export. Processing, however, is more powerful than Export, and with a number of unique features.

Selects

The Selects Folder (previously known as the Move-To folder) is automatically created when a new session is started. It is designed to enable users to quickly and easily move image files when culling a shoot. Once an image is selected, users simply need to press the 'move to selects' button on the toolbar (or use the shortcut) and the location of the file will change to this assigned folder.



Session

Sessions are designed to handle single project and are favored for tethered workflow. A Session in its basic form is a template of folders nested in a top folder. Interface into the session is based around a simple file browser concept. The folders in the session are assigned actions by default, for example the Capture folder is assigned to the folder named "Capture", so plugging in a camera and shooting will automatically write images to this folder.



Settings and previews for files in the session folders are stored locally to the folder of RAWs in a sub folder called "CaptureOne". A Session can easily be moved to another computer or another physical disc drive. As all necessary files are saved inside the Session folder by default, you can work on the entire Session from any computer.

Smart album

A Smart Album is populated with images based on set search criteria. It is a virtual album, meaning it is only referencing images from other collections that meet that criteria. A Smart Album can (for example), search for all 5 star images in the catalog or session. Its contents will change if you add or remove 5 star images from images in the search. In a Session, all folders that are favorites will be searched by Smart Albums. When in a Catalog, Smart Albums will search the entire catalog, unless nested in a Project.



Session folders

Sessions Folders form part of any created Session. They are shortcuts to the current active Capture (small camera icon), Output (cog icon), Selects (small looping arrow icon) and Trash (trash can icon) folders for the Session. To see the current active folders, right click on a session folder and then select "show in system folders"

By right clicking on another folder in the library and choosing "set as", these



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary

About Phase One

[Legal notice](#)

[Privacy](#)

[Sitemap](#)

[Contact us](#)



Recently viewed ▾

- [Session Users Glossary](#)
- [Catalog Users Glossary](#)
- [Introduction](#)
- [Capture One Glossary](#)
- [White Balance](#)



About Phase One

Phase One is the world's leader in open-platform based medium format camera systems and solutions.

Phase One medium format cameras, digital backs and lenses are designed to deliver superior quality image capture and investment value. Phase One's Capture One software helps streamline capture and post-production processes for both medium format and DSLR cameras.

Phase One products are known for their quality, flexibility and speed enabling pro photographers shooting in a wide range of formats to achieve their creative visions without compromise.

Phase One is an employee-owned company based in Copenhagen with offices in New York, London, Tokyo, Cologne and Shanghai.

Phase One and Capture One are registered trademarks of Phase One A/S. All other brand or product names are trademarks or registered trademarks of their respective holders.

Legal notice

Phase One and Capture One are registered trademarks of Phase One A/S in the European Union and/or other countries. All other trademarks are the property of their respective owners.

Privacy

Your privacy is important to us. Phase One has created the following statement to let you know about our firm commitment to your privacy.

Sitemap



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One

Legal notice

Privacy

Sitemap

Contact us

Recently viewed

- About Phase One
- Session Users Glossary
- Catalog Users Glossary
- Introduction
- Capture One Glossary



Legal notice

Phase One and Capture One are registered trademarks of Phase One A/S in the European Union and/or other countries. All other trademarks are the property of their respective owners.

All images published on this site are copyrighted and owned by Phase One and/or photographers. The images are not to be reprinted or reused without permission from their owners. All other material on our web sites (including but not limited to the domain phaseone.com) is © Copyright 2012 Phase One A/S unless specifically noted otherwise. All rights reserved.

Phase One disclaims any and all liabilities from the interpretation and use of the information presented on this website. All content, images, software or other material are provided on an "as is" basis. Any images and/or other material downloaded, used or obtained from the website is done at your own risk and you will be solely responsible for all damage, including but not limited to damage to your computer system or loss of data.

Except as may be expressly warranted in a license agreement Phase One makes no representations or warranties of any kind with regard to the images and/or other material available at the website and shall not be liable in any way for possible textual errors or omissions.

For information on terms of use for Capture One, please read the [Software License Agreement](#).

All information published on this site is subject to change without notice.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One

Legal notice

Privacy

Sitemap

Contact us

Recently viewed

- Legal notice
- About Phase One
- Session Users Glossary
- Catalog Users Glossary
- Introduction

PHASEONE
what the world's best photography is made of

Capture One > About Phase One > Privacy



Privacy

Your privacy is important to us. Phase One has created the following statement to let you know about our firm commitment to your privacy.

Privacy Statement

Our privacy commitment covers Phase One's website (www.phaseone.com) and our products and services.

Telerik

Capture One collects usage information to help us improve our products. This information is completely anonymous, and do not include any personal information, such as name, email address or customer ID. Information is collected unobtrusively without the user being asked to supply information manually.

The collected information can be grouped in two kinds of information: demographic data and usage behavior. Demographic data is collected automatically upon acceptance of the Licence agreement.

Demographic data include:

- The country where the software is running
- Software application version number
- Platform information such as operating system and graphics card, memory size, Camera ID and Lens Usage

Usage information includes:

- How often different features are used
- How often different buttons and menu items are clicked
- Execution time for specific operations
- Error reports

We use the service Telerik Analytics to collect, store and display this information.

Use of personal information

The information helps us evolve our efforts within software development, such as developing new features, debugging, and general user experience improvements. The information is not shared with third parties.

Data protection

Phase One uses the service Telerik Analytics to collect, store and display the collected information ("Data"). Telerik will not review, share, distribute, or reference any Data. Telerik has implemented security measures to help protect against the loss, misuse, and alteration of the Data under our control. Telerik Analytics is hosted in a secure server environment that uses a firewall and other advanced technologies to prevent interference or access from outside intruders. Telerik provides unique user names and passwords that must be entered each time a customer logs on. These safeguards help prevent access that is unauthorized, maintain data accuracy, and ensure the appropriate use of Data.

What information of yours does Phase One collect?

We will ask you when we need information that personally identifies you ("personal information") or allows us to contact you. Generally this information is requested when you want to purchase our products, when you want to request a product demo, when you register for our newsletter, when you want to download our software, when you have support requests or when you want to be notified on updates and news for your products.

When you register, we may ask you for information such as your name, e-mail address, shipping address, and product information (such as license code, serial number, make and model).

Your IP address is used to help identify you and your time spent at our sites, and to gather broad demographic information. This allows us to see which parts of our sites users are visiting. We do not link IP addresses to anything personally identifiable.

When a user submits personal information, it is kept on a Phase One internal server, which is not accessible from the Internet. This limits the risk of any malicious use of your information.

You can change or correct registered information for your Phase One profile online at our website. If you experience problems submitting such changes you can contact Phase One support via our website.

If you have registered information about products you use or own with us, you can modify or delete these registrations online via our website or via the latest Capture One software.

If you choose not to register or provide personal information, you can still use most of our website anonymously. Only the domain name from which you access the Internet, the Internet address and the date and time you access our web sites are logged. Phase One uses this information to analyze trends and to measure the number of visitors to our web sites. However, you will not be able to access areas or services that require registration.

Use of personal information

Phase One will generally not share your personal information with third parties.

Phase One may use aggregated (not personally identifiable) data collected to inform our sponsors, advertisers and other third parties as to numbers of people who have certain demographic characteristics and the number of those people who have seen and "clicked" on specific pages or advertisement(s). We may also disclose to such third-parties the overall demographics available regarding who saw and "clicked" on advertisements.

In the event Phase One sells assets (or the assets of a division or subsidiary) to another entity, including, without limitation, in the event of bankruptcy, or if Phase One (or a division or subsidiary) is acquired by, or merged with, another entity, Phase One may provide to such entity, customer and visitor information (both aggregate and personally identifiable) that is related to that part of the business that was sold to or merged with the other entity.

Links to other sites

Our website may contain links to other sites. Please be aware that Phase One is not responsible for the privacy practices or the content of such third party websites as well as any information they might collect, even though our name or logo may appear on those sites. We encourage you to be aware when you leave our site and to read the Privacy Statements of each and every Web site that you visit, as the privacy policy of those sites may differ from ours.

Use of "cookies"

During your visit to our website, so-called "cookies" are saved to your computer. These "cookies" register information about the navigation of your computer on our website (loaded pages, date, time of day and length of visit etc.) which we can access during your next visit in order to adapt the website to your personal requirements and optimize loading times. We also use this information to enter your data into enquiry forms and suchlike so that you do not need to fill them in yourself again and again.

We never store passwords or similarly sensitive data in cookies.

The use of cookies is common and advantageous. By indicating how and when visitors use a website, cookies aid us in finding but which areas are popular and which areas are not. Many improvements and updates are based on information supplied by cookies. Cookies can also help us to personalize web content and meet the desires of our visitors.

Our websites do not use cookies to collect personal information from your computer that was not initially sent as a cookie. You have the option to control the acceptance of cookies yourself and, if you wish, to block them entirely by configuring your Internet browser. Please refer to the documentation for your browser to change your preferences for this.

We reserve the right, at any time and without notice, to add, to change, update or modify this Privacy Statement, simply by posting such change, update or modification on the web site. Any such change, update or modification will be effective immediately upon posting on the web site.

Did you find this article useful?



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One

Legal notice

Privacy

Sitemap

Contact us

 **Recently viewed** ▾

- Privacy
- Legal notice
- About Phase One
- Session Users Glossary
- Catalog Users Glossary

[Capture One](#) ▸ [About Phase One](#) ▸ Sitemap



Sitemap

Capture One

Introduction

- [About Capture One](#)
- [Helping you to get started](#)
- [Setting up Capture One](#)
- [Quick Start Guide](#)

User Interface

- [User Interface Overview](#)

Viewing Photos

- [The Viewer](#)
- [The Browser](#)
- [Focus Checking](#)
- [Full Screen Mode](#)
- [Slideshow](#)

Toolbar

- [Tool Tabs](#)

Optimizing Your Workflow

Workflow Basics

- [RAW and Image File Formats](#)
- [Colors in Capture One](#)
- [Adjustment Controls](#)
- [Selecting Images](#)

Preferences and Customization

- [Global Application Preferences](#)
- [Customize the Toolbar](#)
- [Customized Workspaces](#)
- [Tangent Grading Panels](#)

Keyboard Shortcuts

- [Change the Default Settings](#)

PHASEONE

what the world's best photography is made of

Organizing Photos

Working with Catalogs

- Overview of Catalogs
- Importing Images into a Catalog
- Importing Catalogs and Sessions
- Organizing Images in a Catalog
- Working with Multiple Catalogs
- Backing-up a Catalog

Working with Sessions

- An Overview of Sessions
- Importing Images into a Session
- Organizing Images in Sessions

Library

- Albums and Folders
- Smart Albums
- Search and Filters
- Star Rate and Color Tag Images

File Naming

Copying Images

Deleting Images

Keywords

Metadata

Sequences

Tethered Capture

- Tethered Capture Overview
- Capture Naming and Counters
- Capture Location - Sessions
- Capture Location - Catalogs
- Capture Adjustments
- Camera Settings
- Live View

Working with an Overlay

Capture Pilot (™)

- Remote Shooting with Capture-Pilot

Editing Photos

Lens Correction and Composition

- Lens Correction
- Lens Cast Calibration
- Rotation & Flip
- Crop Tool
- Keystone Correction

Working with Colors

- Base Characteristics
- White Balance
- Color Balance
- Color Editor
- Black & White
- Display RGB values
- Migrating the Database
- Processing Engine

Exposure and contrast

Details

Sharpening

Noise Reduction

Moire

Dust and Spots

Film Grain

Local Adjustment

Styles and Presets

Global Auto Adjustments

External Editing

Exporting Photos

Export Originals and Variants

Process Variants

Using Process Recipes

Recipe Settings

Output Settings

Managing Sharpening

Managing Metadata

Adding a Watermark

Batch Queue

Web Gallery

File Formats

Enhanced Image Package (EIP)

Printing Photos

Tools Appendix

Adjustments Clipboard

Base Characteristics

Batch

Black and White

Camera

Camera Settings

Capture Pilot

Camera Focus
Clarity
Color Balance
Color Editor
Crop
Curve
Exposure
Exposure Evaluation
External Editing
Film Grain
Filters
Focus
High Dynamic Range
Histogram
Importer
Keystone
Keywords
Keyword Library
LCC
Lens Correction
Levels
Library
Live View Controls
Live View Focus Meter
Live View Info
Live View Navigator
Live View Overlay
Local Adjustments
Meta Data
Moire
Navigator
Next Capture Adjustments
Next Capture Location
Next Capture Naming
Noise Reduction
Output Location
Output Naming
Overlay
Print - Printer
Print - Units and guides
Print - Template
Print - Margin
Print - Layout
Print - Image Settings
Print - Annotation
Print - Watermark
Process Recipe
Process Recipes
Process Summary
Purple Fringing
Rotation And Flip
Sharpening



[Spot Removal](#)
[Styles and presets](#)
[Vignetting](#)
[Web Contact Sheet - Images](#)
[Web Contact Sheet - Layout](#)
[Web Contact Sheet - Output](#)
[Web Contact Sheet - Text](#)
[White Balance](#)

[Capture One Glossary](#)
[Catalog Users Glossary](#)
[Session Users Glossary](#)

[About Phase One](#)
[Legal notice](#)
[Privacy](#)
[Sitemap](#)

[Contact us](#)



- Introduction
- User Interface
- Optimizing Your Workflow
- Organizing Photos
- Tethered Capture
- Capture Pilot (™)
- Editing Photos
- Exporting Photos
- Printing Photos
- Tools Appendix
- Capture One Glossary
- About Phase One

Contact us

Capture One > Contact us



Contact us

CAPTURE ONE / C1

TECHNICAL SUPPORT

Capture One software support

Visit Phase One's support page that also includes a FAQ section.
[phaseone.com support](#)

User Forum

Forums for Capture One, Media Pro, Phase One digital backs and cameras among others.
[forum.phaseone.com](#)

Documentation

Access a PDF version of the Capture One User Guide as well as digital back and camera documentation.
[phaseone.com manuals](#)

PHASE ONE

Find out about the latest Certified Professionals training, PODAS photography workshops and more.
[phaseone.com](#)

Phase One partners

[Find local partner](#)

Phase One offices

[Find a Phase One office](#)

Try a Phase One camera system

[Sign up for a test drive](#)

STAY TUNED

Phase One social media channels:

[Facebook](#)

[Twitter](#)

[Instagram](#)

[YouTube](#) (all Capture One tutorials in one playlist)

[LinkedIn](#)

[The Image Quality Professor's blog](#)

[PODAS blog](#)



Recently viewed

- Sitemap
- Privacy
- Legal notice
- About Phase One
- Session Users Glossary

PHASEONE

what the world's best photography is made of